

General Offices/3M
3M Center
St. Paul, Minnesota 55144-1000
(612) 733-1110

ONTARIO SUPPLY CORP.
100 NORTH MOHAWK ST.
P.O. BOX 437
COHOES, NEW YORK 12047

000226



MATERIAL SAFETY
DATA SHEET

DIVISION: ELECTRICAL PRODUCTS DIVISION
TRADE NAME: SCOTCH BRAND 2200 VINYL MASTIC PADS
3M I.D. NUMBER: 80-6100-8710-0 80-6100-8711-8
ISSUED: NOVEMBER 4, 1985
SUPERSEDES: NOVEMBER 1, 1981
DOCUMENT: 10-2650-9

JUN-06 1000

1. INGREDIENTS	C.A.S. NO.	PERCENT	EXPOSURE LIMITS
VINYL BACKING	NONE	4.0- 6.0	NONE 5
ANTIMONY TRIOXIDE	1309-64-4	0.0- 1.0	0.5mg/cu.m. 1
LEAD PHOSPHITE	1344-40-7	0.0- 1.0	0.15mg/cu.m. 1
SYNTHETIC RUBBER MASTIC	NONE	94.0- 96.0	NONE 5

SOURCE OF EXPOSURE LIMIT DATA

1. ACGIH THRESHOLD LIMIT VALUES
2. FEDERAL OSHA PERMISSIBLE EXPOSURE LIMIT
3. 3M EXPOSURE GUIDELINES
4. CHEMICAL MANUFACTURER RECOMMENDED GUIDELINES
5. NONE ESTABLISHED

ABBREVIATIONS

N/D - NOT DETERMINED
N/A - NOT APPLICABLE

2. PHYSICAL DATA

BOILING POINT: N/A SOLUBILITY IN WATER: Nil
VAPOR PRESSURE: N/A SP. GRAVITY (WATER=1): N/A
VAPOR DENSITY (AIR=1): N/A PERCENT VOLATILE: 0
EVAPORATION RATE
(=1): N/A VISCOSITY: N/A
APPEARANCE AND ODOR: Black pads with release liner pH: N/A

3. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (N/A): N/A
FLAMMABLE LIMITS - LEL: N/A UEL: N/A

EXTINGUISHING MEDIA:

CARBON DIOXIDE, FOAM OR DRY CHEMICAL

SPECIAL FIRE FIGHTING PROCEDURES:

NONE

UNUSUAL FIRE AND EXPLOSION HAZARDS:

NONE

General Offices/3M
3M Center
St. Paul, Minnesota 55144-1000
(612) 733-1110



MATERIAL SAFETY
DATA SHEET

MSDS: SCOTCH BRAND 2200 VINYL MASTIC PADS
NOVEMBER 4, 1985

Page 2

=====
4. REACTIVITY DATA
=====
STABILITY: STABLE

INCOMPATIBILITY - MATERIALS TO AVOID:
NONE
HAZARDOUS POLYMERIZATION: MAY NOT OCCUR

HAZARDOUS DECOMPOSITION PRODUCTS:
MAY INCLUDE CARBON MONOXIDE, CARBON DIOXIDE, HYDROGEN CHLORIDE AND
PHOSGENE

=====
5. ENVIRONMENTAL INFORMATION
=====
SPILL RESPONSE:
NOT APPLICABLE
RECOMMENDED DISPOSAL:
BURY OR INCINERATE IN ACCORDANCE WITH STATE AND LOCAL REGULATIONS.
ENVIRONMENTAL DATA:
LESS THAN 0.1 PPM EXTRACTABLE LEAD BY THE USEPA EP (EXTRACTION
PROCEDURE) TOXICITY TEST (40 CFR PART 261.24).

=====
6. SUGGESTED FIRST AID
=====
EYE CONTACT:
NOT EXPECTED DURING INTENDED USE.
SKIN CONTACT:
NOT EXPECTED TO BE IRRITATING TO SKIN IN INTENDED USE.
INHALATION:
NOT EXPECTED TO BE A ROUTE OF EXPOSURE.
IF SWALLOWED:
NOT EXPECTED TO BE A ROUTE OF EXPOSURE.

=====
7. PRECAUTIONARY INFORMATION
=====
NO HAZARD EXPECTED IN NORMAL INDUSTRIAL HANDLING. KEEP OUT OF REACH
OF CHILDREN.

General Offices/3M

3M Center
St. Paul, Minnesota 55144-1000
(612) 733-1110



MATERIAL SAFETY
DATA SHEET

MSDS: SCOTCH BRAND 2200 VINYL MASTIC PADS
NOVEMBER 4, 1985

Page 3

=====

8. HEALTH HAZARD DATA

=====

EYE CONTACT: None expected during intended use.

SKIN CONTACT: Not expected to be irritating to skin in intended usages.

INHALATION: Not an expected route of exposure. Lead compounds are regulated by OSHA with a permissible exposure limit of 0.05 milligrams of lead per cubic meter of air. Inhalation exposure to lead is not expected during normal use and handling of this product.

INGESTION: Not an expected route of exposure.

=====

The information on this Data Sheet represents our current data and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this Data Sheet or which involves using the product in combination with any other product or any other process is the responsibility of the user.