

BIN #29

MATERIAL SAFETY DATA SHEET:

MSDS NO. AS-805

DATE: 1/10/96

PAGE 1 OF 2

ABATEMENT TECHNOLOGIES, INC.
1705 BELLE MEADE COURT, #160
LAWRENCEVILLE, GA 30243

PHONE: (770) 339-2600
FAX: (770) 339-2601

SECTION #1: PRODUCT IDENTIFICATION

Product Name: P.M.R., AS805
Description: MASTIC REMOVER
Appearance and Odor: LIGHT AMBER LIQUID
Use: MASTIC REMOVER

Rating Scale

- 0 = Minimal
- 1 = Slight
- 2 = Moderate
- 3 = Serious
- 4 = Severe

Hazard Rating (NFPA): Health = 2 Reactivity = 0
 Fire = 2 Special = NONE

Hazard Rating (HMIS): Health = 2 Flammability = 2 Reactivity = 0

SECTION #2: HAZARDOUS INGREDIENT INFORMATION

<u>Common Name/Chemical Name</u>	<u>TLV</u>	<u>Approximate %</u>
----------------------------------	------------	----------------------

THIS PRODUCT CONTAINS NO INGREDIENTS WHICH ARE CONSIDERED TO REPRESENT A HEALTH HAZARD AS CURRENTLY DEFINED BY 29 CFRR 1910. 1200.

THIS PRODUCT IS NOT A CARCINOGEN OR POTENTIAL CARCINOGEN AS DEFINED BY OSHA, THE NTP, OR THE IARC MONOGRAPHS.

SECTION #3: EMERGENCY AND FIRST AID PROCEDURES

Eye Contact: FLUSH WITH WATER, IF IRRITATION PERSISTS, CALL PHYSICIAN.

Skin Contact: WASH IMMEDIATELY WITH SOAP AND WATER.

Inhalation: IF SYMPTOMS OF OVEREXPOSURE, REMOVE VICTIM TO FRESH AIR.
CALL PHYSICIAN IF SYMPTOMS PERSIST.

Ingestion: DRINK MILK OR OTHER LIQUID TO DILUTE SUBSTANCE, CALL PHYSICIAN IMMEDIATELY.

SECTION #4: HUMAN HEALTH HAZARD INFORMATION

Threshold Limit Value: UNKNOWN

Adverse Health Effects:

- Skin - POSSIBLE SKIN IRRITANT WITH PROLONGED USE.
- Eye - DIRECT EYE CONTACT WILL RESULT IN IRRITATION.
- Other - EXCESSIVE INHALATION MAY CAUSE NAUSEA.

=====

SECTION #5: SPECIAL PRECAUTIONS FOR USE

=====

Eye Protection: CHEMICAL SPLASH GOGGLES OR FACESHIELD.

Skin Protection: NONPOROUS RUBBER GLOVES

Respiratory Protection: NOT NORMALLY REQUIRED, BUT IF VAPOR CONCENTRATION BECOMES HIGH, USE NIOSH APPROVED RESPIRATOR EQUIPPED WITH ORGANIC VAPOR/HIGH EFFICIENCY FILTER CARTRIDGES.

Ventilation: LOCAL EXHAUST SHOULD BE ADEQUATE.

Storage and Transport: AVOID TEMPERATURE EXTREMES

=====

SECTION #6: FIRE/EXPLOSION INFORMATION

=====

Flash Point: 122 DEGREES FAHRENHEIT

Test Method: CLOSED CUP

Flammable Limits: UNKNOWN

Extinguishing Media: 1) DRY POWDER; 2) FORM; 3) CO2

Special Fire Fighting Procedures: AVOID USE OF WATER AS IT MAY SPREAD FLAME

Unusual Fire and Explosion Hazards: COMBUSTIBLE LIQUID. KEEP AWAY FROM SPARKS AND OPEN FLAME.

=====

SECTION #7: REACTIVITY DATA

=====

Stability: STABLE

Materials to Avoid: AVOID STRONG OXIDIZING AGENTS.

Hazardous Polymerization: MAY OCCUR. POLYMERIZATION CATALYSTS SUCH AS ALUMINUM CHLORIDE SHOULD BE AVOIDED.

Hazardous Decomposition: NONE KNOWN.

=====

SECTION #8: SPILL OR LEAK PROCEDURES AND WASTE DISPOSAL

=====

Small Spills: WIPE UP PRODUCT, RINSE SOILED AREA WITH WATER DOWN THE DRAIN.

Large Spills: STOP LEAK AT THE SOURCE AND COLLECT INTO A SUITABLE CONTAINER, THEN TREAT AS A SMALL SPILL.

Waste Disposal: FOLLOW STATE AND LOCAL REGULATIONS FOR DISPOSAL OR LARGE NON-RECLAIMABLE SPILLS.

=====

SECTION #9: PHYSICAL DATA

=====

pH : 4 - 6

Vapor Density (Air=1): 4.7

Vapor Pressure: LESS THAN 3 MM OF HG @ 20 DEGREES CENTIGRADE.

Solubility in Water: EMULSIFIES; SOLUBLE ONLY IN TRACE QUANTITIES.

Specific Gravity: 0.856 @ 25 DEGREES C.

Boiling Point: 320 DEGREES FAHRENHEIT

Evaporation Rate (water=1): <1

Biodegradability: UNKNOWN

Other Information: MILD ODOR

=====

SECTION #10: SPECIAL PRECAUTIONS

=====

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: HANDLE AS A COMBUSTIBLE LIQUID. VAPORS CAN IGNITE, STORE AWAY FROM HEAT AND OPEN FLAME. ALWAYS STORE UNUSED PORTION IN ORIGINAL CONTAINER WITH CAP SECURE. AVOID TEMPERATURE EXTREMES.

OTHER PRECAUTIONS: ALL HANDLING EQUIPMENT SHOULD BE ELECTRICALLY GROUNDED. AS WITH ALL CHEMICALS, USE WITH DUE CARE ACCORDING TO LABEL INSTRUCTIONS AND PRECAUTIONS.