

Aleene's

DIVISION OF ARTIS, INC.

85 INDUSTRIAL WAY • BUELLTON, CA 93427

#789

MATERIAL SAFETY DATA SHEET
CURRENT ISSUE: 1-19-90

97-6842

PRODUCT IDENTIFICATION

Product Description: Aleene's OK To Wash It

Product Class: SYNTHETIC RESIN based product in water

DOT Proper Shipping Name: Not a regulated material

WARNING STATEMENTS

No specific warnings for normal use conditions.

PRECAUTIONARY MEASURES

Avoid temperature extremes in storage.

EMERGENCY AND FIRST AID PROCEDURES

FIRST AID:

- If in eye: Flush immediately with water for 15 minutes. Consult a physician if irritation persists.
- If on skin: Wash affected area with soap and water. Launder contaminated clothing before reuse.
- If vapors inhaled: Remove subject to fresh air.
- In case of fire: This product is non-flammable in the liquid state. Use water spray, foam, dry chemical or carbon dioxide on dried product.
- Spill or Leak: Contain and remove with inert absorbent. Keep spill out of sewers.

HAZARDOUS INGREDIENTS

This MSDS is prepared to comply with the OSHA Hazard Communication Standard (29 CFR 1910 . 1200). Unlisted ingredients are not "Hazardous" per this OSHA Standard and are considered to be trade secrets of the Aleene's company. Identities of trade secret ingredients will be made available following the procedures specified in the standard.

008037

Eye Protection: Wear safety glasses to reduce the potential eye contact; chemical safety goggles are appropriate if splashing is likely. Have eye washes available where eye contact can occur.

Skin Protection: Prevent prolonged or repeated contact by using rubber gloves and appropriated protective clothing. Launder contaminated clothing before reuse.

Respiratory Protection: Not normally required.

Ventilation: Standard industrial ventilation.

FIRE PROTECTION

Flash Point/Method: Non-flammable

Appropriate Extinguishers: Non-Flammable in liquid state; use water spray, foam, dry chemical or carbon dioxide on dried product.

Special Fire Fighting Procedures: Persons exposed to products of combustion should wear self-contained breathing apparatus and full protective equipment.

Unusual Fire and Explosion Hazards: There is the possibility of pressure buildup in closed containers when heated. Water spray may be used to cool the containers.

REACTIVITY DATA

Stability: Stable

Incompatibility: Not established

Hazardous Decomposition Products: Incomplete combustion can yield low molecular weight hydrocarbons, carbon monoxide.

Hazardous Polymerization: Will not occur.

EFFECTS OF OVEREXPOSURE

Eyes: Direct eye contact with the product

EFFECTS OF OVEREXPOSURE cont. may cause irritation.

PAGE 3

Skin: Prolonged or repeated contact with liquid product may cause irritation.

Inhalation: Exposure to vapors in poorly ventilated areas may cause irritation of the nose, throat and respiratory tract.

Chronic: No anticipated chronic effects. This product does not contain regulated levels of NTP, IARC, or OSHA listed carcinogens.

Existing Health Conditions Affected by Exposure:
No known effects on other illnesses.

PHYSICAL DATA

Physical State: Liquid

Weight per Gallon: 8.8 lbs.

Viscosity: 8000 cps

% Solids by Weight: 52

ph: 5.8

Boiling Range: Greater than 200 F

Soluble in Water: Miscible

SPILL, LEAK & DISPOSAL INFORMATION

Spill or Leak Procedures: Dike if necessary, contain spill with inert absorbent and transfer to containers for disposal. Keep out of sewers, watersheds or water systems.

Waste Disposal: This product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. State or Local hazardous waste regulations may apply if they are different from the federal regulation. Solidify and dispose of in an approved industrial landfill.

Protect from freezing - product stability may be affected.

ADDITIONAL INFORMATION

This product contains limited amounts of residual monomer. Under normal handling and use conditions the residual monomer should not present a hazard. In storage the monomer will migrate from the emulsion and establish an equilibrium between the headspace in the storage container and the liquid emulsion. Levels in excess of acceptable exposures can accumulate in non-vented headspaces above the emulsion. All procedures appropriate for a confined space entry should be completed prior to performing any work in a bulk storage tank.

REGULATORY INFORMATION**TSCA**

All components of this product are registered under the regulations of the Toxic Substances Control Act.

SARA TITLE III

Section 313: This product does not contain any toxic chemical subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR part 372.

DISCLAIMER -- Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Since conditions of use are beyond our control, we make no warranties, expressed or implied, except those that may be contained in our written contract of sale or acknowledgement.