

May be used to comply with  
 OSHA's Hazard Communication Standard,  
 29 CFR 1910.1200. Standard must be  
 consulted for specific requirements.

PO# R 67739

Occupational Safety and Health  
 (Non-Mandatory Form)  
 Form Approved  
 OMB No. 1218-0072

2887

IDENTITY (As Used on Label and List)  
 Stick Et Glue

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

**Section I**

Manufacturer's Name <b>American International Industries</b>	Emergency Telephone Number (800) 424-9300 or (800) 255-3924
Address (Number, Street, City, State, and ZIP Code) <b>2220 Gaspar Ave. LA, CA 90040</b>	Telephone Number for Information (213) 728-2999
	Date Prepared <b>October 30, 1991</b>
	Signature of Preparer (optional)

**Section II — Hazardous Ingredients/Identity Information**

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	HA (optional)
<b>Ethylcyanoacrylate (7085-85-0)</b>			4 ppm	95-98
<b>Polymethylmethacrylate</b>				2-5

(29 cer 1990.1000, 40 fr 23072, May 28 1975; revised at fr 2332, Jan 19, 1989, effective March 1, 1989)

**Section III — Physical/Chemical Characteristics**

Boiling Point at 6 mmHg <b>150 °F</b>	Specific Gravity (H <sub>2</sub> O = 1) <b>1.04</b>
Vapor Pressure (mm Hg.) at 133 °F <b>2</b>	Melting Point <b>-40 c</b>
Vapor Density (AIR = 1) <b>not determined</b>	Evaporation Rate (Butyl Acetate = 1) <b>not determined</b>
Solubility in Water <b>Insoluble</b>	
Appearance and Odor <b>Pungent odor</b>	

**Section IV — Fire and Explosion Hazard Data**

Flash Point (Method Used) <b>181.4 °F</b>	Flammable Limits	LEL	UEL
Extinguishing Media <b>carbon dioxide or dry chemical</b>			
Special Fire Fighting Procedures <b>water will intense polymerization to liquid. wear full selfcontained breathing apparatus.</b>			
Unusual Fire and Explosion Hazards <b>none</b>			

(Reproduce locally)

OSHA 174 Sect. 1985

Hazardous Decomposition or Byproducts: **Water, weak base, alcohols**  
 Acid, carbon monoxide, carbon dioxide, cyanide compound  
 Conditions to Avoid: **water, weak base, alcohols, heat**

Section VI — Health Hazard Data  
 Routes of Entry: Inhalation? **Yes** Skin? **Yes** Ingestion? **Yes**

Acute: **Eye irritation, bond skin instantly**  
 Chronic: **Not known**

Carcinogenicity: NTP? **NO** IARC Monographs? **NO** OSHA Regulated? **NO**

Signs and Symptoms of Exposure: **Eye irritation, running nose**

Medical Conditions Generally Aggravated by Exposure: **In case of eye contact, hold eyelid open and flush with water for 15 minutes. See doctor at once. In case of skin contact, do not pull. Use glue remover.**

Section VII — Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled: **Eliminate all sources of ignition. Evacuate the area, recover as much material as practical, soak up the remainder with absorbent materials. Ventilate area. Wear self-contained breathing apparatus, rubber boots and polyethylene gloves when cleaning up.**

Precautions to Be Taken in Handling and Storage: **Dispose according to Federal, State and Local regulations. Keep container closed while not in use. Keep away from heat and flame. Store in a cool place.**

Other Precautions: **None**

Section VIII — Control Measures

Respiratory Protection (Specify Type): **Wear appropriate OSHA/MSHA approved respirator**

Ventilation	Local Exhaust	<b>recommended</b>	Special	<b>None</b>
	Mechanical (General)	<b>Recommended in storage.</b>	Other	<b>None</b>

Protective Gloves: **Polyethylene gloves** Eye Protection: **Safety goggles**

Other Protective Clothing or Equipment: **Impervious clothing**

Work Hygienic Practices: **Medical surveillance and employee training proposed to be required.**