

601
000 ~~418~~

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

Form Approved
OMB No. 44-R1387

MATERIAL SAFETY DATA SHEET

250-1
8-3-82

Required under USDL Safety and Health Regulations for Ship Repairing,
Shipbuilding, and Shipbreaking (29 CFR 1915, 1916, 1917)

E.P.A. Copy

SECTION I

MANUFACTURER'S NAME Amrep, Inc.	EMERGENCY TELEPHONE NO. 404-422-2071
ADDRESS (Number, Street, City, State, and ZIP Code) 990 Industrial Park Drive, Marietta, GA 30062	
CHEMICAL NAME AND SYNONYMS n/a	TRADE NAME AND SYNONYMS Wisty Disinfectant Foam Cleaner
CHEMICAL FAMILY n/a	FORMULA Proprietary

SECTION II - HAZARDOUS INGREDIENTS

PAINTS, PRESERVATIVES, & SOLVENTS	%	TLV (Units)	ALLOYS AND METALLIC COATINGS	%	TLV (Units)
PIGMENTS			BASE METAL		
CATALYST			ALLOYS		
VEHICLE			METALLIC COATINGS		
SOLVENTS Diethylene glycol ethyl ether		2, not est.	FILLER METAL PLUS COATING OR CORE FLUX		
ADDITIVES Ethylene glycol monobutyl ether		2 50ppm	OTHERS		
OTHERS					
HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES				%	TLV (Units)
hydrocarbon propellants				5	1000ppm

SECTION III - PHYSICAL DATA

BOILING POINT (°F.)		SPECIFIC GRAVITY (H ₂ O=1)	1.0
VAPOR PRESSURE (mm Hg) Psig	max. 60	PERCENT, VOLATILE BY VOLUME (%)	95%
VAPOR DENSITY (AIR=1)		EVAPORATION RATE (_____ =1)	
SOLUBILITY IN WATER	complete		
APPEARANCE AND ODOR	White foam-pine odor		

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method used) non-flammable as per CPSC Flame ext. test	FLAMMABLE LIMITS	LeI	UeI
		not est.	not est.
EXTINGUISHING MEDIA water, foam, dry chemical, CO₂			
SPECIAL FIRE FIGHTING PROCEDURES self-contained respiratory apparatus			
UNUSUAL FIRE AND EXPLOSION HAZARDS Do not expose aerosols to temperatures above 130° F or the container may explode.			

SECTION V - HEALTH HAZARD DATA	
THRESHOLD LIMIT VALUE	not established
EFFECTS OF OVEREXPOSURE	irritation to skin & eyes
EMERGENCY AND FIRST AID PROCEDURES	
SKIN & EYES: Flush with plenty of water for 15 minutes. If irritation persists see physician. INGESTION: Induce vomiting. Drink large volumes of water. Call physician. INHALATION: Remove to fresh air.	

SECTION VI - REACTIVITY DATA			
STABILITY	UNSTABLE		CONDITIONS TO AVOID heat, sparks and open flames
	STABLE	X	
INCOMPATIBILITY (Materials to avoid)		Strong oxidizers	
HAZARDOUS DECOMPOSITION PRODUCTS			
CO			
HAZARDOUS POLYMERIZATION	MAY OCCUR		CONDITIONS TO AVOID
	WILL NOT OCCUR	X	

SECTION VII - SPILL OR LEAK PROCEDURES	
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED	
Wipe up with absorbent cloth. Large spill, absorb on suitable medium and dispose of by incineration or landfill.	
WASTE DISPOSAL METHOD	
Aerosol cans when vented to atmospheric pressure through normal use poses no hazard.	

SECTION VIII - SPECIAL PROTECTION INFORMATION		
RESPIRATORY PROTECTION (Specify type)		
none required if kept below TLV		
VENTILATION	LOCAL EXHAUST	SPECIAL
	MECHANICAL (General)	OTHER
PROTECTIVE GLOVES	rubber gloves recommended	EYE PROTECTION
OTHER PROTECTIVE EQUIPMENT	none	not required

SECTION IX - SPECIAL PRECAUTIONS	
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING	
Do not puncture or incinerate container. Do not store at temperatures above 130°F.	
OTHER PRECAUTIONS	
Avoid food contamination. Keep out of reach of children.	