

BTY SEC ANTISEPTIC

*** SECTION I: General Information (Product Manufacturer) ***

BEAUTY SECRETS/E.O.H.
PO BOX 300628
ARLINGTON TX 76010-9628
EPA #: _____
Emer. Phone: (800) 424-9300
Info. Phone: (800) 433-5303
Date Prepared: 8/27/93
ORM-D? Y

*** SECTION II: Hazardous Ingredients/Identity Information ***

Hazardous Component	CAS Req #	OSHA PEL
ACETONE (2-PROPANE) ACGIH TLV: _____ Other: _____	67641	1000 PPM %:
EHTYL ETHER ACGIH TLV: _____ Other: _____	60207	400 PPM %:

*** SECTION III: Physical/Chemical Characteristics ***

Specific Gravity: .755-.780	Method:
Vapor Pressure: 257@68F	Melting Point: -95C
Vapor Density: >1	Evaporation Rate: >1
Solubility in Water: APPRECIABLE	Boiling Point: 41C
Appearance and Odor: CLEAR, COLORLESS LIQUID; SWEET, PUNGENT ODOR.	

*** SECTION IV: Fire and Explosion Hazard Data ***

Flash Point: 049 F	Flammable Limits: LEL 1.90
Method: negative 49 F	UEL 36

Extinguishing Methods:

USE WATER SPRAY TO COOL FIRE-EXPOSED SURFACES AND TO PROTECT PERSONNEL. EITHER ALLOW FIRE TO BURN UNDER CONTROLLED CONDITIONS OR EXTINGUISH WITH ABOVE-MENTIONED MEDIA. TRY TO COVER LIQUID SPILLS WITH FOAM. IF LARGE FIRE, FIREFIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS.

Special Fire Fighting Procedures:

SAME AS ABOVE

Unusual Fire and Explosion Hazards:

EXTREMELY FLAMMABLE! MATEIAL WILL READILY IGNITE AT AMBIENT TEMPERATURES. CAN RELEASE VAPORS THAT FORM FLAMMABLE MIXTURES AT OR ABOVE THE FLASHPOINT.

*** SECTION V: Reactivity Data ***

Stability: Stable	Corrosive?	Polymerization?
-------------------	------------	-----------------

Conditions to Avoid:

HEAT, SUNLIGHT, LONG STANDING OR EXCESSIVE AGING.

*** SECTION V: Reactivity Data *** (cont.)

Incompatibility:

CAN REACT DANGEROUSLY WITH ACETYL PEROXIDE, LIQUID AIR, AZIDES, CHLORINE, STRONG OXIDIZING AGENTS, HEAT, OR FLAME.

Hazardous Decomposition or Byproducts:

WILL NOT OCCUR

Hazardous Polymerization:

WILL NOT OCCUR

Polymerization Conditions:

NA

*** SECTION VI: Health Hazard Data ***

Route(s) of Entry: Inhalation? Y Skin? Y Eye? Y Ingestion? Y

Carcinogenicity: NTP? IARC Monographs? OSHA Regulated?

Health Hazards (Acute and Chronic):

NL

Signs and Symptoms of Exposure:

INHALATION: General anesthesia can occur with high vapor concentrations in poorly ventilated area. Early symptoms include irritation of the nose and throat, followed by dizziness, drowsiness, and unconsciousness.

EYE: Irritating and may injure eye tissue if not removed promptly.

INGESTION: Harmful if swallowed. Not toxic in the sense of a poison, but acts as a Depressant on the Central Nervous System.

Medical Conditions Aggravated by Exposure:

NL

Emergency and First Aid Procedures:

INHALATION: Move to fresh air. If breathing has stopped, give artificial respiration. Keep affected person warm and at rest. Get medical attention as soon as possible.

EYE: Immediately flush eyes with large amounts of water for at least 15 minutes. Get medical attention if irritation persists.

INGESTION: Get medical attention immediately! If person is conscious, induce vomiting by giving two glasses of water and inserting finger to back of throat. Never give anything by mouth to an unconscious person.

*** SECTION VII: Precautions for Safe Handling and Use ***

Steps to be Taken in Case Material is Released or Spilled:
ELIMINATE SOURCES OF IGNITION. VENTILATE AREA OF LEAK OR SPILL.
WASH AWAY WITH WATER IF PRACTICAL. IF USE OF WATER IS NOT PRACTICAL, ABSORB SPILL WITH EARTH OR VERMICULITE AND REMOVE TO OUTDOORS FOR DISPOSAL. DO NOT USE FLAMMABLE MATERIALS SUCH AS SAWDUST.

Waste Disposal Method:

CONSULT AN EXPERT ON DISPOSAL OF LARGE AMOUNTS OF RECOVERED MATERIAL AND INSURE COMPLIANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

** SECTION VII: Precautions for Safe Handling and Use ** (cont.)

Precautions to be Taken in Handling and Storage:
KEEP IN TIGHTLY CLOSED CONTAINERS. PROTECT AGAINST PHYSICAL
DAMAGE. AVOID DIRECT SUNLIGHT. STORE IN A COOL, DRY, WELL
VENTILATED LOCATION, AWAY FROM ANY AREA WHERE THE FIRE HAZARD MAY
BE ACUTE. LIMIT INDOOR STORAGE OF FLAMMABLE LIQUIDS TO AREAS
CONFORMING TO LOCAL CODES.

Other Precautions:

NL

*** SECTION VIII: Control Measures ***

Ventilation? Y Pressurized? Container Type:

Respiratory Protection:

NONE

Ventilation:

MECHANICAL LOCAL EXHAUST VENTILATION

Protective Gloves:

NONE

Eye Protection:

CHEMICAL SAFETY GOGGLES

Work/Hygienic Practices:

NL

This MSDS covers these requested SKUs:

SKU	SIZE	DESCRIPTION
164492	2 OZ	BTY SEC NAIL ANTISEPTIC SPRAY

The information contained herein is based on the data available
to us and is believed to be correct to the best of our ability.
*However, Sally Beauty Company makes no warranty, expressed or *
*implied regarding the accuracy of this data nor assumes any *
*responsibility for injury from the intentional or non- *
*intentional misuse of this product. *
