

BINNEY & SMITH INC.
1100 CHURCH LANE
EASTON, PA 18044

TELEPHONE NOS.
EMERGENCY: 1-215-253-6271
INFORMATION: 1-800-272-9652

1. PRODUCT IDENTIFICATION

PRODUCT NAME(S): LIQUITEX® Airbrush Medium

PRODUCT COLORS/CODES: 10-5908, 10-5916

2. HAZARDOUS INGREDIENTS

HAZARDOUS COMPONENTS	CAS NO.	OSHA PEL	TLV
Ammonia	7664-41-7	50 ppm	25 ppm
Ethanol, 2 Butoxy	111-76-2	N/A	N/A
Propylene Glycol	57-55-6	None	None

3. PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: > 212°F

FREEZING POINT: < 32°F

VAPOR PRESSURE @ 20°C.: N/A

VAPOR DENSITY (AIR=1): N/A

EVAPORATION RATE (BUTYL ACETATE=1): N/A

SPECIFIC GRAVITY (WATER=1): .98035

SOLUBILITY IN WATER: Soluble

APPEARANCE AND ODOR: White milky liquid, mild odor

4. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT AND METHOD: N/A

FLAMMABLE LIMITS IN AIR- UPPER: None
% BY VOLUME: LOWER: None

EXTINGUISHING MEDIA: Water, Fog, Foam, CO₂ or Dry Chemical

SPECIAL FIRE FIGHTING PROCEDURES: Self Contained Breathing Apparatus

UNUSUAL FIRE OR EXPLOSION HAZARDS: None Known

5. HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE: Not Established

ROUTES OF ENTRY:

INHALATION: None
SKIN: None
INGESTION: Possible
EYES: Possible

ACUTE OR CHRONIC HEALTH HAZARDS: None Known

EFFECTS OF OVEREXPOSURE: Unknown

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None Known

EMERGENCY AND FIRST AID: Do not induce vomiting, contact a physician
EYES: Flush with water for 15 min. Call a physician if symptoms exist
SKIN: Wipe off excess and flush with warm water and soap.
INGESTION: Consult a physician, hospital or poison control center.
INHALATION: Remove victim to fresh air and treat symptomatically.

CARCINOGENICITY: THE INGREDIENTS OF THIS PRODUCT ARE ON THE TOXIC SUBSTANCE CONTROL ACT (TSCA) INVENTORY.

6. REACTIVITY DATA

STABILITY: Stable

CONDITIONS TO AVOID: None

INCOMPATIBILITY (MATERIALS TO AVOID): None

HAZARDOUS DECOMPOSITION PRODUCTS: Will not occur

HAZARDOUS POLYMERIZATION: Will not occur

7. SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE OF RELEASE OR SPILL: Recover free product. Keep product out of sewers and watercourses by diking or impounding. Advise authorities if product enters sewers or watercourses. Assure conformity with applicable governmental regulations.

WASTE DISPOSAL METHOD: In accordance with Local, State and Federal Regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING OR STORING: Store at room temperature.

PRODUCT NAME:

PAGE 3

8. SPECIAL PROTECTION INFORMATIONRESPIRATORY PROTECTION: None RequiredPROTECTIVE GLOVES: None RequiredEYE PROTECTION: None RequiredOTHER PROTECTIVE EQUIPMENT: None RequiredVENTILATION: None RequiredOTHER PROTECTION: Clean, safe work practices.**9. SPECIAL INFORMATION**VOC INFORMATION:

LBS. VOC PER GAL. OF COATING LESS WATER: .28222

DATE PREPARED: 8/19/93

APPROVED BY: Jeffrey Alicea

THE INFORMATION CONTAINED HEREIN IS PROVIDED FOR THE PURPOSE OF DISCLOSING PRODUCT HAZARDS AND DOES NOT CONSTITUTE PRODUCT SPECIFICATIONS. ALL WARRANTIES, EITHER EXPRESSED OR IMPLIED, ARE HEREBY DISCLAIMED.