

**Basecoat & Ridgefiller**

-----  
\*\*\* SECTION I: General Information (Product Manufacturer) \*\*\*

**BRUCCI, LTD.**

861 NEPPERHAN AVENUE  
YONKERS NY 10703  
EPA #:

Emer. Phone: ( ) -  
Info. Phone: ( ) -  
Date Prepared: 11/18/94  
ORM-D? Y

-----  
\*\*\* SECTION II: Hazardous Ingredients/Identity Information \*\*\*

Hazardous Component	CAS Req #	OSHA PEL
Ethyl acetate ACGIH TLV: 400 ppm Other:	141786	400 ppm %:
Butyl acetate ACGIH TLV: 150 ppm Other:	123864	150 ppm %:
Propyl acetate ACGIH TLV: Other:	109604	%:
Nitrocellulose ACGIH TLV: NA Other:	900469630	NA %:
Toluenesulmonamide/formaldehyde res ACGIH TLV: None Other:	25035716	None %:
Dibutyl phthalate ACGIH TLV: 5 mc/cum Other:	84742	5 mc/cum %:
Isopropyl alcohol ACGIH TLV: 400 ppm Other:	67630	400 ppm %:
Amyl acetate ACGIH TLV: Other:	628637	%:
Toluenesulfonamide/expoxy resin ACGIH TLV: 2 ppm Other:	25035716	None %:
Camphor ACGIH TLV: 2 ppm Other:	76222	None %:
Benzophenone-1 ACGIH TLV: Other:	131566	5 mg/ms %:
Stearalkonium hectorite ACGIH TLV: NA Other:	997067621	NA %:

-----  
\*\*\* SECTION III: Physical/Chemical Characteristics \*\*\*

Specific Gravity: .96-1.2  
Vapor Pressure: NL

Method:  
Melting Point: NA

-----  
\*\*\* SECTION III: Physical/Chemical Characteristics \*\*\* (cont.)

Vapor Density: NL  
Solubility in Water: Immiscible  
Appearance and Odor:  
Pigmented liquid/solvent odor

Evaporation Rate: NL  
Boiling Point: 171F

-----  
\*\*\* SECTION IV: Fire and Explosion Hazard Data \*\*\*

Flash Point: 45 F  
Method: Open cup

Flammable Limits: LEL 1.1  
UEL

Extinguishing Methods:

Foam, carbon dioxide and dry chemicals.

Special Fire Fighting Procedures:

Keep all unprotected and unnecessary people away. Remove all sources of ignition. Utilize self-contained breathing apparatus to avoid smoke or vapors.

Unusual Fire and Explosion Hazards:

Keep containers tightly closed, isolate from heat, sparks and open flame.

-----  
\*\*\* SECTION V: Reactivity Data \*\*\*

Stability: Stable  
Corrosive?  
Polymerization? N

Conditions to Avoid:

Alkali contamination, heat, sparks and open flame.

Incompatibility:

Inorganic acids and alkalies.

Hazardous Decomposition or Byproducts:

May produce hazardous fumes when heated to decomposition such as carbon monoxide or carbon dioxide.

Hazardous Polymerization:

Will not occur.

Polymerization Conditions:

NL

-----  
\*\*\* SECTION VI: Health Hazard Data \*\*\*

Route(s) of Entry: Inhalation? Y Skin? Y Eye? Y Ingestion? Y

Carcinogenicity: NTP? N IARC Monographs? N OSHA Regulated? N

Health Hazards (Acute and Chronic):

NL

Signs and Symptoms of Exposure:

Irritation of the respiratory tract, may cause nausea, headaches, vomiting, dizziness, and stupor. Irritation to nose, eyes and mucous membranes. Avoid contact with skin.

Medical Conditions Aggravated by Exposure:

Narcotic at high concentrations.

Emergency and First Aid Procedures:

INHALATION: Move to fresh air-refer to a physician for treatment

-----  
\*\*\* SECTION VI: Health Hazard Data \*\*\* (cont.)

Emergency and First Aid Procedures: (cont.)  
of irritation.

EYES: Flush with large amounts of water lifting upper and lower eye lids occasionally, refer to physician.

SKIN: Thoroughly wash exposed area with soap and water. Remove contaminated clothing and launder before reusing.

INGESTION: Call a physician.

-----  
\*\*\* SECTION VII: Precautions for Safe Handling and Use \*\*\*

Steps to be Taken in Case Material is Released or Spilled:  
Eliminate all sources of ignition. Contain spilled liquid with vermiculite, floor absorbent or other absorbent materials.

Waste Disposal Method:

Must comply with local, state and federal regulations.

Precautions to be Taken in Handling and Storage:

Keep away from heat, sparks and open flame. Spark-resistant tools recommended. Use adequate ventilation. Close container after each use.

Other Precautions:

California Proposition 65 - This product contains a chemical known to the state of California to cause birth defects or other reproductive harm. Avoid contact with skin. Wash thoroughly after handling.

-----  
\*\*\* SECTION VIII: Control Measures \*\*\*

Ventilation? Y      Pressurized?      Container Type:

Respiratory Protection:

In confined areas use NIOSH respirators.

Ventilation:

Local exhaust: Adequate ventilation.

Mechanical general: Explosion proof.

Protective Gloves:

Yes

Eye Protection:

Yes

Work/Hygienic Practices:

Use appropriate hygiene practices.

This MSDS covers these requested SKUs:

SKU	SIZE	DESCRIPTION
703855	1/2 OZ	BRUCCI BASE COAT

6/27/95  
MSDS # 01549

SALLY BEAUTY COMPANY  
Material Safety Data Sheet

Page: 4

\*\*\*\*\*  
\*The information contained herein is based on the data available\*  
\*to us and is believed to be correct to the best of our ability.\*  
\*However, Sally Beauty Company makes no warranty, expressed or \*  
\*implied regarding the accuracy of this data nor assumes any \*  
\*responsibility for injury from the intentional or non- \*  
\*intentional misuse of this product. \*  
\*\*\*\*\*