

SPECIMEN LABEL *Chempar*

P.C.Q.®

RAT AND MOUSE BAIT

Ready to Use

Active Ingredient . . . Diphacinone 2 — (Diphenylacetyl) —	
1,3 — indandione005%
Inert Ingredients	99.995%
TOTAL	100.000%

CAUTION
KEEP OUT OF REACH OF CHILDREN
(See below for additional precautions)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: For control of Norway Rats, Roof Rats, and House Mice in and around homes, industrial and agricultural buildings, and similar man-made structures.

Treated baits must be placed in locations not accessible to children, pets, domestic animals, wildlife or in tamper-proof bait stations. Do not place baits in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

SELECTION OF TREATMENT AREAS: Determine areas where rats and/or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings in or beside burrows, in corners and concealed places between floors and walls, or in locations where rodents or their signs have been observed. Protect bait from rain or snow. Remove as much food as possible.

APPLICATION DIRECTIONS

NORWAY AND ROOF RATS: Place at least 3 to 16 oz. of bait in stations next to burrows, in runways, along walls, or where rats are accustomed to feed. 3 oz. of bait is sufficient to kill a rat. Assure an uninterrupted supply of fresh bait for a period of not less than 10 days and continue baiting until all signs of feeding have stopped.

HOUSE MICE: Place tablespoon amounts (1/4 to 1/2 oz.) of bait in stations (8 to 12 feet apart) where mice or signs of mice have been seen. Assure an uninterrupted supply of bait for a period of not less than 15 days. Replace stale, damp or moldy bait with fresh bait. Placing bait in concealed locations where rats and mice can feed unobserved is desirable.

This rodenticide contains diphacinone, an anticoagulant chemical that reduces the clotting ability of the blood and upon repeated feedings, causes fatal hemorrhage in rats and mice.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Treated baits must be placed in locations not accessible to children, pets, wildlife and domestic animals, or in tamperproof bait stations.

STATEMENT OF PRACTICAL TREATMENT: If swallowed by humans, pets, wildlife or domestic animals, this material may reduce the clotting ability of the blood and cause bleeding. In such cases, intravenous and oral administration of Vitamin K combined with blood transfusions are indicated as in the case of hemorrhage caused by overdoses of bishydroxycoumarin. In case of ingestion, call a physician.

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment.

STORAGE AND DISPOSAL


Do not contaminate water, food or feed by storage or disposal

STORAGE: Store only in original container, in a dry area inaccessible to children and pets.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty carton into application equipment. Then dispose of empty carton in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

EPA EST. NO. 12455-WI-1
EPA REGISTRATION NO. 12455-19



RAT AND MOUSE BAIT

**FOOD GRADE CEREALS AND ENHANCERS
PROVIDE OPTIMAL ACCEPTANCE
(USDA GREEN COLOR)**

PCQ RAT AND MOUSE BAIT is a cereal bait containing the anticoagulant diphacinone. Diphacinone is more acute than coumarin type anticoagulants and kills rats and mice with less chemical than many other anticoagulants.

The success of an anticoagulant bait depends on rodent acceptance and repeated feedings, so PCQ RAT AND MOUSE BAIT contains only food grade cereal and enhancers for optimal acceptance. A rodent does not become bait shy even if it eats sublethal doses.

The safety factor for non-target animals is high with anticoagulant baits because repeated feedings are necessary to cause injury. Anticoagulants are also of low hazard to humans and pets because an antidote, Vitamin K, is available and there is a time factor for treatment.

PCQ RAT AND MOUSE BAIT comes packaged in poly glassine pouches that mice and rats open themselves. In numerous tests, mice and rats showed no hesitation in opening the place packs. The packs protect the bait from moisture and other contaminants such as dust and chemical odors. The place packs are slender in design for use in bait stations, burrows and runways. The one mil polyethylene liner is laminated to the inside of the glassine paper which protects the bait from moisture.

A special 1 1/2 oz. pack for mouse placements can reduce costs considerably over the 3 oz. place pack which is primarily designed for rats. PCQ is colored green for use in USDA inspected food plants.

PCQ is available in 120 x 1 1/2 oz. place packs, 60 x 3 oz. bait packs and 25 lb. bulk cartons.

ROZOL[®]

BULK READY-TO-USE



This natural grain bait is thoroughly treated with ROZOL Oil Concentrate which helps ensure longer palatability of the bait.

ROZOL Baits contain chlorophacinone, the most active multiple feeding anticoagulant available. This bait is highly effective against rats and mice and offers excellent acceptance without pre-baiting. Bait shyness is no problem with ROZOL Ready-To-Use.

This is a non-restricted rodenticide and can be used indoors and outdoors in urban or rural situations. It is USDA approved for use in federally-inspected food plants.

ROZOL Ready-To-Use natural grains are readily accepted by rodents and the use of this bait offers low hazard to humans and non-target animals. In case of accidental ingestion, the easily obtained antidote is Vitamin K1.

PACKAGING:

- 45* bulk • 100 x 1½ oz. place packs per carton

Precautionary Statements Hazards To Humans And Domestic Animals

WARNING

Keep away from humans, domestic animals and pets. Keep away from feed or foodstuffs. May be harmful or fatal if swallowed or absorbed through the skin because this material may reduce the clotting ability of the blood and cause bleeding.

This product should be handled with gloves. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking. If swallowed, call a physician immediately.

Note To Physician: If ingested, administer Vitamin K₁ intramuscularly or intravenously combined with blood transfusions as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times.

Environmental Hazards: This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in original container in a cool, dry place inaccessible to children and pets.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

KEEP AWAY FROM FOODSTUFFS

Warranty: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.



READY-TO-USE RAT AND MOUSE BAIT

ONLY ROZOL BAITS ARE OIL IMPREGNATED!

Active ingredient:	
2-(p-chlorophenyl) phenylacetyl	0.003%
1,3-Indandione*	99.995%
Inert ingredients	100.00%
Total	100.00%

*Chlorophacinone-Uphedione

KEEP OUT OF REACH OF CHILDREN WARNING

See side panel for additional
precautionary statements.

Manufactured by:

Chempar. 

A DIVISION OF LIPHA CHEMICALS, INC.

3101 W. CUSTER AVENUE
MILWAUKEE, WI 53209

NET CONTENTS: 30 LBS. (18.144 Kgs.)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Directions: Place baits in locations where rats and mice feed, water, and/or travel. Bait placements along walls, in corners, and in concealed locations where rats and mice can feed unobserved are desirable. Contaminated or spoiled baits should be replaced promptly.

Baits should be placed in areas inaccessible to children, pets, wildlife and domestic animals or in tamperproof bait boxes.

For Rats: Each station should contain at least 4 ounces of bait. Maintain constant supply of bait at stations for at least 10 days.

For Mice: Tablespoon amounts (¼ to ½ ounce) of bait should be placed at 8 to 12 foot intervals. An uninterrupted supply of bait should be maintained for at least 15 days.

To ensure the most effective and highest quality bait, this product has been prepared in a two-step operation.

- 1) The active ingredient was dissolved in oil to form an oil concentrate.
- 2) The bait was impregnated with the oil concentrate and the toxicant completely absorbed by the grain.

This process provides the following advantages:

- a) The lethal action begins when the rodent consumes the bait. Impregnation reduces the possibility of the toxicant to flake off.
- b) The USP grade mineral oil enhances bait acceptance and promotes absorption in the rodent's system.
- c) The oil aids in the preservation of the bait even under humid conditions, thus reducing the possibility of rancidity that may cause bait rejection.

These advantages, coupled with the effectiveness of the compound on rats and mice, makes this a highly desirable product, as: **ONLY ROZOL BAITS PROVIDE ALL THESE EXCLUSIVE FEATURES. LOOK FOR THE ROZOL SYMBOL ON THE LABEL FOR A SUPERIOR PRODUCT.**

Product No. 447
Label No. 5030-0480

EPA Reg. No. 7173-80 EPA Est. No. 7173-NY-01