10205.

CMSI

Material Safety Data Sheet

Culture Media & Supplies, Inc.

118 D Kirkland Circle Oswego, Illinois 60543-8069

P: 630-499-5000 • F: 630-499-9900 www.culturemediasupplies.com

Nutrient Agar Catalog #: CD145

Facilities Wanagement

Page 1 Of 2

Hazard Description

This product contains no hazardous constituents or the concentration of all chemical constituents are below the regulatory threshold limits described by Occupational Safety Health Administration Hazard Communication Standard 29 CFR 1910.1200 and the European Directive 91/155/EEC, 88/379/EEC, and 67/546/EEC.

Classification System

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

NFPA ratings (scale 0-4)

Health = 0

Fire = 0

Reactivity = 0

General information: No Special measures required.

After inhalation: Seek medical treatment in case of complaints

After skin contact: Immediately wash with water and soap and rinse thoroughly. After eye contact: Rinse opened eye for several minutes under running water. If

symptoms persist, consult a doctor.

After swallowing: If symptoms persist consult doctor.

Information for doctor: Show this sheet.

Acute toxicity: none Primary irritant effect:

on the skin: No irritant effect. on the eye: No irritant effect.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to

CMSI

Material Safety Data Sheet

Culture Media & Supplies, Inc.

118 D Kirkland Circle Oswego, Illinois 60543-8069

P: 630-499-5000 • F: 630-499-9900 www.culturemediasupplies.com

Nutrient Agar Catalog #: CD145_

Page 2 Of 2

Handling

Information for safe handling: Prevent formation of dust.
Information about protection against explosives and fires:
No special measures required.

Storage

Requirements to be met by storerooms and receptacles: <30 C

Store in a cool, dry condition in well sealed receptacle.

Class according to regulations on flammable liquids: Void

Components with limit values that require monitoring at the workplace: This product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Personal protective equipment

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Breathing equipment:

In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA approved respiratory. In case of intensive or longer exposure use respiratory protective device that is independent of circulation air.

Protection of hands: Protective gloves.

Eye protection: Safety glasses.

Body protection: Protective work clothing (lab coat)

FORT ATKINSON 901 JANESVILLE AVENUE FORT ATKINSON, WI 53538-0901

(920) 563-2446 FAX (920) 563-8296 TOLL FREE 800-558-9595 10 www.eNASCO.com

SYRACUSE CITY SCHOOL DISTRICT

ACCTS PAYABLE DEPT

SYRACUSE NY 13210-2395

725 HARRISON ST

ORIGINAL INVOICE TERMS: NET 30 DAYS

186583 (1924 26 F) FED.I.D.NO. 06-1165854

LL CLAIMS MUST BE MADE WITHIN 10 DAYS AFTER RECEIPT OF GOODS.

Date Page 4/13/09 1 Order No. Contract P.O. Number 68-0989-0 21351 K056852 Account Invoice No. SIs Code WS Id 441-299-00 4296 AUTO Special Information Cash with Order MSDS 315/4354179 Shipping Instructions Request Date

POSTAGE:

FOB-DEST

Remit To: NASCO

> 901 Janesville Avenue Fort Atkinson, WI 53538-0901

Send this portion with your payment.

Keep this portion for your records.

Account:	441-299-00	P.O.	Number: K0568	52 Order: 68-0989-0	Invoice:	4296	Date:	4/13/09
Ordered	Shipped Backord	er U/M	Catalog #	Description		Price		Extended
	· · · · · ·			SPECIAL REMARKS NO PI				
				PI AUTH, PI WRT, FRGHT LETR,				
1	1	ΕA	IM99999M	INSERT MATERIALS	~15%	5		.00
				MSDS W/PKG				
1	1	EA	SA08543M	POLLUTANT EFFECTS OF PHOSP	-15%	59.9	5	50.96
1	1	LB	SB07269M	NUTRIENT AGAR 1LB	-15%	79.9	5	67.96
2	2	PK	SB13098M	INDICATOR BOTTLE 30ML PK12	-15%	10.9	5	18.62
1 ,	1	RL	SB16079M	CHROMATOGRAPHY PAPER #601	-15%	22.7	5	19.34
1	1	PK	SB16144M	TEST TUBE BRUSH 10" PK12	-15%	7.5	0	6.38
6	6	EA	SB17979M	BEAKER 250ML GLASS LOW FRM	-15%	2.1	0	10.71
6	6	EA	SB17980M	BEAKER 400ML GLASS LOW FRM	-15%	2.7	0	13.77
1.	1	ST	SB17995M	MORTAR & PESTLE 90MM	-15%	7.5	0	6.38
1	1	EA	SB21429M	BOTTLE ROCKET LAUNCHER	-15%	27.5	0 .	23.38
1	1	EA	SB23578M	POWER STATION, RENEWAL	-15%	29.7	5	25.29
1	1	PK	SB39393M	RECHARGEBLE AA BATTERY/4PK	-15%	13.2	5	11.26
1	1	EA	SB42194 (Y) M	POCKET CONDUCTIVITY	-15%	49.9	5	42.46
1	1	EΑ	SB42919M	BLD PRESSURE MONITOR, DIGIT	-15%	56.9	5	48.41
SDS - 1	L0205							
				YOUR ORDER IS COMPLETE				

WITH THIS INVOICE*

THE TOTAL OF YOUR ORDER HAS BEEN REDUCED BY USING YOUR QUOTE. THANK YOU.

Sold To: Shipped To: SYRACUSE CITY SCHOOL DISTR GILLIES, D ACCTS PAYABLE DEPT BOVA SUPPLY CENTER 725 HARRISON ST NOTTINGHAM HIGH/WILK ROOM 116 SYRACUSE NY 13210-2395 1023 ERIE BLVD W SYRACUSE NY 13204

344.92 **NET TOTAL:** SHIPPING/HANDLING: TAX: **SUB TOTAL:** 344.92 LESS: .00

TERMS: NET 30 DAYS

TOTAL DUE:

For proper credit to your account, please return the top portion of this document with your remittance and write your account number/invoice# on your check. All claims for damages and/or shortages MUST be reported WITHIN 10 DAYS after receipt of merchandise. MERCHANDISE MAY NOT BE RETURNED WITHOUT AUTHORIZATION.

344.92

SCO FORT ATKINSON

901 JANESVILLE AVE. FORT ATKINSON, WI 53538-0901 THANK YOU (920) 563-2446 FAX (920) 563-8296 For Your Order www.eNASCO.com