



**MATERIAL SAFETY DATA SHEET**  
**TRADE NAME:**

2

AUGUST 30, 1996  
DT-6000

**EYES:** Contact may cause stinging or burning, intense watering, conjunctivitis (inflammation of the eyes), ulceration of eyes, opaqueness of the cornea, loss of sight.

**SKIN:** Contact may cause burning, inflammation, painful blisters.

**INHALATION:** May cause irritation of nose, eyes, and throat, coughing, difficulty in breathing.

**INGESTION:** May cause irritation and burning sensation of lips, mouth, and throat, pain in swallowing, gastrointestinal irritation, abundant salivation, stomach cramps, nausea and vomiting.

**EMERGENCY FIRST AID PROCEDURES**

**EYES:** Immediately flush eyes with running water for at least fifteen minutes. If pain and/or irritation persists, get medical attention.

**SKIN:** Remove contaminated clothing immediately, and flush affected area with water for at least fifteen minutes. If pain or irritation persists, get medical attention. Launder clothing before reusing.

**INHALATION:** Move victim to fresh air, lay him down with legs raised, loosen collar and belt, and cover with a blanket. If breathing is difficult, give oxygen administered by a trained individual. If not breathing, administer artificial respiration and then administer oxygen. Get medical attention.

**INGESTION:** If swallowed - DO NOT INDUCE VOMITING! Give cold water or ice to rinse mouth. Give milk of magnesia, milk, or egg whites. If vomiting does occur, give fluids again. Keep victim warm and quiet. Get immediate medical attention. Do not give anything by mouth to an unconscious person.

**SECTION VI - REACTIVITY DATA****STABILITY :**

Normally stable

**CONDITIONS TO AVOID:**

High temperatures

**INCOMPATIBILITY:**

Avoid contact with strong alkalis or other reactive materials. May corrode such metals as steel, iron, tin, brass. May react violently with such metals as aluminum and magnesium.

**HAZARDOUS DECOMPOSITION PRODUCTS:** May evolve sulfur dioxide on boiling.**HAZARDOUS POLYMERIZATION:**

Will not occur.

**SECTION VII - SPILL OR LEAK PROCEDURES**

**STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED:** Stop leaks and contain spill. Only trained personnel with proper protective equipment should be permitted in area. Reclaim if possible. Or, dilute spill with large amounts of water then neutralize with soda ash or lime. Dispose in accordance with state and federal regulations. After all visible traces have been removed, flush area with large amounts of water.

**SECTION VIII - SPECIAL PROTECTION INFORMATION****RESPIRATORY PROTECTION:**

Respirator may be worn by persons sensitive to the fumes.

**VENTILATION:**

Local exhaust as needed to control fumes.

**EYE PROTECTION:**

Face shield or safety goggles.

**PROTECTIVE GLOVES:**

Rubber or vinyl gloves.

**OTHER PROTECTIVE EQUIPMENT:**

Eye wash, safety shower, local water supply, in case of eye or skin contact or spills.

**SECTION IX - SPECIAL PRECAUTIONS**

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:** Avoid contact with strong alkalis or reactive metals. Store in tightly sealed containers in a cool, dry place.

**OTHER PRECAUTIONS:**

None required.



FACILITIES MANAGEMENT DEPARTMENT

1025 Erie Blvd., West  
Syracuse, New York 13204

FAX NO. 435-4235

Facsimile Transmitted To:

*Ruth Dixie*

Regarding:

*MSDS for file (PT 6000)*

From:

*Daniel C. Delaney*

( 3 ) Pages including this cover letter.