

Joe 1346

K92905

97-10376

Material Safety Data Sheet
to be used to comply with
OSHA's Hazard Communication Standard,
29 CFR 1910.1200. Standard must be
consulted for specific requirements.

U.S. Department of Labor
Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072



IDENTITY (As Used on Label and List)
400-8 White System Board Cleaner

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.


Section I

Manufacturer's Name
Kixon Ticonderoga Company
Address (Number, Street, City, State, and Zip Code)
Rt. 61
Deer Lake, PA 17961

Emergency Telephone Number
(419) 625-9545
Toll-free Number for Information
Same
Date Prepared
01-08-92
Signature of Preparer (optional)

Section II -- Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
Ethanol CAS 64 - 17 - 5	1000 PPM			8%
nPropanol CAS 71 - 23 - 8	200 PPM			9%
Water CAS 7732 - 18 - 5	N/A			81%
Tetra Sodium Pyro Phosphate CAS	N/A			1%



Section III -- Physical/Chemical Characteristics

Boiling Point	200°F	Specific Gravity (H ₂ O = 1)	0.98
Vapor Pressure (mm Hg.)	N/A	Melting Point	170°F
Vapor Density (Air = 1)	> 1	Evaporation Rate (Butyl Acetate = 1)	> 1
Solubility in Water			
Appearance and Odor			

Section IV -- Fire and Explosion Hazard Data

Flash Point (Method Used)	TOC 87°F	Flammable Limits	LEL 1.3%	UEL 1.9%
Extinguishing Media	Water Spray, CO ₂ , Foam, Dry Chemical			
Special Fire Fighting Procedures	Use water spray to cool containers and disperse vapors.			
Unusual Fire and Explosion Hazards	Vapors may travel and ignite remotely.			

(Reproduce locally)