

M A T E R I A L   S A F E T Y   D A T A   S H E E T

DOW CHEMICAL U.S.A. MIDLAND, MI 48674 EMERGENCY PHONE: 517-636-4400

PRODUCT CODE: 26066

PAGE: 1

PRODUCT NAME: DURSBAN (R) L.O. INSECTICIDE

EFFECTIVE DATE: 12/24/85      DATE PRINTED: 02/10/86

MSD: 001556

1. INGREDIENTS:

O,O,-DIETHYL O-(3,5,6-TRICHLORO-2-PYRIDYL) PHOSPHOROTHIOATE, (CHLORPYRIFOS)	CAS# 002921-88-2	41.5%
INERT INGREDIENTS XYLENE RANGE AROMATIC SOLVENT	CAS# 064742-95-6	58.5%
PROPRIETARY EMULSIFIERS		

SUBSTANCES LISTED IN THE INGREDIENTS SECTION ARE THOSE IDENTIFIED AS BEING PRESENT AT A CONCENTRATION OF 1% OR GREATER, OR 0.1% IF THE SUBSTANCE IS ON THE LIST OF POTENTIAL CARCINOGENS CITED IN OSHA HAZARD COMMUNICATION STANDARD. WHERE PROPRIETARY INGREDIENT SHOWS, THE IDENTITY OF THIS SUBSTANCE MAY BE MADE AVAILABLE AS PROVIDED IN 29 CFR 1910.1200(I)

2. PHYSICAL DATA:

BOILING POINT: 290F, 143C  
VAP. PRESS: <10 MMHG @ 25C  
VAP. DENSITY:  
SOL. IN WATER: EMULSIFIES  
SP. GRAVITY: 1.16  
APPEARANCE: CLEAR LIQUID.  
ODOR: AROMATIC TYPE ODOR.

3. FIRE AND EXPLOSION HAZARD DATA:

FLASH POINT: 122F, 50C  
METHOD USED: TCC

FLAMMABLE LIMITS  
LFL: 1%  
UFL: 6% (XYLENE RANGE AROMATIC)

EXTINGUISHING MEDIA: WATER SPRAY, CARBON DIOXIDE, AND DRY CHEMICAL.

FIRE & EXPLOSION HAZARDS: FOAM SYSTEM IS PREFERRED.  
TOXIC IRRITATING GASES MAY BE FORMED. RAPID DECOMPOSITION

(CONTINUED ON PAGE 2)

(R) INDICATES A TRADEMARK OF THE DOW CHEMICAL COMPANY

M A T E R I A L   S A F E T Y   D A T A   S H E E T

000199

DOW CHEMICAL U.S.A. MIDLAND, MI 48674 EMERGENCY PHONE: 517-636-4400

PRODUCT CODE: 26066

PAGE: 2

PRODUCT NAME: DURSBAN (R) L.O. INSECTICIDE

EFFECTIVE DATE: 12/24/85    DATE PRINTED: 02/10/86    MSD: 001556

3. FIRE AND EXPLOSION HAZARD DATA: (CONTINUED)

ABOVE 160-200C. VIOLENT RUPTURE OF CONTAINERS DUE TO OVERPRESSURIZATION MAY OCCUR.

FIRE-FIGHTING EQUIPMENT: USE POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS.

4. REACTIVITY DATA:

STABILITY: (CONDITIONS TO AVOID) AVOID HEATING ABOVE 60C TEMPERATURE. CHLORPYRIFOS UNDERGOES EXOTHERMIC DECOMPOSITION WHICH CAN LEAD TO HIGHER TEMPERATURES AND VIOLENT DECOMPOSITION IF HEAT DEVELOPED IS NOT REMOVED. CONTAINS PETROLEUM DERIVATIVE SOLVENT - WILL BURN.

INCOMPATIBILITY: (SPECIFIC MATERIALS TO AVOID) UNSTABLE AT PH ABOVE 10. CONSULT MANUFACTURER FOR SPECIFIC CASES.

HAZARDOUS DECOMPOSITION PRODUCTS: HYDROGEN CHLORIDE, ETHYL SULFIDE, DIETHYL SULFIDE AND NITROGEN OXIDES.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.

5. ENVIRONMENTAL AND DISPOSAL INFORMATION:

ACTION TO TAKE FOR SPILLS/LEAKS: ABSORB SPILLS WITH MATERIAL SUCH AS SAND. WASH EXPOSED BODY AREAS THOROUGHLY AFTER HANDLING. CONTAIN SPILL BY DIKING TO KEEP OUT OF SEWERS. FOR LARGE SPILLS, BARRICADE AREA, ELIMINATE IGNITION SOURCES, AND CONSULT MANUFACTURER.

DISPOSAL METHOD: DO NOT CONTAMINATE FOOD, FEED, OR WATER BY STORAGE OR CLEANING OF EQUIPMENT. OPEN BURNING IS PROHIBITED. PESTICIDE, SPRAY MIXTURE OR RINSE WATER THAT CANNOT BE USED ACCORDING TO LABEL INSTRUCTIONS MUST BE DISPOSED OF ACCORDING TO APPLICABLE FEDERAL, STATE OR LOCAL PROCEDURES. IF BURIAL IS PERMITTED, BURY IN ISOLATED, NON-CROP LOCATION AWAY FROM DOMESTIC OR NATURAL WATER SOURCES. KEEP OUT OF DOMESTIC OR NATURAL WATER SOURCES.

(CONTINUED ON PAGE 3)

(R) INDICATES A TRADEMARK OF THE DOW CHEMICAL COMPANY

M A T E R I A L   S A F E T Y   D A T A   S H E E T

DOW CHEMICAL U.S.A. MIDLAND, MI 48674 EMERGENCY PHONE: 517-636-4400

PRODUCT CODE: 26066

PAGE: 3

PRODUCT NAME: DURSBAN (R) L.O. INSECTICIDE

EFFECTIVE DATE: 12/24/85      DATE PRINTED: 02/10/86

MSD: 001556

6. HEALTH HAZARD DATA:

EYE: MAY CAUSE PAIN. MAY CAUSE MODERATE IRRITATION WITH CORNEAL INJURY.

SKIN CONTACT: PROLONGED OR REPEATED EXPOSURE MAY CAUSE SKIN IRRITATION.

SKIN ABSORPTION: A SINGLE PROLONGED EXPOSURE IS NOT LIKELY TO RESULT IN THE MATERIAL BEING ABSORBED THROUGH SKIN IN HARMFUL AMOUNTS. THE LD50 FOR SKIN ABSORPTION IN RABBITS IS >2000 MG/KG.

INGESTION: SINGLE DOSE ORAL TOXICITY IS LOW. THE ORAL LD50 FOR MALE AND FEMALE RATS IS 599 AND 834 MG/KG, RESPECTIVELY. AMOUNTS INGESTED INCIDENTAL TO INDUSTRIAL HANDLING ARE NOT LIKELY TO CAUSE INJURY; HOWEVER INGESTION OF LARGER AMOUNTS MAY CAUSE INJURY. IF ASPIRATED (LIQUID ENTERS THE LUNG), MAY CAUSE LUNG DAMAGE OR EVEN DEATH DUE TO CHEMICAL PNEUMONIA, A CONDITION CAUSED BY PETROLEUM AND PETROLEUM-LIKE SOLVENTS.

INHALATION: THE LC50 FOR RATS IS >1.3 MG/L FOR 4 HOURS. EXCESSIVE EXPOSURE MAY PRODUCE ORGANOPHOSPHATE TYPE CHOLINESTERASE INHIBITION. EXCESSIVE VAPOR CONCENTRATIONS OF SOLVENT ARE ATTAINABLE AND COULD BE HAZARDOUS ON SINGLE EXPOSURE. SIGNS AND SYMPTOMS OF EXCESSIVE EXPOSURE, IN ORDER OF INCREASING CONCENTRATION, MAY BE EYE AND UPPER RESPIRATORY TRACT IRRITATION, FEELING OF INCREASED BODY HEAT, CENTRAL NERVOUS SYSTEM EFFECTS SUCH AS HEADACHE, DIZZINESS, INCOORDINATION, DROWSINESS, UNCONSCIOUSNESS.

SYSTEMIC & OTHER EFFECTS: EXCESSIVE EXPOSURE MAY PRODUCE ORGANOPHOSPHATE TYPE CHOLINESTERASE INHIBITION. SIGNS AND SYMPTOMS OF EXCESSIVE EXPOSURE TO ACTIVE INGREDIENT MAY BE DIZZINESS, INCOORDINATION, MUSCLE TWITCHING, TREMORS, NAUSEA, ABDOMINAL CRAMPS, DIARRHEA, SWEATING, PINPOINT PUPILS, BLURRED VISION, SALIVATION, TEARING, TIGHTNESS IN CHEST, EXCESSIVE URINATION, CONVULSIONS. REPEATED EXCESSIVE EXPOSURES TO HIGH CONCENTRATIONS OF SOLVENT MAY CAUSE LIVER AND KIDNEY INJURY AND EFFECTS ON BLOOD CELLS. ACTIVE INGREDIENT DID NOT CAUSE CANCER IN LABORATORY ANIMALS. AVAILABLE DATA ON SOLVENT ARE INADEQUATE TO EVALUATE CARCINOGENICITY. ACTIVE

CONTINUED ON PAGE 4)

(R) INDICATES A TRADEMARK OF THE DOW CHEMICAL COMPANY

M A T E R I A L   S A F E T Y   D A T A   S H E E T

DOW CHEMICAL U.S.A. MIDLAND, MI 48674 EMERGENCY PHONE: 517-636-4400

PRODUCT CODE: 26066

PAGE: 4

PRODUCT NAME: DURSBAN (R) L.O. INSECTICIDE

EFFECTIVE DATE: 12/24/85 DATE PRINTED: 02/10/86

MSD: 001556

6. HEALTH HAZARD DATA: (CONTINUED)

INGREDIENT DID NOT CAUSE BIRTH DEFECTS IN LABORATORY ANIMALS. EXAGGERATED DOSES OF SOLVENT GIVEN ORALLY TO PREGNANT MICE RESULTED IN AN INCREASE IN CLEFT PALATE, A COMMON DEVELOPMENTAL ABNORMALITY IN MICE. INHALATION EXPOSURE OF SOLVENT TO PREGNANT RATS RESULTED IN TOXICITY TO THE FETUS AT CONCENTRATIONS NONTOXIC TO THE MOTHER BUT DID NOT CAUSE ANY BIRTH DEFECTS. IN ANIMAL STUDIES, ACTIVE INGREDIENT HAS BEEN SHOWN NOT TO INTERFERE WITH REPRODUCTION. BASED ON A MAJORITY OF NEGATIVE DATA AND SOME EQUIVOCAL OR marginally POSITIVE RESULTS, ACTIVE INGREDIENT IS CONSIDERED TO HAVE MINIMAL MUTAGENIC POTENTIAL. RESULTS OF MUTAGENICITY STUDIES ON SOLVENT HAVE BEEN NEGATIVE IN IN-VITRO ("TEST-TUBE") TESTS AND INCONCLUSIVE IN ANIMALS.

• FIRST AID:

EYES: IRRIGATE WITH FLOWING WATER IMMEDIATELY AND CONTINUOUSLY FOR 15 MINUTES. CONSULT MEDICAL PERSONNEL.

SKIN: WASH OFF IN FLOWING WATER OR SHOWER. AVOID PROLONGED OR REPEATED CONTACT WITH SKIN. WASH THOROUGHLY AFTER HANDLING.

INGESTION: DO NOT INDUCE VOMITING. CALL A PHYSICIAN AND/OR TRANSPORT TO EMERGENCY FACILITY IMMEDIATELY.

INHALATION: REMOVE TO FRESH AIR IF EFFECTS OCCUR. CONSULT A PHYSICIAN.

NOTE TO PHYSICIAN: BECAUSE RAPID ABSORPTION MAY OCCUR THROUGH LUNGS IF ASPIRATED AND CAUSE SYSTEMIC EFFECTS, THE DECISION OF WHETHER TO INDUCE VOMITING OR NOT SHOULD BE MADE BY A PHYSICIAN. IF LAVAGE IS PERFORMED, SUGGEST ENDOTRACHEAL AND/OR ESOPHAGEAL CONTROL. DANGER FROM LUNG ASPIRATION MUST BE WEIGHED AGAINST TOXICITY WHEN CONSIDERING EMPTYING THE STOMACH. SUGGEST SERUM AND/OR RBC CHOLINESTERASE DETERMINATION. ATROPINE BY INJECTION IS THE PREFERABLE ANTIDOTE. OXIMES MAY OR MAY NOT BE THERAPEUTIC BUT IT IS RECOMMENDED THEY NOT BE USED IN PLACE OF ATROPINE. SUPPORTIVE CARE. TREATMENT BASED ON JUDGMENT OF THE PHYSICIAN IN RESPONSE TO REACTIONS OF THE PATIENT.

(CONTINUED ON PAGE 5)

(R) INDICATES A TRADEMARK OF THE DOW CHEMICAL COMPANY

M A T E R I A L   S A F E T Y   D A T A   S H E E T

DOW CHEMICAL U.S.A. MIDLAND, MI 48674 EMERGENCY PHONE: 517-636-4400

PRODUCT CODE: 26066

PAGE: 5

PRODUCT NAME: DURSBAN (R) L.O. INSECTICIDE

EFFECTIVE DATE: 12/24/85

DATE PRINTED: 02/10/86

MSD: 001556

8. HANDLING PRECAUTIONS:

EXPOSURE GUIDELINE: ACGIH TLV IS 0.2 MG/M3 FOR CHLORPYRIFOS; THE STEL IS 0.6 MG/M3. ACGIH TLV AND OSHA PEL ARE 100 PPM FOR XYLENE; THE STEL IS 150 PPM.

VENTILATION: CONTROL AIRBORNE CONCENTRATIONS BELOW THE EXPOSURE GUIDELINE. USE ONLY WITH ADEQUATE VENTILATION. LOCAL EXHAUST VENTILATION MAY BE NECESSARY FOR SOME OPERATIONS. LETHAL CONCENTRATIONS MAY EXIST IN AREAS WITH POOR VENTILATION.

RESPIRATORY PROTECTION: ATMOSPHERIC LEVELS SHOULD BE MAINTAINED BELOW THE EXPOSURE GUIDELINE. WHEN RESPIRATORY PROTECTION IS REQUIRED FOR CERTAIN OPERATIONS, USE AN APPROVED AIR-PURIFYING RESPIRATOR. FOR EMERGENCY AND OTHER CONDITIONS WHERE THE EXPOSURE GUIDELINE MAY BE GREATLY EXCEEDED, USE AN APPROVED POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS.

SKIN PROTECTION: USE PROTECTIVE CLOTHING IMPERVIOUS TO THIS MATERIAL. SELECTION OF SPECIFIC ITEMS SUCH AS GLOVES, BOOTS, APRON, OR FULL-BODY SUIT WILL DEPEND ON OPERATION. SAFETY SHOWER SHOULD BE LOCATED IN IMMEDIATE WORK AREA. REMOVE CONTAMINATED CLOTHING IMMEDIATELY, WASH SKIN AREA WITH SOAP AND WATER, AND LAUNDRY CLOTHING BEFORE REUSE. CONTAMINATED LEATHER ITEMS, SUCH AS SHOES, BELTS AND WATCHBANDS, SHOULD BE REMOVED AND DESTROYED.

EYE PROTECTION: USE CHEMICAL GOGGLES. IF VAPOR EXPOSURE CAUSES EYE IRRITATION, USE A FULL-FACE RESPIRATOR.

9. ADDITIONAL INFORMATION:

SPECIAL PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

MSDS STATUS: REVISED 1, 2, 3, 4, AND 6.

(R) INDICATES A TRADEMARK OF THE DOW CHEMICAL COMPANY  
THE INFORMATION HEREIN IS GIVEN IN GOOD FAITH, BUT NO WARRANTY,  
EXPRESS OR IMPLIED, IS MADE. CONSULT THE DOW CHEMICAL COMPANY  
FOR FURTHER INFORMATION.