

PT 1395
PT 1403
PT 1412
PT 1415

MATERIAL SAFETY DATA SHEET

MSDS # 105

Identity
Duncan Gloss Glaze - GL100 & GL900 Series

SECTION I

Manufacturer's Name
Duncan Enterprises
Address
5673 E. Shields Ave.
Fresno, CA 93727

Emergency Telephone Number
(303) 623-4884
Telephone Number
(209) 291-4444
Date Prepared
May 1988
Prepared By
Curt Sathre
Revised

SECTION II
HAZARDOUS INGREDIENTS

Hazardous Components	OSHA PEL	ACGIH TLV	CAS #	%
none				

Other Information
none

SECTION III
PHYSICAL DATA

Boiling Point, (DEG F) 212 F	Vapor Pressure, (MM HG.) n/a
Melting Point, (DEG F) 1800 F	Vapor Density (AIR=1) n/a
Specific Gravity (Water=1): 1.5	Water Solubility, % Insoluble
Appearance And Odor Colored liquid. Odorless	Freezing Point n/a
pH n/a	Evaporation Rate (Butyl Acetate=1) n/a

SECTION IV
FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used) n/a	Flammable Limits LEL n/a UEL n/a
Extinguishing Media n/a	
Special Fire Fighting Procedures None. Will not burn.	
Unusual Fire And Explosion Hazards None.	

SECTION V
REACTIVITY DATA

MSDS 105

Stability Unstable: Stable: X

Conditions To Avoid

n/a

Incompatibility (Materials To Avoid)

n/a

Hazardous Decomposition or Byproducts

n/a

Hazardous Polymerization

May Occur:

Will Not Occur: X

Conditions To Avoid

n/a

SECTION VI
HEALTH HAZARD DATA

Routes Of Entry Inhalation? no Skin? no Ingestion? yes

Health Hazards (Acute and Chronic)

None. Nontoxic

Carcinogenicity NTP? no IARC Monographs? no OSHA Regulated? no

Signs And Symptoms of Exposure

n/a

Medical Conditions Generally Aggravated by Exposure

Abrasive, can scratch eyes.

Emergency And First Aid Procedures

Eye contact: Flush with water at least 15 minutes.

Skin contact: Wash with soap and water.

SECTION VII
PRECAUTIONS FOR SAFE HANDLING

Steps To Be Taken In Case Material Is Released Or Spilled

Clean up properly with paper towels and a wet sponge.

Waste Disposal Method

Put paper towels in trash and rinse out sponge.

Precautions To Be Taken In Handling And Storing

Keep container sealed.

Other Precautions

n/a

SECTION VIII
CONTROL MEASURES

Respiratory Protection (Specify Type)

If spraying, do not inhale mist. Use respirator that is NIOSH approved for sprays and mists.

Ventilation

Local Exhaust

Recommended

Mechanical (General)

Recommended when spraying

Protective Gloves

no

Other Protective Clothing Or Equipment

None needed

Special

Use respirator when spraying

Other

none

Eye Protection

yes

Work/Hygienic Practices


Good hygiene practices should be followed.

SECTION IX
ADDITIONAL INFORMATION

MSDS 105

CALIFORNIA Proposition 65

n/a



*Products bearing the AP Approved Product Seal of The Art and Craft Materials Institute, Inc. are certified in a program of toxicological evaluation by a medical expert to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. This program is reviewed by the Institute's Toxicological Advisory Board. These products are certified by the Institute to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D-4236. In addition, there is no physical hazard as defined within 29 CFR Part 1910.1200(c).

DISCLAIMER -- Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Since conditions of use are beyond our control, we make no warranties, expressed or implied, except those that may be contained in our written contract of sale or acknowledgement.