

MATERIAL SAFETY DATA SHEET

000157

Required under USDL Safety and Health Regulations for Ship Repairing,
Shipbuilding, and Shipbreaking (29 CFR 1915, 1916, 1917)

SECTION I

| | | |
|---|--|---|
| MANUFACTURER'S NAME Faber-Castell Corporation | | EMERGENCY TELEPHONE NO. 615/359/1583 |
| ADDRESS (Number, Street, City, State, and ZIP Code) P.O. Box 330 551 Spring Place Road, Lewisburg, Tennessee 37091 | | |
| CHEMICAL NAME AND SYNONYMS | TRADE NAME AND SYNONYMS UHU GLU STIC U26 - U125 | |
| CHEMICAL FAMILY | FORMULA | |

SECTION II - HAZARDOUS INGREDIENTS

| PAINTS, PRESERVATIVES, & SOLVENTS | % | TLV (Units) | ALLOYS AND METALLIC COATINGS | % | TLV (Units) |
|---|------|-------------|--|------|-------------|
| PIGMENTS | N.A. | | BASE METAL | N.A. | |
| CATALYST | N.A. | | ALLOYS | N.A. | |
| VEHICLE | N.A. | | METALLIC COATINGS | N.A. | |
| SOLVENTS | N.A. | | FILLER METAL PLUS COATING OR CORE FLUX | N.A. | |
| ADDITIVES | N.A. | | OTHERS | N.A. | |
| OTHERS | N.A. | | | | |
| HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES | | | | % | TLV (Units) |
| Non-toxic as defined by Federal Hazardous Substances Act. | | | | | |
| LD50 greater than 5g /kg body weight. | | | | | |

SECTION III - PHYSICAL DATA

| | | | |
|-------------------------|----------------------|---------------------------------------|--|
| BOILING POINT (°F.) | | SPECIFIC GRAVITY (H ₂ O=1) | |
| VAPOR PRESSURE (mm Hg.) | | PERCENT VOLATILE BY VOLUME (%) | |
| VAPOR DENSITY (AIR=1) | | EVAPORATION RATE (_____ =1) | |
| SOLUBILITY IN WATER | 100% | | |
| APPEARANCE AND ODOR | White odorless solid | | |

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

| | | | | |
|------------------------------------|---------------|------------------|-----|-----|
| FLASH POINT (Method used) | Non-Flammable | FLAMMABLE LIMITS | LeI | UeI |
| EXTINGUISHING MEDIA | N.A. | | | |
| SPECIAL FIRE FIGHTING PROCEDURES | N.A. | | | |
| UNUSUAL FIRE AND EXPLOSION HAZARDS | N.A. | | | |

SECTION V - HEALTH HAZARD DATA

| | |
|------------------------------------|------|
| THRESHOLD LIMIT VALUE | N.A. |
| EFFECTS OF OVEREXPOSURE | N.A. |
| EMERGENCY AND FIRST AID PROCEDURES | N.A. |

SECTION VI - REACTIVITY DATA

| | | | |
|--------------------------------------|----------------|---|---------------------|
| STABILITY | UNSTABLE | | CONDITIONS TO AVOID |
| | STABLE | X | |
| INCOMPATIBILITY (Materials to avoid) | | | |
| HAZARDOUS DECOMPOSITION PRODUCTS | | | |
| HAZARDOUS POLYMERIZATION | MAY OCCUR | | CONDITIONS TO AVOID |
| | WILL NOT OCCUR | X | |

SECTION VII - SPILL OR LEAK PROCEDURES

| | |
|---|-----------------------|
| STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED | None hazardous waste. |
| WASTE DISPOSAL METHOD | Non-hazardous waste. |

SECTION VIII - SPECIAL PROTECTION INFORMATION

| | | | |
|---------------------------------------|----------------------|------|----------------|
| RESPIRATORY PROTECTION (Specify type) | | | N.A. |
| VENTILATION | LOCAL EXHAUST | | SPECIAL |
| | MECHANICAL (General) | N.A. | OTHER |
| PROTECTIVE GLOVES | | N.A. | EYE PROTECTION |
| OTHER PROTECTIVE EQUIPMENT | | N.A. | N.A. |

SECTION IX - SPECIAL PRECAUTIONS

| | |
|---|------|
| PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING | None |
| OTHER PRECAUTIONS | None |