

Tox: 019298 Product: POWER STEERING AND HYDRO-STATIC TRANS. FLUID
FNHI : IQM-2C41 (1 QT)

000187

APPROVED to ACTIVE NAAO prod. spec ESN-M2C41-B.

- - - - - Chemical and Physical Properties - - - - -

This material is a LIQUID under normal conditions.
The results for Specific Gravity are not applicable.
The results for Boiling Point are not applicable.
The Flash Point is +204 C (Cleveland Open Cup).
The results for pH are not applicable.

* * * * * Toxicology Review * * * * *

Tox: 019298 Tox Status: C2 (COMPLETE TOX REVIEW) Last Revised: 03/19/87

----- Hazardous Ingredients (HAZCOM) -----

TLV	CAS number	Chemical name
2.5mg/m3 (FORD) TWA	8012-95-1	* PARAFFIN OIL

* See chemical fact sheets (CFS) for additional details on these ingredients.

- - - - - Signal Word - - - - -

CAUTION

- - - - - Hazards - - - - -

PROLONGED AND/OR REPEATED SKIN CONTACT MAY CAUSE IRRITATION/DERMATITIS.
MAY CAUSE IRRITATION TO EYES

- - - - - Safe Handling and Storage - - - - -

AVOID CONTACT WITH EYES
AVOID PROLONGED OR REPEATED SKIN CONTACT
AVOID BREATHING FUME IF PRODUCT IS USED AT HIGH TEMPERATURES

- - - - - Protective Measures and Treatments - - - - -

IMPERVIOUS GLOVES
SAFETY GLASSES
IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK
MEDICAL ADVICE
WASH THOROUGHLY AFTER HANDLING

- - - - - Toxicology Bulletins - - - - -

PETROLEUM LUBRICATING OILS (TB 101)

Tox: 019298 Product: POWER STEERING AND HYDRO-STATIC TRANS. FLUID
FNHI : 1QM-2C41 (1 QT)

The chemical identification and properties for this material were provided by the manufacturer. Health and safety information has been evaluated by:

Environmental & Occupational Toxicology, Occupational Health & Safety,
Ford Motor Company
900 Parklane Towers West, Dearborn, MI 48126

For emergency call: (313) 337-3182 -or- (313) 323-0045 (for 24 hour service)