

Tox: 026036 Product: RUST PENETRANT  
FNHI : 251246 ( 10.8 OZ AEROSOL CAN)

195

This material has not been identified against a material Specification.

----- Chemical and Physical Properties -----

This material is a AEROSOL under normal conditions.  
The Specific Gravity is 0.913 .  
The Boiling Point is +100 C.  
The Flash Point is <000-+006 C (Cleveland Open Cup).  
The pH is 9.5 .

\*\*\*\*\* Toxicology Review \*\*\*\*\*

Tox: 026036 Tox Status: C2 (COMPLETE TOX REVIEW) Last Revised: 03/24/87

----- Hazardous Ingredients (HAZCOM) -----

-- TLV --	CAS number	Chemical name
asphyxiant	74-98-6 *	PROPANE
25ppm TWA (skin)	111-76-2 *	ETHYLENE GLYCOL MONOBUTYL ETHER
100ppm TWA	123-51-3 *	ISOAMYL ALCOHOL
25ppm TWA	7664-41-7 *	AMMONIA
5.0mg/m3 TWA	7782-42-5 *	GRAPHITE
2.5mg/m3 (FORD) TWA	64742-52-5A+	PETROLEUM DISTILLATES, HYDROTREATED

\* See chemical fact sheets (CFS) for additional details on these ingredients.

+ For more information on CAS 64742-52-5A, see CFS for CAS 8012-95-1.

----- Signal Word -----

DANGER

----- Hazards -----

EXTREMELY FLAMMABLE  
HARMFUL BY INHALATION  
IRRITATING TO EYES AND RESPIRATORY SYSTEM  
CONTENTS UNDER PRESSURE  
MAY BE HARMFUL OR TOXIC BY SKIN ABSORPTION  
MAY BE HARMFUL IF SWALLOWED  
EXCESSIVE INHALATION CAUSES HEADACHE, DIZZINESS, NAUSEA AND INCOORDINATION  
MAY CAUSE BLOOD DISORDERS (ANEMIA, ABNORMAL BLOOD PATTERNS)

----- Safe Handling and Storage -----

KEEP IN A COOL, WELL-VENTILATED PLACE  
AVOID CONTACT WITH SKIN AND EYES  
ELIMINATE ALL SOURCES OF IGNITION  
USE WITH ADEQUATE VENTILATION  
DO NOT PUNCTURE CONTAINER  
KEEP FROM HEAT, SPARKS, OR OPEN FLAME

Tox: 026036 Product: RUST PENETRANT  
FNHI : 251246 ( 10.8 OZ AEROSOL CAN)

- - - - - Protective Measures and Treatments - - - - -

IMPERVIOUS GLOVES  
CHEMICAL GOGGLES  
VENTILATION (CONTACT INDUSTRIAL HYGIENE FOR SPECIFIC DETAILS)  
IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK  
MEDICAL ADVICE  
WASH THOROUGHLY AFTER HANDLING

- - - - - Notes to Physicians - - - - -

MATERIAL, IF ASPIRATED INTO THE LUNGS, MAY CAUSE CHEMICAL PNEUMONITIS, TREAT  
APPROPRIATELY

The chemical identification and properties for this material were provided by  
the manufacturer. Health and safety information has been evaluated by:

Environmental & Occupational Toxicology, Occupational Health & Safety,  
Ford Motor Company  
900 Parklane Towers West, Dearborn, MI 48126

For emergency call: (313) 337-3182 -or- (313) 323-0045 (for 24 hour service)