MATERIAL SAFETY DATA SHEET 000204

Franklin International/2020 Bruck St./Columbus, Obio 43207 Telephone: 614-443-0241

Division: Consumer

Date 4/8Ø (Revised 9/87)

SECTION I - IDENTIFICATION

Product Name: Franklin Foamboard Adhesive

Chemical Family Description: Polymer dispersed in water with inert reinforcing material.

Mfg. Code: 3416

SECTION II - HAZARDOUS INGREDIENTS

	DSHA PEL	ACGIH TLV	% by WEIGHT
Residual monomer: Vinyl acetate (CAS# 108-05-4)	, – NL *	10 ppm	Ø.5 max.
Ethylene glycol (CAS# 107-21-1)	NL#	5 0 ppm	Ø.8

* Not Listed

SECTION III - PHYSICAL DATA

Boiling Point (°F): ca 2 Typical Vis. (cps): 140,00 Vapor Density(Air = 1): >1 Solubility in Water: Miscible	Percent Volatile Evaporation Rate pH:	(Wt. 1): 23 (ether = 1):Slower than 1
Appearance and Odor: Water ba	use paste consistency,	light brown color.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (method used): None
Flammable Limits: LeI=N/A UeI=N/A
Extinguishing Media: Water if dried adhesive.
Special Fire Fighting Procedures: Wear MESA/NIOSH approved self contained breathing apparatus (schedule 13).
Unusual Fire and Explosion Hazards: None

SECTION V - HEALTH HAZARD DATA

Threshold Limit Value: Not established

Routes of Entry Ingestion: No Inhalation: Yes

Skin: No

Health Hazards (Acute & Chronic): INGESTION - Acute: effects not determined. No hazard expected. Chronic: effects not determined. No hazard expected. INHALATION: Contains residual monomer: vinyl acetate. Acute: overexposure may cause dizziness. Chronic: Not determined. No hazard expected. SKIN: Will not be absorbed through skin. In rare cases may cause skin rash. Acute: Irritation. Chronic: Potential allergenic.

Carcinogenicity: IARC Monographs: No

NTP: No

OSHA Regulated: No

Signs & Symptoms of Exposure: INGESTION: Not determined. None expected. INHALATION: Dizziness. SKIN: Irritation. EYE CONTACT: Irritation.

Medical Conditions Generally Aggravated by Exposure: Not determined.

Emergency and First Aid Procedures: Consult Physician in all cases. INGESTION: Do not induce vomiting. INHALATION: Remove patient to fresh air. EYE CONTACT: Rinse with running water for 15 minutes. SKIN CONTACT: Wash with soap & water.

SECTION VI - REACTIVITY DATA

Stability - Stable: Yes
Unstable: --Conditions to Avoid: None

Incompatability (Materials to Avoid): Strong Acids & Strong Bases

Hazardous Polymerization - May Occurs

Will Not Occur: Will not

Conditions to Avoid: None

Hazardous Decomposition Products: Oxides of carbon and toxic monomer when burned.

SECTION VII - SPILL OR LEAK PROCEDURES

Steps to be Taken in Case Material is Released or Spilled (Disposal of container or contents should comply with all applicable federal, state and local regulations): If product has dried, scrape up and place in approved container for disposal.

SECTION VIII - SPECIAL PROTECTION INFORMATION

Respiratory Protection (Wear Suitable NIOSH/MSHA Approved Respirator Where Exposure Limits are Exceeded): 10 ppm for Vinyl Acetate

Ventilation - Local Exhaust: At point where product is dried. Standard plant ventilation otherwise.

Mechanical (General): Yes

Special: No

Other: No

Protective Gloves: Impervious gloves

Eye Protection: Splashproof safety goggles

Other Protective Equipment: None

SECTION IX - SPECIAL PRECAUTIONS

Precautions to be Taken in Handling and Storing:

Keep from freezing. KEEP OUT OF REACH OF CHILDREN.

NOTICE: While the information and recommendations set forth herein are believed to be accurate as of the data hereof, Franklin International makes no warranty express or implied, with respect thereto and disclaims all liability from reliance thereon.