

fac

HILLYARD INDUSTRIES, INC.

THE CLEANING RESOURCE®

June, 2004


As part of our efforts to comply with the OSHA Hazard Communication Standard (29 CFR 1910.1200), we are enclosing Hillyard product Material Safety Data Sheets in connection with your recent order.

To serve as an effective means of hazard communication, it is essential that the MSDS be provided to those who handle or use the product, as well as to others in your operation who need to know the information contained in the MSDS. This may require you to pass on copies of the MSDS to appropriate individuals at more than one location.

We at Hillyard Industries appreciate your business and thank you for this opportunity to be of service to you.

Please let us know if you have any questions or need additional information.

HILLYARD INDUSTRIES


James G. Ross
Director of Regulatory Affairs

JGR: tfm

Encl.

Material Safety Data Sheet
 May be used to comply with
 OSHA's Hazard Communication Standard,
 29 CFR 1910.1200. Standard must be
 consulted for specific requirements.

U.S. Department of Labor
 Occupational Safety and Health Administration
 (Non-Mandatory Form)
 Form Approved
 OMB No. 1218-0072



IDENTITY (As Used on Label and Lien)
A-Ben-A-Qui

Note: Blank spaces are not permitted, if any item is not applicable, or no information is available, the space must be marked to indicate that.

Section I

Manufacturer's Name Gilman Products Co.	Emergency Telephone Number 603-654-2216
Address (Number, Street, City, State, and ZIP Code) PO Box 327 Riverview Mill	Telephone Number for Information 603-654-2216
Wilton, NH 03086	Date Prepared 10/3/94
	Signature of Preparer (optional)

Section II — Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
Does not apply				

RECEIVED
 JUN 17 2004
 Facilities Management
 HEALTH AND SAFETY

Section III — Physical/Chemical Characteristics

Boiling Point	N/A	Specific Gravity (H ₂ O = 1)	N/A
Vapor Pressure (mm Hg.)	N/A	Melting Point	N/A
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A
Solubility in Water	Complete		
Appearance and Odor	Pink colored odorless paste		

Section IV — Fire and Explosion Hazard Data

Flash Point (Method Used)	Flammable Limits	LEL	UEL
Does not apply	Does not apply		
Extinguishing Media	Does not apply		
Special Fire Fighting Procedures	Does not apply		
Unusual Fire and Explosion Hazards	Does not apply		

Section V — Reactivity Data

Stability: Unstable | Conditions to Avoid: Does not apply
Stable | XX

Incompatibility (Materials to Avoid): Does not apply

Hazardous Decomposition or Byproducts: Does not apply

Hazardous Polymerization: May Occur | Conditions to Avoid:
Will Not Occur | YY

Section VI — Health Hazard Data

Routes of Entry: Inhalation? | Skin? | Ingestion?
Does not apply

Health Hazards (Acute and Chronic): Does not apply

Carcinogenicity: NTP? | IARC Monographs? | OSHA Regulated?
Does not apply

Signs and Symptoms of Exposure: Does not apply

Medical Conditions Generally Aggravated by Exposure: Does not apply

Emergency and First Aid Procedures: Eyes: Flush with water for 5 minutes. If irritation persists get medical attention

Section VII — Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled: Sweep up or wash with water

Waste Disposal Method: Follow Federal, State and local ordinances

Material is biodegradable
Precautions to Be Taken in Handling and Storing: Store in cool location 40 - 120 °F

Other Precautions

Section VIII — Control Measures

Respiratory Protection (Society Type): Does not apply

Ventilation: Local Exhaust: N/A | Special: N/A
Mechanical (General): N/A | Other: N/A

Protective Gloves: Good Practice | Eye Protection: Good Practice

Other Protective Clothing or Equipment: None

Work/Hygiene Practices