

fac 97-516
11-467

MATERIAL SAFETY DATA SHEET

484

FOR COATINGS, RESINS AND RELATED MATERIALS
(APPLICABLE TO ORGANIZATIONS REGISTERED WITH THE OSHA 20)

DATE OF REVISION
 5/11/84

Section I

MANUFACTURER'S NAME: **HUNT MANUFACTURING CO.**

STREET ADDRESS: **SPEEDBALL ROAD** CITY, STATE, AND ZIP CODE: **STATESVILLE, NC 28677**

EMERGENCY TELEPHONE NO: **704-872-9511**

PRODUCT CLASS: **ACRYLIC EMULSION** MANUFACTURER'S CODE IDENTIFICATION: **6881, 6892, 658**

TRADE NAME: **SPEEDBALL ARTISTS' ACRYLIC MODELING PASTE**

Section II - HAZARDOUS INGREDIENTS

INGREDIENT	PERCENT	TLV		LEL	VAPOR PRESSURE
		PPM	mg/m ³		
<p>As per ASTM D4236 and as per the Art and Craft Materials Institute, Inc. (ACMI), SPEEDBALL Artists' Acrylic Modeling Paste has been certified non-toxic.</p> <p>Under current OSHA criteria this material is considered to be non-hazardous.</p>					

Section III - PHYSICAL DATA

BOILING RANGE: **about 212°F.** VAPOR DENSITY: HEAVIER, LIGHTER THAN AIR

EVAPORATION RATE: FASTER, SLOWER THAN ETHER

PERCENT VOLATILE BY VOLUME: **42** WEIGHT PER GALLON: **10.9†**

Section IV - FIRE AND EXPLOSION HAZARD DATA

REGULATORY: **Not restricted** FLASH POINT: **Non-combustible** LEL: **N/A**

EXTINGUISHING MEDIA: **N/A**

UNUSUAL FIRE AND EXPLOSION HAZARDS: **Material may spatter if temperature exceeds boiling point. The dried paint is capable of burning giving off oxides of carbon/nitrogen.**

SPECIAL FIRE FIGHTING PROCEDURES: **N/A**

111739

(2)

Section V - HEALTH HAZARD DATA

TOXICITY DATA N/A
EFFECTS OF OVEREXPOSURE N/A

494

EMERGENCY AND FIRST AID PROCEDURES

Contact with eyes may cause mild irritation: Flush with water

Section VI - REACTIVITY DATA

STABILITY UNSTABLE STABLE
INCOMPATIBILITY (MATERIALS TO AVOID)

CONDITIONS TO AVOID Temperatures over 177C/350F.

HAZARDOUS DECOMPOSITION PRODUCTS Fire conditions may yield oxides of carbon/nitrogen.

HAZARDOUS POLYMERIZATION MAY OCCUR WILL NOT OCCUR
CONDITIONS TO AVOID N/A

Section VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Mop up or absorb on inert material and place into containers. May be slippery; will leave a film on drying.

WASTE DISPOSAL METHOD Landfill according to Federal, State and local regulations.

Section VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION None required with adequate ventilation and normal operating conditions.

VENTILATION General ventilation

PROTECTIVE GLOVES Impermeable gloves.

EYE PROTECTION Safety glasses

OTHER PROTECTIVE EQUIPMENT N/A

Section IX - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE Keep from freezing - Product may coagulate.

OTHER PRECAUTIONS N/A