

SINCE 1888

White Rabbit Dye Company

502

AMERICAN CRAFTLINES, INC.
8056 Central Park • Skokie, IL 60076
1-800-331-6820

11-612
11-613
11-614
11-615
97-8054
97-8055
97-8056

September 5, 1991

American Craftline
8056 North Central Park Avenue
Skokie, Ill 60076

Mr. James Sewart

This letter is to advise you that our dye is safe, non toxic and is FDA approved.


The contents of the colors are as follows:

- Red- FD & C Red No. 40 & FD & C Red No. 3
- Yellow- FD & C Yellow No. 5
- Blue- FD & C Blue No. 1

All of the above colors contain starch and sugar.

Since these colors are FDA approved, they are safe for use by children.

Sincerely,



Dominic A. Consolino, Owner

**ALLIED LABORATORIES CORP.**

716 North Iowa Avenue
Villa Park, IL 60181
Phone: 708. 279. 0390
Fax: 708. 279. 3114

October 11, 1994

American Craftlines, Inc.
8056 N. Central Park Ave.
Skokie, IL 60076
Attn: James W. Sewart

Samples of "Dippity Dye", packaged by American Craftlines, Inc., were examined to determine whether or not the labeling conforms to standards established by the Federal Hazardous Substances Act and by ASTM D - 4236.

The product is a water soluble dye, for coloring paper. It is available in three colors: blue, red, and yellow.

All of the dyes are FD and C approved colorings. Under normal conditions of use, as described on the packets, no chronic health hazards should exist for users. If the colorings come in contact with skin, they should be washed off with large amounts of water.

Combined with the information presented on the MSDS sheets, the instructions on the packets are adequate, and conform to standards set forth in ASTM D - 4236.

Sincerely,


Irving I. Dornsky, Ph.D.
Laboratory Director

1145

97-148A-Q

Material Safety Data Sheet
May be used to comply with
OSHA's Hazard Communication Standard,
29 CFR 1910.1200. Standard must be
consulted for specific requirements.

U.S. Department of Labor
Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

IDENTITY (As Used on Label and List) SPEEDBALL Water-Soluble Blockprinting Ink (3400 to 3417, 3448, 3500 to 3517, 3548, 3549; 3600 to 3617, 3648, 3649; 3700 to 3717, 3748, 3749)

Section I

Manufacturer's Name Hunt Manufacturing Co.	Emergency Telephone Number 704-872-9511
Address (Number, Street, City, State, and ZIP Code) Speedball Road Statesville, NC 28677	Telephone Number for Information 704-872-9511
	Date Prepared 2/6/95
	Signature of Preparer (optional) <i>[Signature]</i>

Section II — Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity, Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (opt)
Certified non-toxic as per ASTM D4236. Approved for the AP Seal as per the Art and Craft Materials Institute, Inc. (ACMI)				

Section III — Physical/Chemical Characteristics

Boiling Point	212-369°F	Specific Gravity (H₂O = 1)	1.2 to
Vapor Pressure (mm Hg.)	Unknown	Melting Point	<32°F.
Vapor Density (AIR = 1)	Unknown	Evaporation Rate (Butyl Acetate = 1)	less th

Solubility in Water
Dilutable

Appearance and Odor
Thick paste with slight odor

Section IV — Fire and Explosion Hazard Data

Flash Point (Method Used) Not applicable (N/A)	Flammable Limits N/A	LEL N/A	UEL N/A
--	--------------------------------	-------------------	-------------------

Extinguishing Media
N/A

Special Fire Fighting Procedures
wear self-contained breathing apparatus (pressure-demand, MSHA/NIOSH approved or equivalent) and full protective gear.

Unusual Fire and Explosion Hazards
Material can spatter above 212°F. Film can burn.

5/19/95 043105A