

Darin

03/16/2004 12:14 310-599-4729

541

ITOYA

9100241  
820430

PAGE 01

**Material Safety Data Sheet**

May be used to comply with  
OSHA's Hazard Communication Standard,  
29 CFR 1910.1200. Standard must be  
consulted for specific requirements.

**U.S. Department of Labor**  
Occupational Safety and Health Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072



IDENTITY (As Used on Label and List)

D-GLUE

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

**Section I - S100-B, S-112B, S-200B**

Manufacturer's Name <b>ITOYA OF AMERICA, LTD.</b>	Emergency Telephone Number
Address (Number, Street, City, State, and ZIP Code) <b>22815 S. FRAMPTON AVE. TORRANCE, CA 90501</b>	Telephone Number for Information <b>(800) 628-4811</b>
	Date Prepared <b>FEBRUARY 1998</b>
	Signature of Preparer (optional)

**Section II - Hazardous Ingredients/Identity Information**

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
<b>WATER</b>	<b>87.60%</b>			
<b>POLYVINYL ALCOHOL</b>	<b>12.00%</b>			
<b>ANTISEPTICS</b>	<b>0.07%</b>			
<b>OTHER</b>	<b>0.33%</b>			

**Section III - Physical/Chemical Characteristics**

Boiling Point	<b>212°F</b>	Specific Gravity (H <sub>2</sub> O = 1)	<b>1.03</b>
Vapor Pressure (mm Hg.)	<b>N/A</b>	Melting Point	<b>23°F</b>
Vapor Density (AIR = 1)	<b>N/A</b>	Evaporation Rate (Butyl Acetate = 1)	<b>N/A</b>
Solubility in Water			
Appearance and Odor			

**Section IV - Fire and Explosion Hazard Data**

Flash Point (Method Used)	<b>N/A</b>	Flammable Limits	LEL	UEL
Extinguishing Media	<b>N/A</b>			
Special Fire Fighting Procedures	<b>N/A</b>			
Unusual Fire and Explosion Hazards	<b>N/A</b>			

(Reproduce locally)

**RECEIVED**  
OSHA 174, Sept. 1986  
**APR 16 2009**  
Facilities Management  
EMERGENCY AND SAFETY



RECEIVED APR 21 1988

STATE OF CALIFORNIA—HEALTH AND WELFARE AGENCY

GEORGE DEUKMEJIAN, Governor

DEPARTMENT OF HEALTH SERVICES

2151 BERKELEY WAY  
BERKELEY, CA 94704  
(415) 540-3063



April 18, 1988

COPY

Ronald Weese  
Vice President of Sales  
Itoya of America, Ltd.  
4729 Alla Road  
Marina Del Rey, CA 90292

Dear Mr. Weese:

This letter is to inform you of the inclusion of your company's O-Glueadhesive to the California List of Acceptable Arts and Crafts Materials (Grades K-6).

This product will appear on the update of the California List which is planned to be distributed within the next couple of months. Until the update is distributed, this letter may be used as documentation that the above adhesive has been accepted for inclusion on the California List as of April 18, 1988.

Thank you very much for your time. If you have any questions, please call (415) 540-2131.

Sincerely,

A handwritten signature in cursive script that reads "Robert Schlag".

Robert Schlag, M.Sc.  
Hazard Evaluation Section

cc: Jim Barquest, Ph.D./Food and Drug Branch  
Diane Brooks, Ph.D./Dept. of Education