

Material Safety Data Sheet WATER BASED INK

97 14518A- H. 9715420 + 9715421

Date 6/3/97 Revision A

Section 1 - Product and Company Identification

General Use: Ink for writing and marking instruments

Manufacturer:

LIQUI-MARK

130 SWALM STREET

WESTBURY, NEW YORK 11590-4820

PHONE (information & emergency) 516-333-5100

FAX 516-333-5396

ልሴሴሴ ልሴሴሴሴ

Section 2 - Composition / Information on Ingredients		
Ingredient Name	CAS Number	% wt <i>o.</i> % vol
ETHYLENE GLYCOL	107-21-1	< 30
METHANAMIDE = FORMAMIDE	75-12-7	< 25
ACID BLACK #2		< 10
ACID YELLOW # 23	1934-21-0	
ACID BLUE #9	3844-45-9 3734-67-6	
ACID RED #1		
ACID RED #87	17372-87-1	
ACID BLUE #1	129-17-9	1
ACID VIOLET #17	4129-84-4	
ACID VIOLET #17	17372-87-1	
NON-HAZARDOUS INGREDIENTS		50-60

Ingredient	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOMMENDED
ETHYLENE GLYCOL		50 PPM CEILING	
METHANAMIDE = FORMAMIDE	20PPM	10 PPM	•
ACID BLACK #2	NΛ	N.A.	ANIMAL TOXICITY= 5000MG/KG
ACID YELLOW # 23		N.E.	
ACID BLUE #9		N.E.	
ACID RED #1	N.E.	N.A.	ORAL RAT LD50= 449 MG/KG
ACID RED #87	NON- HAZARDOUS		RTECTS, 1985
ACID BLUE #1	N.E.	N.E.	ORAL RATLD50= 10,000MG/KG
ACID VIOLET #17	N.E.	N.E.	AS PER 29CFR PART 1910-120
ACID RED #73	NON- HAZARDOUS	N.E.	

Date 6/3/97

Revision: A

Section 3 - Physical and Chemical Properties

Appearance and Odor: ODERLESS LIQUID

Vapor Pressure:

Vapor Density (Air=1): 1.50 Surface Tension:31-35 DYNE/CM

Specific Gravity (H₂O=1, at 4 °C): 1.050-1.085

Water Solubility: COMPLETE Boiling Point: 105-110 DEG C

Freezing/Melting Point:

Viscosity:

Evaporation Rate: 1.0

Section 4 - Fire-Fighting Measures

Flash Point: 500 DEG F Flash Point Method: COC Autoignition Temperature:

JEL:

Plammability Classification: NA

Extinguishing Media: USE WATER, CARBON DIOXIDE, FOAM, OR DRY POWER

Jausual Fire or Explosion Hazards: NONE

Fire-Fighting Instructions: NA IN THE AMOUNT OF DYE USED IN THE FORMULATION

Section 5 - Stability and Reactivity

Stability: STABLE

Polymerization: WILL NOT OCCUR Chemical Incompatibilities: N. A. Conditions to Avoid: NONE

Jazardous Decomposition Products:

Section 6 - Health Hazard Information

Potential Health Effects

'rimary Entry Routes: NOT-HAZARDOUS

Parget Organs: Acute Effects nhalation:

Eye:

ikin: ngestion:

Carcinogenicity:

Medical Conditions Aggravated by Long-Term Exposure: NO EVIDENCE OF ADVERSE HEALTH EFFECTS FROM

AVAILABLE INFORMATION

hronic Effects:

Emergency and First Aid Procedures

nhalation: REMOVE TO FRESH AIR. GET MEDICAL ATTENTION

Eye Contact: FLUSH EYES WITH LARGE AMOUNTS OF WATER. CONTACT A PHYSICIAN

ikin Contact: USE SOAP AND WATER

1gestion: GIVE TWO GLASSES OF WATER AND INDUCE VOMITING. CALL A PHYSICIAN

After first aid, get appropriate in-plant, paramedic, or community medical support.

10

Date 6/3/97

Revision: A

Section 7 - Spill, Leak, and Disposal Procedures

Spill /Leak Procedures: RINSE SPILLED MATERIAL WITH WATER

Containment:

Cleanup: COLLECT USING ABSORBENT MATERIAL

Regulatory Requirements:

Disposal:

Disposal Regulatory Requirements: ALL MATERIAL SHOULD BE PACKED, LABELED AND DISPOSED IN

CONFORMANCE WITH APPLICABLE, LOCAL STATE AND FERERAL REGULATIONS.

Container Cleaning and Disposal:

Ecological Information:

Section 8 - Exposure Controls / Personal Protection

Engineering Controls:

Ventilation: LOCAL EXHAUST

Administrative Controls:

Respiratory Protection: N. A.

Protective Clothing/Equipment:

Safety Stations:

Contaminated Equipment: Comments:

Section 9 - Special Precautions and Comments

Handling Precautions: HANDLE WITH REASONABLE CARE

Storage Requirements:

Prepared By: R. DINGLAS

Revision Notes:

Vindov# 054008