



MIDCO

MIDLAND CUT STONE CO., INC.

Dependable Since 1935

PLANT - 1600 SO. HUNTINGTON DRIVE

P. O. BOX 1

PHONE 812-336-6189

BLOOMINGTON, INDIANA 47402-0001

June 17, 1991

Attention: Ann Sanzone
Syracuse City School District
725 Harrison Street
Syracuse, N.Y. 13210

Re: MATERIAL SAFETY DATA SHEET FOR INDIANA LIMESTONE

Gentlemen:

Attached is the current Material Safety Data Sheet for Indiana Limestone compiled by the Indiana Limestone Institute of America, Inc. This information is sent to you in compliance with the new Occupational Health and Safety Administration (OSHA) regulation, Hazard Communication; Final Rule, Part IV.

Should you desire any additional information, please feel free to contact our office. Updates, if they occur, will be provided to you.

Sincerely,

H. M. Tabereaux, President
MIDLAND CUT STONE CO., INC.

Att-

INDIANA LIMESTONE

The Aristocrat of Building Materials

SECTION VI CORROSIVITY AND REACTIVITY DATASTABILITY UNSTABLE STABLE POLYMERIZATION MAY OCCUR WILL NOT OCCUR

INCOMPATIBILITY (MATERIALS TO AVOID)

NONE KNOWN

DECOMPOSITION PRODUCTS

NONE KNOWN

CONDITIONS TO BE AVOIDED

NONE KNOWN

SECTION VII STORAGE, HANDLING AND USE PROCEDURES

NORMAL STORAGE AND HANDLING

NO KNOWN CHEMICAL HAZARDS

NORMAL USE

NO KNOWN CHEMICAL HAZARDS

STEPS TO BE TAKEN IN CASE OF LEAKS OR SPILLS

NOT APPLICABLE

WASTE DISPOSAL METHOD

NOT APPLICABLE

SECTION VIII PERSONAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (SPECIFY TYPE) Approved respirators or dust masks.

VENTILATION LOCAL YES

MECHANICAL (GENERAL) YES

OTHER

PROTECTIVE GLOVES Optional

EYE PROTECTION Goggles Optional

OTHER EQUIPMENT Safety-toe Shoes

MEASURES TO BE TAKEN DURING REPAIR AND MAINTENANCE OF CONTAMINATED EQUIPMENT THAT HAS BEEN IN CONTACT WITH THIS MATERIAL

NONE NEEDED

SECTION IX SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE NOT APPLICABLE

OTHER PRECAUTIONS

ADDITIONAL INFORMATIONSee "calcium"; CaCO₃; or limestone, in **Dangerous Properties of Industrial Materials**, 3rd Ed. (N. Irving Sax. Ed.)