

94024

MAYCO MSDS SHEET #2  
Active Products

Triarco Non-toxic Glazes

K 21374

SECTION 1 Chemical Product and Company Information pg 1 of 4

Prepared September 20, 2003

Supersedes: All previous

Manufacturer: MAYCO COLORS division of Coloramics, LLC  
4077 Weaver Ct. South  
Hilliard, Ohio 43026  
United States of America

Distributor USA \_\_\_\_\_ Local Phone \_\_\_\_\_  
EC \_\_\_\_\_ Local Phone \_\_\_\_\_  
Australia \_\_\_\_\_ Local Phone \_\_\_\_\_


IN CASE OF EMERGENCY PLEASE CONTACT YOUR LOCAL POISON CONTROL CENTER

Prepared by: MSDS department

Information Telephone Number: 614-876-1171

Ceramic Glaze (s):

Bisque Glazes BG-259, 261, 600, 642, 643, 644  
Crystal Glazes CG-753, 756  
Under Reds UR-090  
Speciality Glazes UG-151  
Utopia Glazes G-3001, 3002, 3003



SECTION 2 COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENTS	CAS	ACGIH TLV	OSHA PEL
Lead Cadmium frit	65997-18-4	Lead .15mg/m3	Lead .05mg/m3
Cadmium Pigments	12656-57-4 & 58339-34-7	Cadmium .01mg/m3	.2mg/m3
Bentonite	1302-78-9	NA	NA
Water	7732-18-5	NA	NA

SECTION 3 HAZARDS IDENTIFICATION

Frit contains Lead & Cadmium. Crystalline Silica may also be present.  
(OSHA PEL .1mg/m3)

Route(s) of Entry: Igestion, absorption through the skin is negligible.  
Inhalation only if sprayed.

Health Hazards (acute and chronic): Prolonged or repeated inhalation and/or ingestion of lead containing frit may result in lead poisoning. Prolonged inhalation of silica, in excess of TLV, over an extended period of time may result in injury to the lungs. Carcinogenicity: In IARC Supplement 7, inorganic lead compounds are given a 2B rating. This indicates "sufficient evidence" for Carcinogenicity to animals and "Inadequate evidence" for Carcinogenicity to humans. California lists lead as a possible carcinogen and requires Prop. 65 warning as required.

**SECTION 4 FIRST AID MEASURES**

pg 2 of 4

If Inhaled: Remove from exposure  
If on skin: Wash skin with soap and water  
If in eyes: Flush eyes with large quantities of water for at least 15 minutes. If irritation persists after washing, contact a physician.  
If swallowed: Dilute by drinking water

**SECTION 5 FIRE FIGHTING MEASURES****FIRE AND EXPLOSION HAZARD DATA**

Flash Point (method used): N/A

LEL: N/A

UEL: N/A Flammable Limits: N/A

Extinguishing Media: None required, not combustible.

Special Fire Fighting Procedures: None

Unusual Fire and Explosion Hazards: None

**SECTION 6 ACCIDENTAL RELEASE MEASURES**

Steps to be taken in case material is released or spilled: Uncontaminated material may be recovered and re-used. If contaminated, scoop, vacuum, or wash into a receptacle for disposal.  
Waste Disposal Method: Follow Federal or State and Local regulations for disposal. Lead is listed in US-EPA Code of Federal Regulations 40, Part 261.24. Testing of the waste may be required to determine status under the hazardous waste regulations.

**SECTION 7 HANDLING AND STORAGE****PRECAUTIONS FOR SAFE HANDLING AND USE**

Engineer Control - None

Work practices- Store away from feed and food. Do not smoke, eat or drink while handling.

Procedure / equipment- None

Procedure for leaks or spills: Uncontaminated material may be recovered and re-used. If contaminated, scoop, vacuum, or wash into a receptacle for disposal.

Waste Disposal Method: Follow Federal or State and Local regulations for disposal. Lead is listed in US-EPA Code of Federal Regulations 40, Part 261.24. Testing of the waste may be required to determine status under the hazardous waste regulations.

**SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

Use of the following protective measures are strongly recommended if the glazes are to be applied by spraying.

The Work/Hygienic Practices apply regardless of the method of application. Respiratory Protection (Specify Type): Use a NIOSH approved dust and/or fume respirator as necessary.

Ventilation: Local Exhaust - for spraying

Protective Gloves: N/A

Eye Protection: for spraying

Other Protective Clothing or Equipment: Wear appropriate clean, protective clothing such as, but not limited to, overalls, smocks, and aprons. Work/Hygienic Practices: Food, beverages, and smoking materials should not be in the work area. Hygiene is very important. Wash thoroughly before eating, drinking, smoking, or applying cosmetics.

**SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

pg 3 of 4

Appearance : Various colors  
Odor and odor threshold: Negligible  
Ph: Not available  
Boiling Point: None  
Vapor Pressure: NA  
Vapor Density: NA  
Melting Point: above 1000oF  
Specific Gravity (H2O=1): 1.4 to 1.6  
Flammable Limits: None  
Explosive limits: None  
Partition Coefficient: None  
Oxidizing Properties: None  
Solubility in Water: Negligible  
Percent Volatile by Volume: None  
Evaporation Rate: None  
Freezing point: NA  
Flash Point: None  
Auto ignition temperature: None

**SECTION 10 STABILITY AND REACTIVITY DATA**

Incompatibility (material to avoid): Avoid fumes from firing by venting kiln area.  
Stability: Stable (conditions to avoid: N/A)  
Hazardous Decomposition or Byproducts: Not available  
Hazardous Polymerization: Will not occur  
Conditions to avoid: Fumes from firing in kiln. Inhalation of spray.

**SECTION 11 TOXICOLOGICAL INFORMATION**

**Hazard to Human:** None during normal use. Harmful if inhaled or swallowed.  
Lead Bearing Frit (s) - Frit is a fused silicate glass substance.  
**DO NOT SPRAY APPLY**  
If glaze is spray applied the following warnings apply: Warning: Contains Quartz.  
1. Possible cancer agent based on tests with laboratory animals.  
2. Exposure may cause lung damage.  
3. Keep out of reach of children; avoid inhalation.

This product contains chemicals known to the State of California to cause cancer.

**Health Hazards (acute and chronic):** Prolonged or repeated inhalation and/or ingestion of lead / cadmium containing frit may result in lead and or cadmium poisoning. Prolonged inhalation of silica, in excess of TLV, over an extended period of time may result in injury to the lungs.  
**Carcinogenicity:** In IARC Supplement 7, inorganic lead and or cadmium compounds are given a 2B rating. This indicates "sufficient evidence" for Carcinogenicity to animals and "inadequate evidence" for Carcinogenicity to humans.

**Additional information:** Frits are fused silica glass like substances. The bioavailability may be limited because of the physical nature of the frit.

**SECTION 12 ECOLOGICAL INFORMATION**

pg 4 of 4

Mobility: Not Available  
Persistence/degradability: Not Available  
Bioaccumulation: Not Available  
Ecotoxicity: Not Available

**SECTION 13 DISPOSAL CONSIDERATIONS**

Waste Disposal Method: Follow your Federal or State and Local regulations for disposal. Lead is listed in US-EPA Code of Federal Regulations 40, Part 261.24. Testing of the waste may be required to determine status under the hazardous waste regulations.  
Waste from residue/unused product: Can be landfilled according to local regulations.  
Contaminated packing: Can be landfilled according to local regulations.

**SECTION 14 TRANSPORTATION INFORMATION**

UN Number: None for this product.  
For soluble lead un number is 2291, guide number is 53  
For cadmium UN number is 2570, guide number is 53

**SECTION 15 REGULATORY INFORMATION**

Lead and Silica and cadmium are listed by California , Proposition 65  
Lead and Silica and cadmium are listed on the IARC, OSHA or NTP carcinogen list.  
All ingredients are on U.S. TSCA / EC / AICS / DSL Inventory.  
See local requirements.

**EU Status:**

Symbol- None for Frit  
For lead compounds;  
Repr. Cat 1  
R 61- May cause harm to unborn child.  
Repr. Cat 3  
R62 - Possible risk of impaired fertility  
Harmful (xb)  
R20/22 - Harmful by inhalation and if swallowed  
R33 - Danger of cumulative effects  
For Cadmium compounds  
Harmful (xb)  
R 20/21/22 - Harmful by inhalation and if swallowed

WHMIS Status : Not Controlled

**SECTION 16 ADDITIONAL INFORMATION**

This information is furnished with out warranty, representation, inducement or license of any kind, except that it is accurate to the best of knowledge of COLORAMICS, LLC or obtained from sources believed to be accurate. COLORAMICS, LLC does not assume any legal responsibility for use or reliance on same. Customers are encouraged to conduct thier own tests before using any product. Read the product label.  
For more information in AUSTRALIA see web sight [www.nohsc.gov.au](http://www.nohsc.gov.au)