

MICHELMAN, INC. -- MATERIAL SAFETY DATA SHEET

FORM: A3


PAGE: 1 OF 2

Manufacturer's Name

Michelman, Inc.  
9089 Shell Rd.  
Cincinnati, Oh 45236

Date Prepared: 12/30/88  
Preparer: Dave Capella

Emergency Telephone: (513) 793-7766 or 761-5477  
Information Telephone: (513) 793-7766



PRODUCT IDENTIFICATION

Product Identity: RESISTO COAT 41

HMIS Code: 100B

WAX RESIST

HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components: Product is not a hazardous chemical as defined by OSHA Standard 1910.1200

CAS#: NA  
OSHA PEL: NA  
ACGIH TLV: NA  
%:

PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212°F  
Vapor Pressure (mm Hg.): = Water  
Vapor Density (Air=1): = Water  
Solubility in Water: Dispersible  
Appearance and Odor: Liquid with little to no odor

Specific Gravity (H2O=1): 1  
Melting Point: NA  
Evaporation Rate: = Water (Butyl Acetate=1)

FIRE AND EXPLOSION HAZARD DATA

Flashpoint (method used): None, Non-combustible  
Flammable Limits: NA LEL: NA UEL: NA  
Extinguishing Media: NA Special Fire Fighting Procedures: NA  
Unusual Fire and Explosion Hazards: NA

REACTIVITY DATA

Stability: Stable Conditions to Avoid: NA  
Incompatibility (Materials to Avoid): NA  
Hazardous Decomposition or Byproducts: None known to occur  
Hazardous Polymerization: Will not occur Conditions to Avoid: NA

(Note: NA = Not Applicable; NE = Not Established)

HEALTH HAZARD DATA

Route(s) of entry:

Inhalation? Possible                      Skin? Possible                      Ingestion? Unlikely

Health Hazards (Acute and Chronic): None known to occur

Carcinogenicity:

NTP? No                      IARC Monographs? No                      OSHA Regulated? No

Signs and Symptoms of Exposure: None known to occur

Medical Conditions Generally

Aggravated by Exposure: None known to occur

Emergency and First Aid Procedures: Flush skin or eyes with water. If overexposure from inhalation is thought to occur, remove to fresh air. If ingested, call a physician.

PRECAUTIONS FOR SAFE HANDLING AND USE

Spill and Leakage Procedure: Flush small quantities with excess water. Larger amounts should be absorbed onto appropriate material, (e.g. Sawdust).

Waste Management: Dispose of in accordance with local, state and federal regulations.

Handling and Storage Precautions: NA

Other Precautions: NA

CONTROL MEASURES

Type of Respiratory Protection: None usually required.

Ventilation:

Local Exhaust: Usually sufficient

Special: NA

Mechanical (General): NA

Other: NA

Protective Clothing:

Gloves: Recommended

Eyes: Recommended

Other Protective Clothing or Equipment: None usually required

Work/Hygienic Practices: Common sense and good manufacturing practice should be used at all time.

OTHER DATA

This MSDS complies with OSHA's Hazard Communication Standard 29 CFR 1910.1200.

(Note: NA = Not Applicable; NE = Not Established)