

# Material Safety Data Sheet

MONIQUE QUALITY PRODUCTS, INC.

Manufacturer  
1480 S.W. 30th Avenue  
Address  
Olympian Beach, FL 33424  
(800) 327-3323

Phone Number (see label/label)

Emergency Phone Number Title

DRYFAST

Locality (Trade Name As Used On Label)

UNOS Number

OSHA Number  
August 16, 1988

Date Prepared  
Ralph Alvarez  
Prepared by

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

## SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION

| COMPONENTS - Chemical Name & Common Name<br>(Minimum Concentration 1% or higher; otherwise 0.1% or greater) | %    | OSHA PEL | ACGIH TLV | OTHER LIMITS<br>REGULATIONS |
|---|------|----------|-----------|-----------------------------|
| ETHANOL   | < 80 |          |           |                             |
| Non-Hazardous Ingredients   | > 20 |          |           |                             |
| TOTAL   | 100  |          |           |                             |

## SECTION 2 - PHYSICAL / CHEMICAL CHARACTERISTICS

|                     |                  |                        |          |                |
|---------------------|------------------|------------------------|----------|----------------|
| Boiling Point       | 78.5°C Ethanol   | Specific Gravity       | 0.8 - 11 | No data found  |
| Vapor Pressure      | 40.00 mm Hg 19°C | Flash Point            |          | Not applicable |
| Vapor Density       | 1.59 Ethanol     | Relative Vapor Density |          | 2.70 Ethanol   |
| Solubility in Water | Soluble          | Water Reactivity       |          | No             |

Appearance and Odor: Light straw liquid with sand-like sediments

## SECTION 3 - FIRE AND EXPLOSION HAZARD DATA

|                                  |  |  |         |        |       |
|----------------------------------|--|--|---------|--------|-------|
| Flash Point (Method Used)        | 65°C (OC)  | Flammability Limits in Air % by Volume | Ethanol | UL 6.0 | UL 19 |
| Extinguishing Media              | Water Spray, Foam, Dry Chemical or CO <sub>2</sub> .                                 |  |         |        |       |
| Special Fire Fighting Procedures | Firefighters should wear self-contained breathing apparatus and protective clothing. |  |         |        |       |

Hazardous Fire and Explosion Hazards: Moderate explosion hazard when exposed to flame (due to Ethanol).

**SECTION 4 - REACTIVITY HAZARD DATA**

|   |  |
|---|--|
| STABILITY OF FLUIDS<br><input type="checkbox"/> Stable<br><input type="checkbox"/> Unstable | Conditions To Avoid<br>Heat, Fire, Ignition, sources |
| HAZARDOUS POLYMERIZATION<br><input type="checkbox"/> Will Not Occur                         | None   |
| HAZARDOUS DECOMPOSITION PRODUCTS  | Carbon Monoxide, Carbon Dioxide                      |

**SECTION 5 - HEALTH HAZARD DATA**

|  |   |
|--|---|
| HAZARDOUS TO ENVIRONMENT<br><input type="checkbox"/> Irritant<br><input type="checkbox"/> Toxic Alcohols<br><input type="checkbox"/> Irritant<br><input type="checkbox"/> Not Irritant | CLASSIFICATION LISTED IN<br><input type="checkbox"/> HFP<br><input type="checkbox"/> HRC Manufacturer<br><input type="checkbox"/> OSHA<br><input type="checkbox"/> Not Listed |
| HEALTH HAZARD  | Acute - Skin and Eye Irritation<br>Chronic - No known chronic health effects.   |
| What Are Symptoms of Exposure?   | Temporary discomfort to eyes, irritation of skin.   |
| Medical Conditions Aggravated or Exacerbated by Chemical   | Pre-existing skin irritation or dermatitis  |
| EMERGENCY FIRST AID PROCEDURES   | See medical assistance for further treatment, observation and support if necessary.   |
| Eye Contact  | Immediately flush eyes with plenty of water.  |
| Skin Contact   | No effects of exposure expected due to contact. May cause irritation or dermatitis in some individuals upon prolonged contact.  |
| Inhalation   | Remove to fresh air. Give artificial respiration or oxygen. Call a physician.   |
| Ingestion  | Induce vomiting immediately by giving two glasses of water and sticking finger down throat. Call a physician.   |

**SECTION 6 - CONTROL AND PROTECTIVE MEASURES**

|   |  |
|---|--|
| Respiratory Protection (NIOSH Approved)   | NIOSH-Approved Respirator.   |
| Protective Clothing                       | Required. Eye Protection: Chemical goggles.  |
| VENTILATION TO BE USED                    | <input checked="" type="checkbox"/> Local Exhaust<br><input type="checkbox"/> Mechanical Exhaust<br><input type="checkbox"/> Other Exhaust |
| Other Protective Clothing and Containment | Eye bath and safety shower.  |
| Hygiene Practices                         | Normal practices.  |

**SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE / LEAK PROCEDURES**

|  |  |
|--|--|
| Steps to be Taken if Material is Spilled or Released | Eliminate sources of ignition. Flush spill area with water.                                    |
| Waste Disposal Methods                               | Dispose of with liquid waste according to Federal, State and local regulations.                |
| Precautions to be Taken in Storage and Storage       | Keep away from heat, fire or ignition sources. Store inside a standard flammable liquids room. |
| Other Precautions (e.g., Spill Kit)                  | Normal precautions common to good manufacturing practice.                                      |