

SYRACUSE CITY SCHOOL DISTRICT
725 HARRISON STREET
SYRACUSE, NEW YORK 13210

03/09/90

NASCO CORP.
901 Janesville Avenue
Fort Atkinson WI 53538

OSHA's Hazard Communication Standard requires that you supply Material Safety Data Sheets (MSDS) for all hazardous substances which you produce. Please send properly completed Material Safety Data Sheets for the following chemical(s) which we purchased from your firm.


Kits, Paint Buffer 61-247 #604
Markers, Double Duty Permanent 97-5293 *D/S*
Markers Fine Line - 97-5013 #321
Paint, Bulk Krylic 31-565 #396

Thank you for your assistance. If you have any questions, please contact me at (315) 425-4286.

Sincerely,

Carole E. Wasko

Carole E. Wasko
Coord. for Envir. Safety



MATERIAL SAFETY DATA SHEET 01-247

Required under USDL Safety and Health Regulations for Ship Repairing,
Shipbuilding, and Shipbreaking (29 CFR 1915, 1916, 1917)

604

SECTION I

MANUFACTURER'S NAME POLYMERICS INC.	EMERGENCY TELEPHONE NO. 617-891-5858
ADDRESS (Number, Street, City, State, and ZIP Code) 180 Elm Street, Waltham, Mass. 02254	
CHEMICAL NAME AND SYNONYMS mixture of acrylic latex & pigment	TRADE NAME AND SYNONYMS PUFF PAINT - PUFFY PENS
CHEMICAL FAMILY	FORMULA

SECTION II - HAZARDOUS INGREDIENTS

PAINTS, PRESERVATIVES, & SOLVENTS	%	TLV (Units)	ALLOYS AND METALLIC COATINGS	%	TLV (Units)
PIGMENTS organic pigment		4.9	BASE METAL		
CATALYST			ALLOYS		
VEHICLE acrylic latex		90	METALLIC COATINGS		
SOLVENTS			FILLER METAL PLUS COATING OR CORE FLUX		
ADDITIVES Dowacil 75		0.1	OTHERS		
OTHERS Expanding Agent		5			
HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES				%	TLV (Units)
NONE					

SECTION III - PHYSICAL DATA

BOILING POINT (°F.)	212°F	SPECIFIC GRAVITY (H ₂ O=1)	1.05
VAPOR PRESSURE (mm Hg.)	N/A	PERCENT VOLATILE BY VOLUME (%)	50
VAPOR DENSITY (AIR=1)	N/A	EVAPORATION RATE (_____ =1)	not known
SOLUBILITY IN WATER	miscible		
APPEARANCE AND ODOR liquid of various colors depending on pigment employed			

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method used) does not burn	FLAMMABLE LIMITS n/a	Lel	Uel
EXTINGUISHING MEDIA N/A			
SPECIAL FIRE FIGHTING PROCEDURES			
UNUSUAL FIRE AND EXPLOSION HAZARDS paint film can burn			

087540

SECTION V - HEALTH HAZARD DATA	
THRESHOLD LIMIT VALUE	not known
EFFECTS OF OVEREXPOSURE	slight skin and eye irritation possible but not probable.
EMERGENCY AND FIRST AID PROCEDURES	flush with water

SECTION VI - REACTIVITY DATA			
STABILITY	UNSTABLE		CONDITIONS TO AVOID
	STABLE	X	
INCOMPATIBILITY (Materials to avoid)			
HAZARDOUS DECOMPOSITION PRODUCTS			
HAZARDOUS POLYMERIZATION	MAY OCCUR		CONDITIONS TO AVOID
	WILL NOT OCCUR	X	

SECTION VII - SPILL OR LEAK PROCEDURES	
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED	wash with water
WASTE DISPOSAL METHOD	As prescribed by local regulations for disposal of waste organic chemicals.

SECTION VIII - SPECIAL PROTECTION INFORMATION			
RESPIRATORY PROTECTION (Specify type)		none	
VENTILATION	LOCAL EXHAUST	none	SPECIAL
	MECHANICAL (General)	none	OTHER
PROTECTIVE GLOVES	none	EYE PROTECTION	none
OTHER PROTECTIVE EQUIPMENT			

SECTION IX - SPECIAL PRECAUTIONS	
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING	KEEP FROM FREEZING
OTHER PRECAUTIONS	