

Company / Plant National Refractories & Minerals Corp. One Kaiser Plaza, Suite 650 Oakland, Ca. 94612		Issue Date Revised July 11, 1985	Identification Number NA
Trade Name (Common Name or Synonym) Part No. 94-144 JAY BEE Lock Joint Tile, CB 125-200, 3x5x13-1/4", LP		Emergency Phone Number (415) 462-1147	
Chemical Name NA	& Power	Formula NA	DOT Identification Number NA

I. INGREDIENTS

Material or Component Crystalline Silica (SiO₂) as quartz : <10%, Typical (CAS # 14808-60-7) 1984-85 ACGIH TLV's : 0.8 mg/m³ respirable dust, 2.3 mg/m³ total dust. OSHA 1910.1000 PEL's : 0.8 mg/m³ respirable dust, 2.5 mg/m³ total dust.

II. PHYSICAL DATA

Material is (At Normal Conditions): <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Gas <input type="checkbox"/> Other		Appearance and Odor Color: grey Odor: None	
Acidity/Alkalinity pH = NA	Melting Point NA of Boiling Point NA of	Specific Gravity (H ₂ O = 1) 2.1-2.4 Solubility in water (% by weight) Nil	Vapor Pressure (mm Hg at 20°C) NA

III. PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection Respirator for particulates approved by NIOSH/MSHA and adequate for contaminant concentrations encountered.	Hands, Arms, and Body Gloves are recommended
Eyes and Face Safety glasses are recommended.	Other Clothing and Equipment NA

IV. EMERGENCY MEDICAL PROCEDURES

<ol style="list-style-type: none"> Skin: Wash with soap and water. Eyes: Irrigate immediately with plenty of water. Obtain medical attention if necessary.
--

V. HEALTH/SAFETY INFORMATION

Health	Inhalation	Long term exposure to respirable silica above the TLV or PEL may produce pneumoconiosis in susceptible persons.		
	Ingestion	Not likely to occur.		
	Skin	May cause skin irritation on prolonged or repeated contact.		
	Eyes	May irritate or injure eyes.		
	Threshold Limit Value	See Section I		
Fire and Explosion	Flash Point	NA °F	Auto Ignition Temperature	NA °F
	<input type="checkbox"/> Not Flammable			
	Flammable Limits in Air	Lower NA %	Upper NA %	Extinguishing Media
	Unusual Fire and Explosion Hazards	NA		
		Extinguishing Media Not to be Used		
		NA		
Reactivity	Stability	Incompatibility (Materials to Avoid)		
	<input checked="" type="checkbox"/> Stable <input type="checkbox"/> Unstable	NA		
	Conditions to Avoid	NA		
	Hazardous Decomposition Products	NA		

VI. ENVIRONMENTAL

Spill or leak procedures

We recommend that the purchaser establish a spill prevention, control and counter measure plan. This plan should include procedures for proper storage as well as clean-up of spills or leaks. The procedures should conform to safe practices and provide for proper recovery or disposal. Depending on the quantity spilled, notification of the National Response Center (800-424-8802) may be required in case of hazardous substances. (See EPA and DOT regulations; also various state and local regulations.)

Waste Disposal Method*

Used or unused product should be tested to determine hazard status and disposal requirements under federal, State or local laws and regulations.

*Disposer must comply with Federal, State and Local disposal or discharge laws.

VII. ADDITIONAL INFORMATION

1. Do not breathe dust.
2. Toxic risk may be altered by chemical or physical changes caused by conditions of use.
3. Jay Bee is a refractory brick.

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any representation or warranty, express or implied, regarding the accuracy or correctness.

The conditions or methods of handling, storage, use and disposal of this product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense incurred out of or in any way connected with the handling, storage, use or disposal of the product.