

Executive Offices

24600 S. MAIN STREET / BOX 8200 / CARSON, CALIFORNIA 90749 / TELEPHONE (213) 518-2350


IMPORTANT NOTICE

Dear Customer:

Please take note that this packing slip envelope also contains an OSHA Material Safety Data Sheet for each of the products involved in this shipment. These sheets meet the OSHA Hazard Communication Standard requirements that are effective November 25, 1985. It will be necessary by law for you to supply copies of these sheets to each of your end use customers at the time of sale, and to maintain a complete set on your premises. Please insure that the proper party or parties in your organization receive these sheets. At the very minimum, anyone in your organization who is acting in a safety or environmental capacity should receive a copy and maintain a complete set.


We will continue this practice of including OSHA sheets with our packing slip until our records indicate that you have received at least one copy for each and every product you purchase from us.

Very truly yours,


W.J. Hackett,
Technical Director

WJH:lap

PUREX INDUSTRIAL MATERIAL SAFETY DATA SHEET



SECTION I

PRODUCT NAME OR NUMBER (as it appears on label) INSTITUTIONAL BAB-O WITH CHLORINE BLEACH		EMERGENCY TELEPHONE NO (213) 634-3300
MANUFACTURER'S NAME PUREX INDUSTRIAL		For additional info. (213) 618-2360 EXT. 548
ADDRESS (Number, Street, City, State and Zip Code) 24600 S. Main Street - Carson, Ca 90749		
HAZARDOUS MATERIAL DESCRIPTION, PROPER SHIPPING NAME, HAZARD CLASS, HAZARD ID NO. (49 CFR 172.101) Cleaning Compound, NOI, (Powder)		
ADDITIONAL HAZARD CLASSES (as applicable) Non-Hazardous		
CHEMICAL FAMILY N.A.	FORMULA N.A.	

SECTION II — INGREDIENTS (HAZARDOUS)

CAS REGISTRY NO	%W	CHEMICAL NAME(S)	ACGIH TLV (ppm)	OSHA TWA (ppm)	Listed as a Carcinogen in NTP, IARC or OSHA 1910.7 (specify)
25155300	<10	SODIUM LINEAR ALKYL BENZENE SULFONATE	N.A.	N.A.	N.A.
7631869	>80	#SILICON DIOXIDE	0.1@	0.1@	N.A.
		#Irritant *Sensitizer-N.A. @ mg/M ³			

SECTION III — PHYSICAL DATA

BOILING POINT N.A. °C	SPECIFIC GRAVITY (H ₂ O = 1) N.A.
VAPOR PRESSURE N.A. mm Hg	PERCENT VOLATILE BY VOLUME (%) N.A.
VAPOR DENSITY (AIR = 1) N.A.	PERCENT SOLID BY WEIGHT (%) N.A.
SOLUBILITY IN WATER 10%	EVAPORATION RATE N.A.
APPEARANCE AND ODOR Fine powder, lightly scented floral	IS MATERIAL A GAS, PASTE, SOLID, or POWDER? POWDER

SECTION IV — FIRE AND EXPLOSION HAZARD DATA

FLASH POINT N.A. °C	METHOD USED N.A.	FLAMMABLE LIMITS N.A.	LEL N.A.	UEL N.A.
EXTINGUISHING MEDIA None required				
SPECIAL FIRE FIGHTING PROCEDURES None				
UNUSUAL FIRE AND EXPLOSION HAZARDS None				

SECTION V - HEALTH HAZARD DATA

EFFECTS OF OVEREXPOSURE — Conditions to Avoid

Skin & Eyes: Slight irritant
Ingestion: Slightly toxic

PRIMARY ROUTES OF ENTRY Inhalation Skin Contact Other (specify)

EMERGENCY AND FIRST AID PROCEDURES

Skin & Eyes: Flush with water.
Ingestion: Give several glasses of milk or water

SECTION VI-REACTIVITY DATA

STABILITY	UNSTABLE		CONDITIONS TO AVOID
	STABLE	X	
INCOMPATIBILITY (materials to avoid)			Do not mix with acids or reducing agents
HAZARDOUS DECOMPOSITION PRODUCTS			Chlorimines
HAZARDOUS	MAY OCCUR		CONDITIONS TO AVOID
POLYMERIZATION	WILL NOT OCCUR	X	

SECTION VII-SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Sweep up but do not use sweeping compounds.

WASTE DISPOSAL METHOD Bury and/or in accordance with Federal, State and Local ordinances.

CERCLA (Superfund) REPORTABLE QUANTITY (in lbs): 15155300 = 1000#

RCRA HAZARDOUS WASTE NO (40 CFR 261.33): N.A.

VOLATILE ORGANIC COMPOUND (VOC) (as packaged minus water): 0

Theoretical: N.A. lb/gal Analytical: _____ lb/gal

SECTION VIII-SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (specify type) None

VENTILATION	LOCAL EXHAUST (Specify Rate):	X Normal	SPECIAL
	MECHANICAL (General) (Specify Rate):		OTHER

PROTECTIVE GLOVES (specify type) None EYE PROTECTION (specify type) None

OTHER PROTECTIVE EQUIPMENT: None

SECTION IX-SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING Normal handling processes; inside storage at 30-120°F. recommended. Keep dry.

OTHER PRECAUTIONS Follow hygienic use practices.

REPAIR AND MAINTENANCE OF CONTAMINATED EQUIPMENT: A program of regular cleaning, repairing and replacing of worn-out parts and contaminated equipment is highly desirable.

RECOMMENDED PERSONAL HYGIENE: Use adequate washing facilities. Wash hands or other contact areas thoroughly. Change clothing if wetted with product. Do not reuse clothing wetted with product before clothing is laundered.

Date: 8/12/85