

**Safety Data Sheet**

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

**U.S. Department of Labor**  
Occupational Safety and Health Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072



**IDENTITY (As Used on Label and List)**  
Dick Blick Acrylic Colors

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

**Section I**

Manufacturer's Name Putnam Colro & Dye	Emergency Telephone Number 309-342-0179	50102 - all codes
Address (Number, Street, City, State, and ZIP Code) 1558 S. Henderson Street	Telephone Number for Information 309-342-0179	50104 - all codes
Galesburg, IL 61401	Date Prepared June 3, 1991	50108 - all codes
	Signature of Preparer (optional) D. L. Wright	50116 - all codes

**Section II - Hazardous Ingredients/Identity Information**

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
Contains no hazardous substance per OSHA			5010300	
29 CFR 1940.1200			5010500	
			805000	

Material is a water based product with the AP Seal. Products with the AP Approved Products Seal of the Art and Craft Materials Institute are certified in a program of toxicological evaluation by a medical expert to contain no material in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. These products are certified by the Institute to be labeled in accordance with the voluntary chronic hazard Labeling Standard ASTM D-4236. In addition, there is no physical hazard as defined within CFR Part 1910.1200 (c).

0111-V

**Section III - Physical/Chemical Characteristics**

Boiling Point Range 215-225°F	Specific Gravity (H <sub>2</sub> O = 1) Range 1.03-1.68
Vapor Pressure (mm Hg.) Not Determined	Melting Point Not Determined
Vapor Density (AIR = 1) Lighter Than Air	Evaporation Rate (Butyl Acetate = 1) Slower Than Ether
Solubility in Water Completely Soluble In Water	
Appearance and Odor Various Colors & Odorless	

**Section IV - Fire and Explosion Hazard Data**

Flash Point (Method Used) Not Available	Flammable Limits Unknown	LEL	UEL
Extinguishing Media CO <sub>2</sub> , Foam, Or Water			
Special Fire Fighting Procedures None Known			

Unusual Fire and Explosion Hazards  
None

