

00624-1029

Rwd 01-24-01

Basic Set

MATERIAL SAFETY DATA SHEET

(May be used to comply with OSHA's 29 CFR 1910.1200)

IDENTITY (As Used on Label and List)**DICK BLICK ACRYLIC COLORS**

Note: Blank spaces are not permitted. If any item is not applicable, or no information available, the space must be marked appropriately.

SECTION 1 - COMPANY INFORMATION**ROCK PAINT DISTRIBUTING CORP.****(608) 868-6873**

MANUFACTURER

TELEPHONE NUMBER FOR INFORMATION

365 SUNNYSIDE DR. P.O. BOX 482**(608) 868-6873**

ADDRESS

EMERGENCY TELEPHONE NUMBER

MILTON, WI 53563**August 16, 2000**

DATE PREPARED

SECTION 2 - MATERIAL IDENTIFICATION AND INFORMATION

OTHER LIMITS

COMPONENTS: CHEMICAL NAME & COMMON NAMES

%

OSHA PEL

ACGIH TLV

RECOMMENDED

Contains no hazardous substance per OSHA**29 CFR 1940.1200**

Material is a water based product with the AP Seal. Products with the AP Approved Products Seal of the Art and Craft Materials Institute are certified in a program of toxicological evaluation by a medical expert to contain no material in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. These products are certified by the Institute to be labeled in accordance with the voluntary chronic hazard Labeling Standard ASTM D-4236. In addition, there is no physical hazard as defined within 29 CFR Part 1910.1200 (c).

SECTION 3 - PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT -

Range 215-225 FSPECIFIC GRAVITY (H₂O=1) -**Range 1.03-1.68**

VAPOR PRESSURE (mm. Hg) -

Not Determined

MELTING POINT -

Not Determined

VAPOR DENSITY (AIR=1) -

Lighter than Air

EVAPORATION RATE

Slower than EtherSOLUBILITY IN WATER - **Completely Soluble in Water**APPEARANCE & ODOR - **Various Colors & Odorless****SECTION 4 - FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT & METHOD USED

Not Available

FLAMMABILITY LIMITS

Unknown

EXTINGUISHER MEDIA

CO₂, Foam, or Water

LEL

UEL

NA**NA**

SPECIAL FIRE FIGHTING PROCEDURES

None Known

UNUSUAL FIRE AND EXPLOSION HAZARDS

None

V-1888

SECTION 5 - REACTIVITY HAZARD DATA

STABILITY <input checked="" type="checkbox"/> STABLE <input type="checkbox"/> UNSTABLE	CONDITIONS TO AVOID None
INCOMPATIBILITY (MATERIALS TO AVOID) - NA	
HAZARDOUS DECOMPOSITION PRODUCTS - NA	
HAZARDOUS POLYMERIZATION <input type="checkbox"/> MAY OCCUR <input type="checkbox"/> WILL NOT OCCUR	CONDITIONS TO AVOID None Known

SECTION 6 - HEALTH HAZARD DATA

PRIMARY ROUTES OF ENT: None <input type="checkbox"/> INHALATION <input type="checkbox"/> INGESTION <input type="checkbox"/> SKIN ABSORPTION <input type="checkbox"/> NOT HAZARDOUS	CARCINOGEN LISTED IN <input type="checkbox"/> NTP <input type="checkbox"/> OSHA Regulated? <input type="checkbox"/> IARC MONOGRAPH <input checked="" type="checkbox"/> NOT LISTED
HEALTH HAZARDS Refer to Section II	ACUTE CHRONIC
SIGNS AND SYMPTOMS Not Known	
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE Not Known	
EMERGENCY FIRST AID PROCEDURES - Consult A Physician Immediately	

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE/LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED - Recover free product. Keep product out of sewers and water sources. Advise authorities if product enters sewers or water ways.
WASTE DISPOSAL METHODS - Dispose of in accordance with Federal and Local State Regulations.
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE - Store at room temperature. Not to exceed 100 F
OTHER PRECAUTIONS AND/OR SPECIAL HAZARDS - Not Known

SECTION 8 - CONTROL AND PROTECTIVE MEASURES

RESPIRATORY PROTECTION (SPECIFY TYPE) - None Required		
VENTILATION TO BE USED - None Required	LOCAL EXHAUST - SPECIAL -	MECHANICAL (GENERAL) - OTHER (SPECIFY) -
PROTECTIVE GLOVES - Not Required	EYE PROTECTION - Not Required	
OTHER PROTECTIVE CLOTHING or EQUIPMENT - None		
WORK/HYGIENIC PRACTICES - Use Good Hygienic Practices		