MATERIAL SAFETY DATA SHEET

UNUSUAL FIRE AND EXPLOSION HAZARDS

NΑ

HANDY-ART-BLOCK-INK

MATERIAL SAFETT DATA SHEET		444		
	TRADE NAME ON LABEL	V	# CH3	528800
ROCK PAINT DISTRIBUTING CORPORATION	94-0025 CSOFT-KUT KIT MSDS NUMBER FART 20F2			
WANUFACTURER	MSDS NUMBER		PART	20F2
365 SUNNYSIDE DR. P.O. BOX 482			•	
ADORESS	CAS NUMBER			
MILTON, WI 53563	MARCH 10, 1994			
	DATE PREPARED		(· · · · · · · · · · · · · · · · · · ·
(608) 888-6873 (414) 563 8545				
PHONE NUMBER (FOR INFORMATION)	PREPARED BY			4
SECTION 1 - MATERIAL IDENTIFICATION AND	INFORMATION			
COMPONENTS CHEMICAL NAME & COMMON NAMES	* %	OSHA PEL	ACGIH TLV	OTHER LIMITS RECUMMENCED
WATER				
PIGMENT: ASSORTED NON-TOXIC COLORS		<u> </u>		
GLYCERINE		<u></u>		
CALCIUM CARBONATE				
GUMS				
,				
1				
		<u> </u>	<u> </u>	
The state of the s				
AS PER ASTM D-4236 AND AS PER THE ART AND CRAFT MA	TENTAL S			
INSTITUTE (ACMI), INC. THIS PAINT HAS BEEN CERTIFIED				
SECTION 2 - PRYSICAL/CHEMICAL CHARACTER	RISTICS		The state of the s	
BOILING POINT ABOUT 212 F	SPECIFIC GRAVITY	SPECIFIC GRAVITY (H20 = 1) ABOUT 9 LBS/GAL		
VAPOR PRESSURE(mm Hg & TEMPERATURE) 17 mmHG	MELTING POINT 32 F			
VAPOR DENSITY (AIR=1) LIGHTER	EVAPORATION RATE (WATER=1) SLOWER			
SOLUBULITY IN WATER DILUTABLE	WATER REACTIVE N/A			
APPEARANCE & ODOR SLIGHT AMMONIA ODOR, OR NO ODOR	PRESENT		,	
SECTION 3 - FIRE AND EXPLOSION HAZARD D	ATA			
FLASH POINT & METHOD USED AUTO - KINITION TEMPERATURE N/A N/A	FLAMMABELTY LIMITS IN AIR N/A	% BY VOLUME	LEL	UEL
EXTINGUISHER MEDIA FOAM, DRY CHEMICAL, CO2, WATER SPRAY OR	FOG	garage services and the services of the servic		
SPECIAL FIRE FIGHTING PROCEDURES				V Z Z
N/A			APR 242	nna
		2	APR C4 L	() () () () () () () () () () () () () (

SECTION 4 - REACTI	IVITY HAZARD DATA	94.	00254	
STABILITY CONDITIONS TO UNSTABLE	AVOID	•		
INCOMPATABILITY (MATERIALS TO AV	NONE KOWN-HOWEVER PRO	duct properties may be altered	by mixing with some materials	
HAZARDOUS DECOMPOSITION PRODU	OCTS THERMAL DECOMPOSITION IN THE AND TRACES OF MONOMER.	Presence of AIR MAY YIELD CARBON &	KONOXIDE AND/OR CARBON DIOXIDE	
HAZARDOUS POLYMERIZATION I MAY OCCUR I WILL NOT OCCUR	CONDITIONS TO AVOID	D		
SECTION 5 - HEALTH	HAZARD DATA			
PRIMARY ROUTES OF ENTRY INTELLIGIBLE INTELLI	ALA'TION INGESTION INGESTI	CARCINOGEN LISTEO IN DE NTP S DE LARCA	OSHA MONOGRAPH NOTLISTED	
HEALTH HAZARDS	ACUTE		- •	
	СНЯОМІС			
SIGNS AND SYMPTONS		41		
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE				
EMERGENCY FIRST AID PROCEDURES -	- SEEK MEDICAL ASSISTANCE FOR FURTHE	ER TREATMENT, OBSERVATION AND SUPP	ORT IF NECESSARY,	
DIRECT CONTACT WITH EMULSION MAY RESULT IN IRRITATION. FLUSH EYES IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN. REMOVE CONTACTS FROM VICTIM.				
SKIN CONTACT PROLONGED OR REOUGHLY WITH SOA	EPEATED CONTACT WITH EMULSIC AP AND WATER; IF DRENCHED REA	ON MAY CAUSE SOME SKIN IRRIT MOVE AND WASH CLOTHING BEF	ATION. WASH SKIN THOR- ORE REUSE.	
INHALATION N/A			<u> </u>	
IF VICTIM IS CONSC	CIOUS, GIVE TWO GLASSES OF WAT	TER TO DRINK AND CALL A PHYS	ICIAN.	
SECTION 6 - CONTROL	SECTION 6 - CONTROL AND PROTECTIVE MEASURES			
RESPIRATORY PROTECTION (SPECIFY T	YPES)	and the second s	/// , 	
PROTECTIVE GLOVES RUBBER GLO	VES RECOMMENDED	EYE PROTECTION CHEMICAL GOGGLES WITH EYE GUARD		
VENTILATION TO BE USED	LOCAL EXHAUST	MECHANICAL (GENERAL)	SPECIAL	
	OTHER (SPECIFY)			
OTHER PROTECTIVE CLOTHING AND EQUIPMENT N/A				
HYGIENIC WORK PRACTICES				
SECTION 7 - PRECAUT	FIONS FOR SAFE HANDLI	ING AND USE/LEAK PRO	(Philip Pa	
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE/LEAK PROCEDURES STEPS TO SE TAKEN F MATERIAL IS SPLLED OR RELEASED ABSORB WITH DRYING MATERIAL OR FLUSH SPILLED MATERIAL INTO SUITABLE RETAINING AREA OR CONTAINER. PREVENT				
SPILLED LIQUID FROM ENTERING SEWERS, STORM DRAINS, DRAINAGE SYSTEMS AND NATURAL WATERWAYS.				
MASTE DISPOSAL METHODS DISPOSE OF PRODUCT IN ACCOUNT	RDANCE WITH APPLICABLE LOCAL	COUNTY, STATE AND FEDERAL	REGULATIONS.	
PRECAUTIONS TO BE TAKEN IN HANDLING		· · · · · · · · · · · · · · · · · · ·		
SHOULD BE STORED AT ROOM TEMPERATURE TO PROLONG SHELF LIFE. KEEP FROM FREEZING AND AWAY FROM EXCESSIVE HEAT				
OTHER PRECAUTIONS AND/OR SPECIAL H	HAZARDS			

NEEDS 10 4 2004 (A

1004104
