

97-3023-97-3028
97-3024 thru 97-3032

Material Safety Data Sheet

97.7363-97.7364.
97.7365 97.7367
BULK CRYLIC FLUORESCENT 97.7364

#721

Identify (Trade Name As Used On Label) *Nasco K605 98*

ROCK PAINT DISTRIBUTING CORP

Manufacturer
365 SUNNYSIDE DR BOX 482

MSDS Number* 102390

Address
MILTON WI 53563

CAS Number*
Date Prepared OCTOBER 1, 1990

608-868-6873

Prepared By*

Phone Number (For Information)


608-868-6873 414-563-8545

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Emergency Phone Number Telex*

SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION

COMPONENTS — Chemical Name & Common Names (Hazardous Components 1% or greater; Carcinogens 0.1% or greater)	%	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOMMENDED
AS PER ASTM D-4236 AND AS PER THE ART AND CRAFT MATERIALS INSTITUTE, INC. (ACMI), THIS PAINT HAS BEEN CERTIFIED NON-TOXIC UNDER CURRENT OSHA CRITERIA THIS PRODUCT IS CONSIDERED TO BE NON-HAZARDOUS.				
Non-Hazardous Ingredients				
TOTAL	100			



SECTION 2 - PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point ABOUT 212 F	Specific Gravity (H ₂ O = 1) ABOUT 9 LBS/GAL
Vapor Pressure (mm Hg and Temperature) 17 mmHG	Melting Point 32 F
Vapor Density (Air = 1) LIGHTER	Evaporation Rate (WATER = 1) SLOWER
Solubility in Water DILUTABLE	Water Reactive N/A

Appearance and Odor SLIGHT AMMONIA ODOR, OR NO ODOR PRESENT

SECTION 3 - FIRE AND EXPLOSION HAZARD DATA

Flash Point and Method Used N/A	Auto-Ignition Temperature N/A	Flammability Limits in Air % by Volume N/A	LEL	UEL
Extinguisher Media FOAM, DRY CHEMICAL, CO ₂ , WATER SPRAY OR FOG				
Special Fire Fighting Procedures N/A				
Unusual Fire and Explosion Hazards N/A				

*Optional

073960

SECTION 4 - REACTIVITY HAZARD DATA

STABILITY: <input checked="" type="checkbox"/> Stable <input type="checkbox"/> Unstable	Conditions To Avoid NONE KNOWN
Incompatibility (Materials to Avoid) NONE KNOWN-HOWEVER PRODUCT PROPERTIES MAY BE ALTERED BY MIXING WITH SOME MATERIALS.	
Hazardous Decomposition Products THERMAL DECOMPOSITION IN THE PRESENCE OF AIR MAY YIELD CARBON-MONOXIDE AND/OR CARBON DIOXIDE AND TRACES OF MONOMER.	
HAZARDOUS POLYMERIZATION <input type="checkbox"/> May Occur <input checked="" type="checkbox"/> Will Not Occur	Conditions To Avoid

SECTION 5 - HEALTH HAZARD DATA

PRIMARY ROUTES OF ENTRY <input type="checkbox"/> Inhalation <input type="checkbox"/> Skin Absorption	<input type="checkbox"/> Ingestion <input checked="" type="checkbox"/> Not Hazardous	CARCINOGEN LISTED IN <input type="checkbox"/> NTP <input type="checkbox"/> IARC Monograph	<input type="checkbox"/> OSHA <input type="checkbox"/> Not Listed
HEALTH HAZARDS Acute Chronic	Signs and Symptoms of Exposure Medical Conditions Generally Aggravated by Exposure		
EMERGENCY FIRST AID PROCEDURES - Seek medical assistance for further treatment, observation and support if necessary.			
Eye Contact DIRECT CONTACT WITH EMULSION MAY RESULT IN IRRITATION. FLUSH EYES IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN. REMOVE CONTACTS FROM VICTIM.			
Skin Contact PROLONGED OR REPEATED CONTACT WITH EMULSION MAY CAUSE SOME SKIN IRRITATION. WASH SKIN THOROUGHLY WITH SOAP AND WATER; IF DRENCHED, REMOVE AND WASH CLOTHING BEFORE REUSE.			
Inhalation N/A			
Ingestion IF VICTIM IS CONSCIOUS, GIVE TWO GLASSES OF WATER TO DRINK AND CALL A PHYSICIAN.			

SECTION 6 - CONTROL AND PROTECTIVE MEASURES

Respiratory Protection (Specify Type) Protective Gloves RUBBER GLOVES RECOMMENDED	Eye Protection CHEMICAL GOGGLES WITH EYE GUARD. <input type="checkbox"/> Mechanical (general) <input type="checkbox"/> Special
VENTILATION TO BE USED <input type="checkbox"/> Local Exhaust <input type="checkbox"/> Other (specify)	<input type="checkbox"/> Special
Other Protective Clothing and Equipment N/A	
Hygienic Work Practices	

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE / LEAK PROCEDURES

Steps to be Taken if Material is Spilled Or Released: ABSORB WITH DRYING MATERIAL OR FLUSH SPILLED MATERIAL INTO SUITABLE RETAINING AREA OR CONTAINER. PREVENT SPILLED LIQUID FROM ENTERING SEWERS, STORM DRAINS, DRAINAGE SYSTEMS AND NATURAL WATERWAYS.

Waste Disposal Methods: DISPOSE OF PRODUCT IN ACCORDANCE WITH APPLICABLE LOCAL, COUNTY, STATE AND FEDERAL REGULATIONS.

Precautions to be Taken in Handling and Storage: SHOULD BE STORED AT ROOM TEMPERATURE TO PROLONG SHELF LIFE. KEEP FROM FREEZING AND AWAY FROM EXCESSIVE HEAT.

Other Precautions and/or Special Hazards

NTPA Rating* Health ___ Flammability ___ Reactivity ___ Special ___	HMIS Rating* Health ___ Flammability ___ Reactivity ___ Personal Protection ___
--	--

*Optional

© Copyright 1986, Science Related Materials, Inc. All Rights Reserved. Reorder No. 2217-2