

31-513, 31-502

#1

396

Material Safety Data Sheet

BULK CRYLIC

Identity (Trade Name As Used)

ROCK PAINT DISTRIBUTING CORP

Manufacturer

365 SUNNYSIDE DR BOX 482

Address

MILTON, WI 53563

608-868-6873

Phone Number (For Information)

414-563-8545 & 608-868-6873

Emergency Phone Number

Telex

MSDS Number*

CAS Number*

OCTOBER 1, 1987

Date Prepared

Prepared By*

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION

COMPONENTS -- Chemical Name & Common Names (Hazardous Components 1% or greater; Carcinogens 0.1% or greater)	%	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOMMENDED
PIGMENT	N/A		N/A	
VEHICLE	N/A		N/A	
ADDITIVES	N/A		N/A	
5-chloro-2-methyl-4-isothiazolin-3-one	3ppm			
2-methyl-4-isothiazolin-3-one	1ppm			
Non-Hazardous Ingredients	99.999			
TOTAL	100			

SECTION 2 - PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point	ABOUT 212 F	Specific Gravity (H ₂ O = 1)	ABOUT 9#/GAL
Vapor Pressure (mm Hg and Temperature)	17 MMHG	Melting Point	32 F
Vapor Density (Air = 1)	LIGHTER	Evaporation Rate (WATER = 1)	SLOWER
Solubility in Water	DILUTABLE	Water Reactive	N/A

Appearance and Odor TYPICAL PAINT ODER, OR NO ODER PRESENT

SECTION 3 - FIRE AND EXPLOSION HAZARD DATA

Flash Point and Method Used	N/A	Auto-Ignition Temperature	N/A	Flammability Limits in Air % by Volume	N/A	LEL	UEL
Extinguisher Media	FOAM, DRY CHEMICAL, CO ₂ , WATER SPRAY OR FOG						
Special Fire Fighting Procedures	N/A						

Unusual Fire and Explosion Hazards N/A

*Optional

023960

SECTION 4 - REACTIVITY HAZARD DATA

#2 376

STABILITY <input checked="" type="checkbox"/> Stable <input type="checkbox"/> Unstable	Conditions To Avoid NONE KNOWN
incompatibility (Materials to Avoid) NONE KNOWN-HOWEVER PRODUCT PROPERTIES MAY BE ALTERED BY MIXING WITH SOME MATERIALS.	
Hazardous Decomposition Products THERMAL DECOMPOSITION IN THE PRESENCE OF AIR MAY YIELD CARBON MONOXIDE AND/OR CARBON DIOXIDE AND TRACES OF MONOMER.	
HAZARDOUS POLYMERIZATION <input type="checkbox"/> May Occur <input checked="" type="checkbox"/> Will Not Occur	Conditions To Avoid

SECTION 5 - HEALTH HAZARD DATA

PRIMARY ROUTES OF ENTRY <input type="checkbox"/> Inhalation <input type="checkbox"/> Skin Absorption <input checked="" type="checkbox"/> Not Hazardous	INGESTION <input type="checkbox"/> Ingestion <input checked="" type="checkbox"/> Not Hazardous	CARCINOGEN LISTED IN <input type="checkbox"/> NTP <input type="checkbox"/> IARC Monograph <input type="checkbox"/> OSHA <input type="checkbox"/> Not Listed
HEALTH HAZARDS Acute Chronic		
Signs and Symptoms of Exposure		
Medical Conditions Generally Aggravated by Exposure		

EMERGENCY FIRST AID PROCEDURES - Seek medical assistance for further treatment, observation and support if necessary.

Eye Contact DIRECT CONTACT WITH EMULSION MAY RESULT IN IRRITATION. FLUSH EYES IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN. REMOVE CONTACTS FROM VICTIM.

Skin Contact PROLONGED OR REPEATED CONTACT WITH EMULSION MAY CAUSE SOME SKIN IRRITATION. WASH SKIN THOROUGHLY WITH SOAP AND WATER; IF DRENCHED, REMOVE AND WASH CLOTHING BEFORE REUSE.

Inhalation N/A

Ingestion IF VICTIM IS CONSCIOUS, GIVE TWO GLASSES OF WATER TO DRINK AND CALL A PHYSICIAN.

SECTION 6 - CONTROL AND PROTECTIVE MEASURES

Respiratory Protection (Specify Type)	Protective Gloves RUBBER GLOVES RECOMMENDED	Eye Protection CHEMICAL GOGGLES WITH EYE GUARD. <input type="checkbox"/> Mechanical (general) <input type="checkbox"/> Special
VENTILATION TO BE USED <input type="checkbox"/> Local Exhaust <input type="checkbox"/> Other (specify)		
Other Protective Clothing and Equipment N/A		
Hygienic Work Practices		

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE / LEAK PROCEDURES

Steps to be Taken if Material is Spilled or Released ABSORB WITH DRYING MATERIAL OR FLUSH SPILLED MATERIAL INTO SUITABLE RETAINING AREA OR CONTAINER. PREVENT SPILLED LIQUID FROM ENTERING SEWERS, STORM DRAINS, DRAINAGE SYSTEMS AND NATURAL WATERWAYS.

Waste Disposal Methods DISPOSE OF PRODUCT IN ACCORDANCE WITH APPLICABLE LOCAL, COUNTY, STATE AND FEDERAL REGULATIONS.

Precautions to be Taken in Handling and Storage SHOULD BE STORED AT ROOM TEMPERATURE TO PROLONG SHELF LIFE. KEEP FROM FREEZING AND AWAY FROM EXCESSIVE HEAT.

Other Precautions and/or Special Hazards

NFPA Rating* Health	Flammability	Reactivity	Special	HMIS Rating* Health	Flammability	Reactivity	Personal Protection
---------------------	--------------	------------	---------	---------------------	--------------	------------	---------------------