

K92724

261.

9708647
9703646

MATERIAL SAFETY DATA SHEET

NASCO BLACK SATIN INDIA INK
TRAVEL NAME ON LABEL

ROCK PAINT DISTRIBUTING CORP. MANUFACTURER		MSDS NUMBER
365 SUNNYSIDE DR. P.O. BOX 482 ADDRESS		CAS NUMBER
MILTON, WI 53563		JUNE 2001 DATE PREPARED
(608)868-6873 PHONE NUMBER(FOR INFORMATION)	(920) 663-8545	PREPARED BY

SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION				OTHER LIMITS
COMPONENTS: CHEMICAL NAME & COMMON NAMES	%	OSHA PEL	ACGIH TLV	RECOMMENDED
WATER				
PIGMENT				
ACRYLIC RESIN				
NON-TOXIC WATERBASED INK				

AS PER ASTM D-4236 AND AS PER THE ART AND CRAFT MATERIALS INSTITUTE (ACMI) INC. THIS PAINT HAS BEEN CERTIFIED NON-TOXIC.

SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS			
BOILING POINT -	100 DEGREES C	SPECIFIC GRAVITY (H2O=1) -	GREATER THAN 1
VAPOR PRESSURE (mm Hg & TEMP.) -	SAME AS WATER	MELTING POINT -	N/A
VAPOR DENSITY (AIR=1) -	NOT AVAILABLE	EVAPORATION RATE (WATER=1) -	NOT AVAILABLE
SOLUBILITY IN WATER -	DISPERSIBLE	WATER REACTIVE -	N/A
APPEARANCE & ODOR -	BLACK INDIA INK (LIQUID) - SLIGHT ODOR		

SECTION 3 - FIRE AND EXPLOSION HAZARD DATA		
FLASH POINT & METHOD USED	AUTO IGNITION TEMPERATURE	FLAMMABILITY LIMITS IN AIR % BY VOLUME
N/A	N/A	N/A
EXTINGUISHER MEDIA		LEL
FOAM - DRY CHEMICAL - CO2 - WATER SPRAY OR FOG		UEL
SPECIAL FIRE FIGHTING PROCEDURES	N/A	
UNUSUAL FIRE AND EXPLOSION HAZARDS	N/A	

SECTION 4 - REACTIVITY HAZARD DATA		INDIA INK - 2
STABILITY <input checked="" type="checkbox"/> STABLE <input type="checkbox"/> UNSTABLE	CONDITIONS TO AVOID NONE KNOWN	
INCOMPATIBILITY (MATERIALS TO AVOID) NONE KNOWN-HOWEVER PRODUCT PROPERTIES MAY BE ALTERED BY MIXING WITH SOME MATERIALS.		
HAZARDOUS DECOMPOSITION PRODUCTS THERMAL DECOMPOSITION IN THE PRESENCE OF AIR MAY YIELD CARBON MONOXIDE AND/OR CARBON DIOXIDE AND TRACES OF MONOMER.		
HAZARDOUS POLYMERIZATION <input type="checkbox"/> MAY OCCUR <input checked="" type="checkbox"/> WILL NOT OCCUR	CONDITIONS TO AVOID	

SECTION 5 - HEALTH HAZARD DATA			
PRIMARY ROUTES OF ENTRY <input type="checkbox"/> INHALATION <input type="checkbox"/> INGESTION <input type="checkbox"/> SKIN ABSORPTION <input checked="" type="checkbox"/> NOT HAZARDOUS		CARCINOGEN LISTED IN <input type="checkbox"/> NTP <input type="checkbox"/> OSHA <input type="checkbox"/> IARC MONOGRAPH <input checked="" type="checkbox"/> NOT LISTED	
HEALTH HAZARDS ACUTE CHRONIC			
SIGNS AND SYMPTOMS			
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE			
EMERGENCY FIRST AID PROCEDURES -			
SEEK MEDICAL ASSISTANCE FOR FURTHER TREATMENT, OBSERVATION AND SUPPORT IS NECESSARY.			
EYE CONTACT -		DIRECT CONTACT WITH EMULSION MAY RESULT IN IRRITATION. FLUSH EYES IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN. REMOVE CONTACTS FROM VICTIM.	
SKIN CONTACT -		PROLONGED OR REPEATED CONTACT WITH EMULSION MAY CAUSE SOME SKIN IRRITATION. WASH SKIN THOROUGHLY WITH SOAP AND WATER; IF DRENCHED REMOVE AND WASH CLOTHING BEFORE REUSE.	
INHALATION -		N/A	
INGESTION -		IF VICTIM IS CONSCIOUS, GIVE TWO GLASSES OF WATER TO DRINK AND CALL A PHYSICIAN.	

SECTION 6 - CONTROL AND PROTECTIVE MEASURES			
RESPIRATORY PROTECTION (SPECIFY TYPE) -			
PROTECTIVE GLOVES -		EYE PROTECTION -	
RUBBER GLOVES RECOMMENDED		CHEMICAL GOGGLES WITH EYE GUARD	
VENTILATION TO BE USED -		MECHANICAL (GENERAL) -	
LOCAL EXHAUSE -		SPECIAL -	
OTHER (SPECIFY) -			
OTHER PROTECTIVE CLOTHING AND EQUIPMENT - N/A			
HYGIENIC WORK PRACTICES -			

SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE/LEAK PROCEDURES	
STEPS TO BE TAKEN IS MATERIAL IS SPILLED OR RELEASED -	
ABSORB WITH DRYING MATERIAL OR FLUSH SPILLED MATERIAL INTO SUITABLE RETAINING AREA OR CONTAINER, PREVENT SPILLED LIQUID FROM ENTERING SEWERS, STORM DRAINS, DRAINAGE SYSTEMS AND NATURAL WATERWAYS.	
WASTE DISPOSAL METHODS -	
DISPOSE OF PRODUCT IN ACCORDANCE WITH APPLICABLE LOCAL, COUNTY, STATE AND FEDERAL REGULATIONS.	
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE	
SHOULD BE STORED AT ROOM TEMPERATURE TO PROLONG SHELF LIFE. KEEP FROM FREEZING AND FROM EXCESSIVE HEAT.	
OTHER PRECAUTIONS AND/OR SPECIAL HAZARDS -	
N/A	
HIMS RATING	PERSONAL PROTECTION

261 (2)

Section V - HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE
EFFECTS OF OVEREXPOSURE NA
None

EMERGENCY AND FIRST AID PROCEDURES Eye and Skin: Flush with water

Section VI - REACTIVITY DATA

STABILITY UNSTABLE STABLE. CONDITIONS TO AVOID NA

INCOMPATIBILITY (Materials to avoid)
HAZARDOUS DECOMPOSITION PRODUCTS Fire conditions may yield oxides of carbon/nitrogen

HAZARDOUS POLYMERIZATION MAY OCCUR. WILL NOT OCCUR
CONDITIONS TO AVOID NA

Section VII - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Mop up or absorb on inert material and place into containers. May be slippery; will leave a film on drying.

WASTE DISPOSAL METHOD Landfill according to Federal, State and local regulations.

Section VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION None

VENTILATION Adequate ventilation recommended.

PROTECTIVE GLOVES NA
EYE PROTECTION NA
OTHER PROTECTIVE EQUIPMENT NA

Section IX - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE Keep from freezing - product may coagulate.

OTHER PRECAUTIONS NA