

108.

SB406e3, SB39714, SB39613 through SB39617  
SB39612, SB396e2 through SB39611  
NASCOCHEMISTRY WATER COLORS  
SB39664, SB39618 through SB39688  
TRAVEL NAME ON LABEL  
SB39713

# MATERIAL SAFETY DATA SHEET

ROCK PAINT DISTRIBUTING CORP.

MANUFACTURER  
365 SUNNYSIDE DR. P.O. BOX 482  
ADDRESS  
MILTON, WI 53563

MSDS NUMBER  
CAS NUMBER  
JANUARY 2009  
DATE PREPARED

(608)868-6873 (920) 563-8545  
PHONE NUMBER(FOR INFORMATION)

PREPARED BY

## SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION

COMPONENTS: CHEMICAL NAME & COMMON NAMES	%	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOMMENDED
WATER				
WATER SOLUBLE COLORANTS				
PROPYLENE GLYCOL				
GLYCERINE				
GUMS and/or CELLULOSIC				
MODIFIED STARCH				

APR 14 2009

AS PER ASTM D-4236 AND AS PER THE ART AND CRAFT MATERIALS INSTITUTE (ACMI) INC. THIS PAINT HAS BEEN CERTIFIED NON-TOXIC.

## SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT - ABOUT 212	SPECIFIC GRAVITY (H2O=1) - ABOUT 9LBS PER GAL
VAPOR PRESSURE (mm Hg & TEMPERATURE) - 17mm Hg	MELTING POINT - N/A
VAPOR DENSITY (AIR=1) - NOT AVAILABLE	EVAPORATION RATE (WATER=1) - SLOWER
SOLUBILITY IN WATER - DILUTABLE	WATER REACTIVE - N/A
APPEARANCE & ODOR -	

## SECTION 3 - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT & METHOD USED N/A	AUTO IGNITION TEMPERATURE N/A	FLAMMABILITY LIMITS IN AIR % BY VOLUME N/A
EXTINGUISHER MEDIA FOAM - DRY CHEMICAL - CO2 - WATER SPRAY OR FOG	LEL	UEL
SPECIAL FIRE FIGHTING PROCEDURES N/A		
UNUSUAL FIRE AND EXPLOSION HAZARDS N/A		

**SECTION 4 - REACTIVITY HAZARD DATA**

ECONO WATER COLORS -2

## STABILITY

 STABLE  
 UNSTABLE

## CONDITIONS TO AVOID

NONE KNOWN

INCOMPATIBILITY (MATERIALS TO AVOID) NONE KNOWN-HOWEVER PRODUCT PROPERTIES MAY BE ALTERED BY MIXING WITH SOME MATERIALS.

HAZARDOUS DECOMPOSITION PRODUCTS THERMAL DECOMPOSITION IN THE PRESENCE OF AIR MAY YIELD CARBON MONOXIDE AND/OR CARBON DIOXIDE AND TRACES OF MONOMER.

## HAZARDOUS POLYMERIZATION

 MAY OCCUR  
 WILL NOT OCCUR

## CONDITIONS TO AVOID

**SECTION 5 - HEALTH HAZARD DATA**

## PRIMARY ROUTES OF ENTRY

 INHALATION     INGESTION  
 SKIN ABSORTION     NOT HAZARDOUS

## CARCINOGEN LISTED IN

 NTP     OSHA  
 IARC MONOGRAPH     NOT LISTED

## HEALTH HAZARDS

 ACUTE  
 CHRONIC

## SIGNS AND SYMPTOMS

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

**EMERGENCY FIRST AID PROCEDURES -****SEEK MEDICAL ASSISTANCE FOR FURHTER TREATMENT, OBSERVATION AND SUPPORT IS NECESSARY.**

EYE CONTACT - DIRECT CONTACT WITH EMULSION MAY RESULT IN IRRITATION. FLUSH EYES IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT A PHYSICIAN. REMOVE CONTACTS FROM VICTIM.

SKIN CONTACT - PROLONGED OR REPEATED CONTACT WITH EMULSION MAY CAUSE SOME SKIN IRRITATION. WASH SKIN THOROUGHLY WITH SOAP AND WATER; IF DRENCHED REMOVE AND WASH CLOTHING BEFORE REUSE.

INHALATION - N/A

INGESTION - IF VICTIM IS CONSCIOUS, GIVE TWO GLASSES OF WATER TO DRINK AND CALL A PHYSICIAN.

**SECTION 6 - CONTROL AND PROTECTIVE MEASURES**

## RESPIRATORY PROTECTION (SPECIFY TYPE) -

## PROTECTIVE GLOVES -

RUBBER GLOVES RECOMMENDED

## EYE PROTECTION -

CHEMICAL GOGGLES WITH EYE GUARD

## VENTILATION TO BE USED -

LOCAL EXHAUSE -

MECHANICAL (GENERAL) -

SPECIAL -

OTHER (SPECIFY) -

## OTHER PROTECTIVE CLOTHING AND EQUIPMENT -

N/A

## HYGIENIC WORK PRACTICES -

**SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE/LEAK PROCEDURES**

## STEPS TO BE TAKEN IS MATERIAL IS SPILLED OR RELEASED -

ABSORB WITH DRYING MATERIAL OR FLUSH SPILLED MATERIAL INTO SUITABLE RETAINING AREA OR CONTAINER. PREVENT SPILLED LIQUID FROM ENTERING SEWERS, STORM DRAINS, DRAINAGE SYSTEMS AND NATURAL WATERWAYS.

## WASTE DISPOSAL METHODS -

DISPOSE OF PRODUCT IN ACCORDANCE WITH APPLICABLE LOCAL, COUNTY, STATE AND FEDERAL REGULATIONS.

## PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE

 SHOULD BE STORED AT ROOM TEMPERATURE TO PROLONG SHELF LIFE.  
 KEEP FROM FREEZING AND FROM EXCESSIVE HEAT.

## OTHER PRECAUTIONS AND/OR SPECIAL HAZARDS -

N/A

HIMS RATING    HEALTH \_\_\_\_\_    FLAMMABILITY \_\_\_\_\_    REACTIVITY \_\_\_\_\_    PERSONAL PROTECTION \_\_\_\_\_