

ENAMEL DRYER

*** SECTION I: General Information (Product Manufacturer) ***

DEMERT & DOUGHERTY-BEAUTY SECRETS
FIVE WESTBROOK CORP CENTER SUITE900
WESTCHESTER IL 60154
EPA #:

Emer. Phone: (708) 571-6000
Info. Phone: (708) 571-6000
Date Prepared: 8/20/93
ORM-D? Y

*** SECTION II: Hazardous Ingredients/Identity Information ***

Hazardous Component	CAS Req #	OSHA PEL
ETHYL ALCOHOL ACGIH TLV: 1000 PPM Other:	64175	%: 99.70
T-BUTYL ALCOHOL ACGIH TLV: 100 PPM Other:	75650	%: 0.10
PROPANE ACGIH TLV: 800 PPM Other:	74980	%: 31.00
BUTANE ACGIH TLV: 800 PPM Other:	106978	%: 66.00

*** SECTION III: Physical/Chemical Characteristics ***

Specific Gravity: .84 Method:
Vapor Pressure: NE Melting Point: NA
Vapor Density: 1 Evaporation Rate: <1
Solubility in Water: COMPLETE Boiling Point: NE
Appearance and Odor:
CONCENTRATE IS (conc) IS PALE YELLOW TO CLEAR LIQUID FRAGRANCED.

*** SECTION IV: Fire and Explosion Hazard Data ***

Flash Point: F Flammable Limits: LEL 1.83
Method: FHSA UEL 8.4

Extinguishing Methods:
CO2 OR DRY CHEMICAL FOR SMALL FIRES. FOAM FOR LARGE FIRES.
Special Fire Fighting Procedures:
ADDITION OF WATER FOG WILL AID IN REDUCING BURNING RATE AND
COOLING EXPOSED CONTAINERS. USE OF NIOSH SELF-CONTAINED
BREATHING APPARATUS IN CONFINED AREAS.
Unusual Fire and Explosion Hazards:
FLAMMABLE VAPORS MAY TRAVEL ALONG FLOOR TO IGNITED BY DISTANT
IGNITION SOURCES. CARBON OXIDES FORMED WHEN BURNED. CONTAINERS
SUBJECTED TO FIRE MAY BUILD SUFFICIENT INTERNAL PRESSURE TO
RUPTURE WITH EXPLOSIVE FORCE.

*** SECTION V: Reactivity Data ***

Stability: Corrosive? Polymerization?

Conditions to Avoid:
KEEP AWAY FROM HEAT OR IGNITED OR IGNITION SOURCES.
Incompatibility:
KEEP CONCENTRATE AWAY FROM STRONG OXIDIZING AGENTS.
Hazardous Decomposition or Byproducts:
COMBUSTION OF LIQUID/GAS MAY FORM OXIDES OF CARBON AND NITROGEN
Hazardous Polymerization:
WILL NOT OCCUR
Polymerization Conditions:
NONE

*** SECTION VI: Health Hazard Data ***

Route(s) of Entry: Inhalation? Y Skin? Y Eye? Y Ingestion? Y

Carcinogenicity: NTP? IARC Monographs? OSHA Regulated?

Health Hazards (Acute and Chronic):
INHALATION: Irritation of respiratory tract.
EYE: Irritation possible damage from large doses.
INGESTION: Irritation of gastro-intestinal tract.
SKIN: Possible irritation possible damage from large doses.
Signs and Symptoms of Exposure:
INHALATION: Irritation of respiratory tract, headache, dizziness
fatigue.
INGESTION: Irritation of gastro-intestinal tract.
EYE: Irritation or burning sensation, prolonged contact of
liquid may cause freeze-burns.
SKIN: Irritation or reddening, prolonged contact may cause
freeze-burns.

Medical Conditions Aggravated by Exposure:
NONE KNOWN

Emergency and First Aid Procedures:
INHALATION: Remove victim to fresh air, obtain medical attention
if necessary.
INGESTION: Call a physician or Poison Control Center, induce
vomiting only on the advice of a physician.
EYES: Flush with water for 15 minutes, obtain medical attention
if irritation persists.
SKIN: Flush with water for 15 minutes, obtain medical attention
if irritation persists.

*** SECTION VII: Precautions for Safe Handling and Use ***

Steps to be Taken in Case Material is Released or Spilled:
ELIMINATE ALL IGNITION SOURCES (vapor flammable). VENTILATE AREA.
SMALL SPILLS SHOULD BE FLUSHED WITH LARGE AMOUNTS OF WATER.
LARGE SPILLS SHOULD BE ABSORBED OR NON-FLAMMABLE ABSORBENT
MATERIAL FOR DISPOSAL.

** SECTION VII: Precautions for Safe Handling and Use ** (cont.)

Waste Disposal Method:

INCINERATION OF LIQUID, INCINERATION OR LANDFILL OF CONTAMINATED
ABSORBENT IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGUL.
CONTACT LOCAL AUTHORITIES FOR PROPER DISPOSAL METHOD.

Precautions to be Taken in Handling and Storage:

KEPT IN COOL DRY ENVIRONMENT. KEEP AWAY FROM IGNITION SOURCES

Other Precautions:

KEEP OUT OF REACH OF CHILDREN.

*** SECTION VIII: Control Measures ***

Ventilation? Y Pressurized? Container Type:

Respiratory Protection:

NONE

Ventilation:

LOCAL EXHAUST PREFERRED BUT MECHANICAL EXHAUST IS ACCEPTABLE

Protective Gloves:

NONE

Eye Protection:

NONE

Work/Hygienic Practices:

NORMAL SAFE WORKING PRACTICES.

This MSDS covers these requested SKUs:

SKU	SIZE	DESCRIPTION
162100	14.6 OZ	BTY SEC NAIL ENAMEL DRYER SPRAY

 The information contained herein is based on the data available
 to us and is believed to be correct to the best of our ability.
 *However, Sally Beauty Company makes no warranty, expressed or *
 *implied regarding the accuracy of this data nor assumes any *
 *responsibility for injury from the intentional or non- *
 *intentional misuse of this product. *
