

9729745 A-M  
 RA15487-94  
 RA15497-500

4707

**Material Safety Data Sheet**

**U.S. Department of Labor**

May be used to comply with

Occupational Safety and Health Administration

OSHA's Hazard Communication Standard,  
 29 CFR 1910.1200. Standard must be  
 consulted for specific requirements.

(Non-Mandatory Form)  
 Form Approved  
 OMB No. 1218-0072

<b>IDENTITY (As Used on Label and List)</b> <b>SARGENT ACRYLIC PAINT, CP</b>	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
---	---

**Section I**

<b>Manufacturer's Name</b> Sargent Art, Inc.	<b>Emergency Telephone Number</b> 570-454-3596
<b>Address (Number, Street, City, State, and ZIP Code)</b> 100 E Diamond Avenue Hazleton PA 18201	<b>Telephone Number for Information</b> 570-454-3596 <b>Date Prepared</b> 7-26-2008
<b>Signature of Preparer (optional)</b>	

**Section II - Hazard Ingredients/Identity Information**

**Hazardous Components (Specific Chemical Identity; Common Name(s))**

ALL CP/AP PRODUCTS ARE CERTIFIED	BY A NATIONAL RECOGNIZED AUTHOR-
ITY ON TOXICOLOGY ASSOCIATED WITH	A LEADING UNIVERSITY TO CONTAIN
NO KNOWN TOXIC MATERIALS IN SUFFI	CIENT QUANTITIES TO BE
INJURIOUS TO THE HUMAN BODY EVEN	IF INGESTED.

CONFORMS TO ASTM-D 4236.

**Section III - Physical/Chemical Characteristics**

<b>Boiling Point</b> NOT APPLICABLE	<b>Specific Gravity (H<sub>2</sub>O = 1)</b> N/A
<b>Vapor Pressure (mm Hg.)</b> N/A	<b>Me</b>
<b>Vapor Density (AIR = 1)</b> N/A	<b>lting Point</b> N/A <b>Evaporation Rate</b> N/A (Butyl Acetate = 1)
<b>Solubility in Water</b>	Water Soluable - Water Dispersible
<b>Appearance and Odor</b>	Various Colors - Essentially Odorless

**Section IV - Fire and Explosion Hazard Data**

<b>Flash Point (Method Used)</b> N/A	<b>Flammable Limits</b> LEL UEL NONE NONE NONE
<b>Extinguishing Media</b> <b>Special Fire Fighting Procedures</b>	CARBON DIOXIDE, WATER, FOAM SELF-CONTAINED BREATHING APPARATUS
<b>Unusual Fire and Explosion Hazards</b>	NONE

**Section V - Reactivity Data**

<b>Stability</b>	<b>Unstable</b>	<b>Conditions to Avoid</b>	
	<b>Stable</b>	X	None Known
<b>Incompatibility (Materials to Avoid)</b>	<b>Strong</b>	Strong oxidizers and acids	

**Hazardous Decomposition or Byproducts**

<b>Hazardous Polymerization</b>	<b>May Occur</b>	<b>Will Not Occur</b>	X	<b>Conditions to Avoid</b>
				None Known

**Section VI - Health Hazard Data**

<b>Route(s) of Entry: Inhalation?</b>	Possible	<b>Skin?</b>	N/A	<b>Ingestion?</b>	Possible
---------------------------------------	----------	--------------	-----	-------------------	----------

**Health Hazards (Acute and Chronic)**

This product is certified to contain no toxic or injurious to humans or to cause materials in sufficient quantities to be acute or chronic health problems.

<b>Carcinogenicity:</b>	<b>NTP?</b>	None	<b>IARC Monographs?</b>	N/A	<b>OSHA Regulated?</b>
				No	

<b>Signs and Symptoms of Exposure</b>	None Known
---------------------------------------	------------

<b>Medical Conditions Generally Aggravated by Exposure</b>	None Known
--	------------

<b>Emergency and First Aid Procedures</b>	If ingested, do not induce vomiting, call physician.
---	--

**Section VII - Precautions for Safe Handling and Use**

<b>Steps to Be Taken in Case Material is Released or Spilled</b>	Sweep into container and dispose of according to local regulations.
<b>Waste Disposal Method</b>	In accordance with local regulations.
<b>Precautions to Be taken in Handling and Storing</b>	Keep in cool, dry area.
<b>Other Precautions</b>	None Known

**Section VIII - Control Measures**

<b>Respiratory Protection (Specify Type)</b>	Not Required.			
<b>Ventilation</b>	<b>Local Exhaust</b>	Not Required	Special	None
<b>Mechanical (General)</b>	Not Required	Other	None	
<b>Protective Gloves</b>	Not Required	Eye Protection	Not Required	
<b>Other Protective Clothing or Equipment</b>	Not Required			
<b>Work/Hygienic Practices</b>	Clean, safe work practices			



DIVISION BIENS DE CONSOMMATION DU GROUPE BUREAU VERITAS



### TOTAL CADMIUM ANALYSES

Date: March 20, 2000  
 Recipient: Mrs. SHANA'A ZOGHEIB  
 Company: ACLA - Sarl  
 Address: 2 Rue Ampère  
 94200 IVRY SUR SEINE  
 FRANCE  
 Sample ID: Multicolor board

Page: 1 of 1  
 Report No.: (5400)012-0006  
 Date received: January 12, 2000  
 Reference No.: Not Available  
 Supplier: Scratch-Art Co.  
 Origin: United States  
 Material(s): Coatings / Paint  
 Paper / Cardboard

### RESULTS:

SAMPLE	RESULT	PASS / FAIL
B Black coating	LT 5	PASS
C Yellow coating	LT 5	PASS
D Blue coating	LT 5	PASS
E Red coating	LT 5	PASS

Results are reported as milligrams per kilogram (mg/kg)(ppm)  
 LT= Less Than

Limit: 100 mg/kg

### CONCLUSION:

The sample **COMPLIES** with the requirements of the Council Directive 91/338/EEC dated June 18, 1991 and with the requirements of "TITLE II : CADMIUM AND ITS COMPOUNDS" of the French Decree No. 94-647 dated July 27, 1994 related to the limitation on the marketing and the use of cadmium and of their compounds.

ACTS TESTING LABS

Dominique Billeret,  
R & D Manager

ACTS Laboratoire d'Essais, SARI  
 Les Piepliers, 17 rue du Verniquet  
 59960 Neuville en Ferrain, France  
 Tél (33) 03.20.46.34.56 Fax (33) 03.20.46.34.67  
 www.acts-testing.com

Mes rapports et copies de ces documents sont réservés à l'usage pour lequel ils ont été réalisés. Toute copie ou reproduction non autorisée est formellement interdite. Toute violation de ces conditions sera poursuivie. Les rapports sont les seuls documents administratifs destinés aux essais. Ils ne sont pas destinés à être utilisés comme preuve. Les clients doivent être informés que les résultats obtenus ne sont valables que pour les conditions de l'essai et ne peuvent être extrapolés. Les clients doivent être informés que les résultats obtenus ne sont valables que pour les conditions de l'essai et ne peuvent être extrapolés. Les clients doivent être informés que les résultats obtenus ne sont valables que pour les conditions de l'essai et ne peuvent être extrapolés. Les clients doivent être informés que les résultats obtenus ne sont valables que pour les conditions de l'essai et ne peuvent être extrapolés.