

May be used to comply with
 OSHA's Hazard Communication Standard,
 29 CFR 1910.1200. Standard must be
 consulted for specific requirements.

U.S. DEPARTMENT OF LABOR
 Occupational Safety and Health Administration
 (Non-Mandatory Form)
 Form Approved
 OMB No. 1218-0072

000382

IDENTITY (As Used on Label and List)

T-50P Toner for Copier BD-3301/5511/7811/7815/8811

Section I

Manufacturer's Name Toshiba Coporation Yanagicho Works Address (Number, Street, City, State and ZIP Code) 70, Yanagi-cho, Saiwai-ku, Kawasaki-shi, 210 Japan	Emergency Telephone Number (714) 583-3000
	Telephone Number for Information (714) 583-3000
	Data Prepared December 14, 1987
	Signature of Preparer (optional) M. Kawai

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Names)	OSHA PEL	ACGIH TLV	Other Limits Recommended	%
Styren-acrylate copolymer	n.a.	n.a.	None	92.0
Carbon black	3.5 mg/m ³	3.5 mg/m ³	None	4.5
Organic Pigment	n.a.	n.a.	None	2.1
Blue pigment	n.a.	n.a.	None	1.4

Section III - Physical/Chemical Characteristics

Boiling Point	n.a.	Specific Gravity (H ₂ O = 1)	1.1 ~ 1.5
Vapor Pressure (mm Hg)	n.a.	Melting Point	n.a.
Vapor Density (AIR=1)	n.a.	Evaporation Rate (Butyl Acetate = 1)	n.a.
Solubility in Water	Negligible		
Appearance and Odor	Fine black powder, practically odorless		

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)	n.a.	Flammable Limits	LEL	n.a.	UEL	n.a.
Extinguishing Media	CO ₂ , dry chemical, foam or water.					
Special Fire Fighting Procedures	This material will burn in the case of fire. The decomposition products are CO, CO ₂ and NOx.					
Unusual Fire and Explosion Hazards	This material has no unusual fire or explosion hazards.					

(Reproduce locally)

OSHA 174, Sept. 1985

Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	X	
Incompatibility (Materials to Avoid)			None
Hazardous Decomposition or Byproducts			CO, CO ₂ and NOx.
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will not occur	X	

Section VI - Health Hazard Data

Route(s) of Entry : Inhalation ? Yes Skin ? No Ingestion ?
Possible but very unusual.

Health Hazards (Acute and Chronic)
 LDLo value of this toner in an oral acute toxicity test is over 5.0g/Kg.

Carcinogenicity : NTP ? IARC Monographs ? OSHA Regulated ?
No No No

Signs and Symptoms of Exposure
 Minimum irritation to respiratory tract may occur as with exposure to any non-toxic dust.

Medical Conditionss
 General Aggravated by Exposure Accumulation of dust in the respiratory system.

Emergency and First Aid Procedures
 Inhalation: Remove to fresh air if effects occur, consult local medical personnel.
 Eyes: In case of contact, immediately flush eyes with water for 5 minutes.

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled
 Sweep up or clean up with a vacuum cleaner.

Waste Disposal Method
 Waste material may be dumped or incinerated under conditions which meet all federal, state and local environmental regulations.

Precautions to Be Taken in Handling and Storing
 No special storage requirements for safety reason.

Other Precautions
 None

Section VIII - Control Measures

Respiratory Protection (Specify Type) None required under normal use.

Ventilation	Local Exhaust	No	Special	No
	Mechanical (General)	No	Other	No

Protective Gloves None required under normal use. Eye Protection None required under normal use.

Other Protective Clothing or Equipment None required under normal use.

Work/Hygienic Practices Inhalation should be avoided.