

fae -

MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

PRODUCT NUMBER: 570

IDENTITY: KOLD GALV #9605 16A

Revision Date: 12/02/96

Section I

Manufacturer's Name: TIFCO INDUSTRIES ***
Address: P. O. BOX 40277
HOUSTON
State: TX Zip Code: 77240

Telephone Numbers:
Emergency:
800/255-3924
Information:
281/469-4800

HMIS CODES: REACTIVITY: 1 FLAMMABILITY: 3 HEALTH: 1 PERSONAL PROTECT: 1

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the ingredients contained in this product are listed on the TSCA inventory.)

Name	Cas No.	OSHA PEL	ACGIH TLV	OTHER LIM	%
ACETONE	67-64-1	1000 PPM	750 PPM	N/A	_____
L.P.G.	68476-85-7	1000 PPM	1000 PPM	N/A	_____
XYLENE(XYLOL)	* 1330-20-7	100 PPM	100 PPM	N/A	_____
ZINC DUST	* 7440-66-6	15 MG/M3	10 MG/M3	N/A	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Comment:

THIS PRODUCT CONTAINS THE TOXIC CHEMICALS MARKED WITH AN * SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND OF 40CFR372.

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point:	165	Specific Gravity (water=1)	1.00
Vapor Pressure(mm Hg)	100	Melting Point:	N/A
Vapor Density(AIR=1)	1	Evaporation Rate:	<6
Solubility in Water:	0%	(Butyl Acetate=1)	
Appearance and Odor:	GRAY - SWEET ODOR		

Section IV: FIRE AND EXPLOSION HAZARD DATA

Flash Point(Method Used):100F TCC Flammable Limits: LEL:N/A UEL: N/A
Extinguishing Media: STANDARD CHEMICAL FIRE EXTINGUISHER, CO2, FOAM
Special Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS

Unusual Fire and Explosion Hazards: EXTREMELY FLAMMABLE. CONTENTS UNDER PRESSURE. DO NOT EXPOSE TO TEMPERATURES ABOVE 130F, OR MAY CAUSE BURSTING. MAY DEVELOP A FLAMMABLE ATMOSPHERE IN CONFINED AREAS.

Section V: REACTIVITY DATA

Stability: Unstable: Conditions to avoid: TEMPERATURES ABOVE
Stable: X 120 F. HOT SURFACES

Incompatibility (Materials to Avoid): STRONG OXIDIZERS

Hazardous Decomposition or Byproducts: EXPOSURE TO RED HOT SURFACES MAY
PRODUCE OXIDES OF CARBON AND NITROGEN.

Hazardous Polymerization: May Occur: Will Not Occur: X
Conditions to Avoid: NONE

Section VI: HEALTH HAZARD DATA

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES

Health Hazards(Acute and Chronic):

INHALATION: DIZZINESS, NAUSEA. SKIN: LOCALIZED DEFATTING OF SKIN.
SENSITIVE SKIN MAY BREAK OUT IN TO RASH. INGESTION: WILL CAUSE NAUSEA,
SICKNESS.

Carcinogenicity:

NTP:NO IARC Monographs:NO OSHA Reg:Yes

Signs and Symptoms of Exposure: SEE HEALTH HAZARDS.

Medical Conditions Generally Aggravated by Exposure: NONE KNOWN

Emergency and First Aid Procedures: INHALATION: REMOVE TO FRESH AIR.
SKIN: WASH WITH SOAP AND WATER. SEE PHYSICIAN IF IRRITATION PERSISTS.
INGESTION: DO NOT INDUCE VOMITING. CONTACT PHYSICIAN IMMEDIATELY.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material is Released or Spilled: CONTAIN SPILL
AND WIPE UP WITH A RAG. SPILLED RESIDUE SHOULD BE CLEANED UP WITH
METHYLENE CHLORIDE OR 1,1,1 TRICHLOROETHANE.

Waste Disposal Method: RESIDUE SHOULD BE KEPT IN TIGHTLY SEALED CONTAINERS
AND DISPOSED OF IN ACCORDANCE WITH FEDERAL, STATE OR LOCAL GUIDELINES.

Precautions to be Taken in Handling and Storing: KEEP AWAY FROM HEAT OR
OPEN FLAME. STORE IN A COOL DRY AREA.

Other Precautions: VAPOR MAY COLLECT IN LOW LYING AREAS.

Section VIII: CONTROL MEASURES

Respiratory Protection: USE ONLY IN WELL VENTILATED AREAS.

Ventilation:

Local Exhaust:SUFFICIENT

Mechanical: N/A

Special: N/A

Other: N/A

Protective Gloves: PLASTIC ARE RUBBER

Eye Protection: SAFETY GLASSES ARE RECOMMENDED WHENEVER CHEMICALS ARE USED.

Other Protective Clothing or Equipment:

ADEQUATE TO PROTECT EXPOSED SKIN.

Work/Hygienic Practices:

WASH HANDS THOROUGHLY WITH SOAP AND WATER AFTER USE