

9722945
RA 03608

157

MATERIAL SAFETY DATA SHEET

Page 1 of 4
Yes Paste

Preparation Date: August 17, 2001

SECTION 1 - MATERIAL IDENTIFICATION

MANUFACTURED FOR: Gane Brothers & Lane (800)776-4262

MANUFACTURED BY: ~~U.S. Adhesives Company~~
1735 W. Carroll Ave.
Chicago, IL 60612

EMERGENCY NUMBER: 312-829-7438

PRODUCT CLASS: Modified Dextrine

MANUFACTURERS CODE: Yes Paste

MAR 29 2007
 Macmillan
 CHEMICAL ABSTRACTS

HMIS: Health 1 **Flammability:** 0 **Reactivity:** 0

SECTION II - HAZARDOUS INGREDIENT

INGREDIENT	CAS NO.	PERCENT	TVL
Preservative Sodium O-Phenylphenate Tetrahydrate	006152-33-6	<0.4%	Not Determined

SECTION III - PHYSICAL DATA

BOILING POINT: 100°C

VAPOR DENSITY: Less than air

EVAPORATION RATE H₂O= 1: 1

SPEC. GRAV. (H₂O=1): > 1

MELTING POINT: N/A

SOLUBILITY IN WATER: Dispersable

APPEARANCE AND ODOR: White Paste/Bland

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLAMMABILITY CLASSIFICATION: N/A
AUTOIGNITION TEMPERATURE: N/A
UNUSUAL FIRE AND EXPLOSION HAZARDS: None Known

EXTINGUISHING MEDIA

Water, Carbon Dioxide, Dry Chemical Foam

SPECIAL FIRE FIGHTING PROCEDURES:

None Known

SECTION V - REACTIVITY DATA

STABILITY: Stable in most environments

HAZARDOUS POLYMERIZATION: Will not occur

Separation may occur following freezing; thawing.

SECTION VI - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

If material is released or spilled, dam up to limit spreading. Mop up or absorb on inert material and place in containers. If spill occurs in enclosed area, ventilate.

WASTE, DISPOSAL METHOD:

Dispose of in accordance with Local, State, and Federal Regulations.

SECTION VII - HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE:

Has not been established, however, hazard is believed to be slight.

EFFECTS OF OVEREXPOSURE AND FIRST AID PROCEDURES:**Eye Contact:**

This material may be irritating to eyes:
Flush eye with water for at least 15 minutes. Consult a Physician if the irritation persists.

Skin:

This material may cause skin irritation of rash upon prolonged or repeated contact:
Wash affected area with mild Soap and Water.

Inhalation:

Inhalation of vapors may cause irritation in the respiratory track:
Remove to fresh air.

Ingestion:

In case of ingestion do not induce vomiting. Consult Physician.

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION:	N/A in ventilated area.
VENTILATION:	Local exhaust, Mechanical (general)
PROTECTIVE GLOVES:	Rubber/Neoprene Protective.
EYE PROTECTION:	Splash - Proof eye glasses..

Yes Paste

SECTION IX - SPECIAL PRECAUTIONS

PRECAUTION TO BE TAKEN IN HANDLING AND STORING:

Normal cleanliness should be observed. Store in a cool place, do not freeze, minimize contact with air to prevent inoculation with microorganisms which can cause decomposition and moldy overgrowth.

SECTION X - ADDITIONAL INFORMATION

EPA SARA TITLE III HAZARD CLASS: None


OSHA HCS HAZARD CLASS: Non OSAH hazardous (29CFR.910.1200)

EPA SARA TITLE SECTION 313 (40CFR372) TOXIC CHEMICAL PRESENT IN QUANTITIES GREATER THAN THE "DE MINIMIS" LEVEL ARE: None

DISCLAIMER OF LIABILITY

The information in this MSDS was obtained from sources we believe are reliable. However, the information is provided without any representation or warranty, expressed or implied, regarding its accuracy or correctness.

The conditions or methods handling, storage, use and disposal of this product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.



4122445
RA03608

203

ALLIED LABORATORIES CORP.

716 North Iowa Avenue
Villa Park, IL 60181
Phone: 630.279.0390
Fax: 630.279.3114

Gane Brothers and Lane, Inc.
1400 Greenleaf Avenue,
Elk Grove Village, IL 60007

August 27, 2001

Attn: Richard Nielan

Allied Report # 23285

A sample of Yes! Paste Adhesive, a product of Gane Brothers and Lane, Incorporated, was examined to determine whether or not the product, and the labeling of the product, conforms to standards established by the Federal Hazardous Substances Act (FHSA) and by ASTM D-4236.

The product is an aqueous based all-purpose dextrin adhesive paste.

Under normal conditions of use for adhesives, as described in the directions on the package, there is little contact of the product with the skin of users. The product cannot be airborne during use.

The phrase "Conforms with ASTM D-4236" should be added to the package label.

Based on my examination of the ingredients in the product, I believe the product will not present chronic health hazards to users.

This conclusion is based on the knowledge that, when properly used, there is only minimal contact of the adhesive with the skin. Any small amounts which may adhere to the skin may be safely removed by washing with soap and water.

Irving I. Domsky, Ph.D.
Laboratory Director

Technical Data Sheet

Product: YES! Paste

Uses: Laminating, Mounting, School Paste, Libraries, Libraries Archival, Arts 7 Crafts

Physical Properties

Type: Dextrine
Appearance: White Paste
Viscosity: Paste
Solids: 68%
p.H. 7 +/- .5

Noteworthy Properties

- Acid Free for Archival Work
- Water Based
- No Solvents
- Slow Set
- Permanently Flexible
- No Environmental Restrictions for O-Zone
- Recyclable
- Lay Flat
- Easy Clean Up
- High Solids
- Neutral pH

The above are laboratory results and are intended only as guide for evaluation