

Wite-Out

Products, Inc.

10114 Bacon Drive, Beltsville Md 20705

Phone: (301) 937-5353

NFPA704M

HAZARD RATING



#11552

MATERIAL SAFETY DATA SHEET

NAME:

CAS NO: NA

CITY SCHOOL DISTRICT
SYRACUSE

Effective Date:

January 1, 1986

A IDENTIFICATION

Composition*	%	Formula:
Titanium Dioxide (13463-67-7)		NA
Polyethylene Glycol (25322-68-3)		
Water		Molecular Weight: NA
Resins		
Colorants		Synonyms "Opaque/Permanent" by Wite-Out
Dispersants		Correction Fluid
		Catalog Number WO-1P

B PHYSICAL DATA

Boiling Point 235 °F 112.2 °C	Melting Point NA °F NA °C	Freezing Point 29 °F -2 °C
Specific Gravity (H ₂ O=1) 1.55	Vapor Density (air=1) NA	Vapor Pressure @ 50 °F 10.1 mmHg
Evaporation (Water =1) .60	Saturation in Air (by volume @ °F) NA %	Autoignition Temperature NA °F NA °C
% Volatiles (by volume) 5.44	Solubility in Water 100 %	pH NA

Appearance/Odor White (or colored) liquid, slight sweet odor.

Flash Point and
Test Method(s) 230 F (110 C) Closed Cup method.

Flammable Limits in Air
(% by volume) Lower NA % Upper NA %

C REACTIVITY

Stability	Conditions to Avoid	Polymerization	Conditions to Avoid
stable XX	Open flame. High temperature.	may occur	NA
unstable		will not occur XX	
Incompatible Materials NA		Hazardous Decomposition Products NA	

*IF MULTIPLE INGREDIENTS INCLUDE CAS NUMBERS FOR EACH

NA=NOT AVAILABLE

Footnotes:

NA

Occupational Exposure Limits (PEL'S, TLV'S, etc.)

None established for product.

No foreseeable ill effects anticipated under normal use conditions.

Warning Signals

NA

Routes/Effects of Exposure

1. Inhalation No foreseeable ill effects anticipated under normal use conditions.

2. Ingestion Ingestion may produce gastric irritation.

3. Skin

a. Contact Mild irritation may occur if contact is prolonged or repeated.

b. Absorption No foreseeable ill effects anticipated under normal use conditions.

4. Eye Contact Irritation. Flush with water.

5. Other NA

ENVIRONMENTAL IMPACT

1. Applicable Regulations

2. DOT Hazard Class —

NA

3. DOT Shipping Name —

Environmental Effects

NA

F EXPOSURE CONTROL METHODS

Engineering Controls

None required under normal use conditions.

Eye Protection

None required under normal use conditions.

Skin Protection

None required under normal use conditions.

Respiratory Protection

None required under normal use conditions.

Other

Product is defined as non-hazardous when used as intended/directed in an office/room with normal air circulation.

G WORK PRACTICES

Handling and Storage

No unusual handling or storage requirements when used as intended and directed. Large quantity storage (warehouse) should be in a well ventilated, cool area.

Normal Clean Up

Clean up spills with absorbent towels, tissues. Dispose as normal trash.

Waste Disposal Methods

Dispose as normal trash.

Not applicable.

is released to the environment or spilled in the work area

Fire and Explosion Hazard

NA

Extinguishing Media

Dry chemical, carbon dioxide,
chemical foam.

Firefighting Procedures

Fires involving large quantities (e.g. warehouse) self-contained breathing
apparatus is recommended.

FIRST AID AND MEDICAL EMERGENCY PROCEDURES

Eyes

Flush eye thoroughly and repeatedly with water. If irritation persists,
contact a physician.

Skin

Cleanse skin thoroughly with soap and water.

Inhalation

None normally anticipated.

Ingestion

Consult physician or Poison Control Center.

Notes to Physician

NA

Information contained in the Material Safety Data Sheet is based on data considered to be accurate, however, no warranty
expressed or implied regarding the accuracy of the data or the results to be obtained from the use thereof.