9721940 9730884-6

Issuing Date 6/1/2015	Revision Date	6/1/2015 Revision Number	1
Salam B. Basa a		- La Vicina de la Companya de la Com	
			. 1.1
	1. IDENT	IFICATION	
Product Identifier			
Product Name		NSC6002, NSC6035, NSC6005, NSC60	13
Other means of identification	Aur. 20		
Synonyms		NONE	
Recommended use of the chemical	and restrictions on use		a. 1
Recommended use		Writing Instrument	
Uses advised against		No information available	
Details of the supplier of the safety	data sheet		
Supplier Name		Yasutomo Inc.	
Supplier Address			
		1805 Rollins	
		Road Burlingame,	
		CA 94010	
Supplier Phone Number		650 737 8888	
Suppiler Email		yasutomo490@gmall.com	
Emergency telephone number		650 737 8888	
그렇게 하는 그 이 그 일이 없었다.	2. HAZARDS I	DENTIFICATION	184,34
Classification			
This chemical is considered hazardous by the 201			
	e Toxicity - Oral	Category 4	
	damage/eye irritation	Category 1	
Specific target organ	n toxicity (repeated exposure	Category 2	
SHS Label elements, including preca	utionary statements	1 B	
The second secon	1 TO 1 THE WORLD STORY 1		
	Emergency Overvi	BW	
	Emergency Overvi	ew	
Signal word Danger Hazard Statements	Emergency Overvi		

Harmful if swallowed

Causes serious eye damage

May cause damage to organs through prolonged or repeated exposure







Solid containing liquid / Solid

Odor

Appearance Multiple Colors Physical State Sol Precautionary Statements - Prevention Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protectice gloves/protective clothing/eye protection/face protection
Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minuts. Remove contact lenses, if present and easy to do. Continue rinsing. immediately call a POISON CENTER or doctor/physician.

Ingestion
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

Precautionary Statements - Storage

None

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazard not otherwise classified (HNOC)

Unknown Taxicity

8% of the inixture consists of ingredient(s) of unknown toxicity

Other information

Toxic to aquatic life with long lasting effects.

Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

January Structure 1	anggang na mangan na mati di kaca	the contract of the second of	T T T T T T T T T T T T T T T T T T T
Chemical Name	CAS No	Weight-%	Trade Secret
Ethylene Glycol	107-21-1	15-40%	# C
Propylene Glycol monomethyl ether	107-98-2	3-7%	
Methyl violet	8004-8)-3	1-5%	11111 • F. F. 1111
Ethyl Alcohol	64-17-5	1.5%	• 5 = 5 1

4. FIRST AID MEASURES

First aid measures

General Advice

In case of rupture: Immediate medical attention is required. Show this safety data sheet to the doctor in

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Seek immediate medical attention/advice.

Wash off immediately with soap and plenty of water. Get medical attention if irritation develops and persists.

Remove to fresh air. Get medical attention immediately if symptoms occur.

Rinse mouth Immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

Avoid contact with skin, eyes or clothing. Use personal protective equipment as

Most Important symptoms and effects, both acute and delayed

Most Important symptoms and effects, both acute and delayed

Most Important symptoms and effects

Burning sensation
Indication of any immodiate.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

ate medical assession.

Treat symptomatically

5. FIRE-FIGHTING MEASURES

Sultable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient

Specific Hazards Arising from the Chemical No information available

Hazardous Combustion Products

Carbon oxides. Explosion Data

Sensitivity to Mechanical Impact

Sensitivity to Static Discharge

No No.

Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing appartus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Avoid contact with skin, eyes and dothing. Use personal protective equipment as required. Ensure adequate ventilation, Evacuate personnel to safe areas. Personal precautions

Other information Refer to protective measures listed in Sections 7 and 8

Environmental Precautions Refer to protective measures listed in Sections 7 and 8. Prevent futher leakage or

spillage if safe to do so. Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so.

Pick up and transfer to properly labeled containers. In case of rupture: Soak up with Methods for Containment

Methods for cleaning up

inert absorbent material.
7. HANDLING AND STORAGE

Precautions for safe handling

In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed in a dry, cool and well-ventilated place. Keep out of reach of children. Incompatible products Strong oxidizing agents. Strong acids. Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyleon glycol 107-21-1	Cailing: 100 mg/m3 aerosol only	(vacated) Ceiling: 50 ppm (vacated) Ceiling: 125 mg/m3	in in Joseph Linia
Fropylene giycol naxnomethyl ether 107-98-2	STEL: 100 ppm TWA: 50 ppm	(vacated) TWA: 100 ppm (vacated) TWA: 360 mg/m3 (vacated) STEL: 150 ppm (vacated) STEL: 540 mg/m3	TWA: 100 ppm TWA: 360 mg/m3 STEL: 150 ppm STEL: 540 mg/m3
Ethyl Akshol 64-17-5	STEL: 1000 spm	TWA: 1000 ppm TWA: 1900 mg/m3 (vacsied) TWA: 1000 ppm (vacsied) TWA: 1000 mg/m3	IDDI: 3300 ppm 10% LEU TWA: 1000 ppm TWA: 1900 mg/m3

ACGIH TIV: Annelkan Conference of Governmental Industrial Physienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Ameninstration - Permissible Exposure Limits Internediately Dangerous to Life or Health

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls Engineering Measures Showers, Eyewash stations, Ventilation systems

Individual protection measures, such as personal protective equipment

None required for consumer use. If splashes are likely to occur: Wear safety glasses with side shields (or goggles). Eye/Face Protection

Skin and Body Protection None required for consumer use. Repeated or prolonged contact: Wear protective

gloves and protective clothing.

Respiratory Protection

No protective equipment is needed under normal use conditions. If exposure limites are exceeded or irritation is experienced, ventilation and evacuation may be required. Handle in accordance with good industrial hygiene and safety practice. Do not eat,

Hygiene Measures

drink or smoke when using this product. Avoid contact with skin, eyes or clothing.

Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Solid containing liquid, Solid

Appearance Multiple Colors No information available

Characteristic Odor

Odor Threshold No information available

<u>Values</u> No data available No data available Property pH Melting/Freezing point

Remarks Method None known

Boiling point / boiling range Flash Point No data available None known No data available None known Evaporation Rate Fammability (solid, gas) No data available None known No data avaliable None known Flammability Limit in Air Upper flammability limit Lower flammability limit No data available No data available Vapor pressure No data available None known Vapor density Specific Gravity No data available No data available None known None known Water Solubility Soluble in water None known Solubility in other solvents No data available None known Partition coefficient: No data available None known Autoignition temperature Decomposition temperature No data available None known No data available None known Kinematic viscosity No data available None known Dynamic viscosity Explosive properties No data available No data available None known Oxidizing Properties No data available Other Information No data available No data available Softening Point VOC Content (%) Particle Size No data available Particle Size Distribution 10. STABILITY AND REACTIVITY Reactivity No data available Chemical Stability
Stable under recommended storage conditions. Possibility of Hazardous Reactions

None under normal processing. Hazardous Polymerization Hazardous polymerization does not occur.

None known based on information supplied Incompatible materials
Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition Products
Carbon oxides.

11. TOXICOLOGICAL INFORMATION

information on likely routes of exposure

Ingestion

Product does not present an acute toxicity hazard based on known or supplied Product Information

information. In case of rupture:

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye Contact Specific test data for the substance or mixture is not available. Severely irritating to

eyes. Causes serious eye damage. May cause burns. May cause irreversible damage to eyes.

Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting, and diarrhea. May be harraful if swallowed. (based on components).

Component Information

	Chemical Name	Oral LDS0	Dermal LD50	Inhalation LC50
٠	Ethylene glycol 107-21-1	> 3993 mg/kg (Rat)		i gingle Te
	Propylene giyon monomethyl ether 107-58-2	>5193 mg/kg (Hat)	> 17.59 g/kg (Rabbit)	> 54.59 mg/L (Rat) 4h > 24 mg/L (Rat) 4 h
	Ethyi Aicohoi 64-17-5			> 124.69 mg/L (Rat) 4h

Information on toxicological effects

Symptoms Erythema (skin redness). May cause blindness. Burning.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available. No information available. Mutagenic Effects

Carcinogenicity The table below indicates whether each agency has listed any ingredient by a cardinogen. The listed substance(s) has been shown to be cardinogenic in long-term studies only when consumed drafty. This is not a relevant runte of exposure for this product. Chemical Name IARC OSHA Group 28 64-)7-5 ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer)
Group 1 - Corcinogenic to Humans NTP (National Toxicology Program) Known - Known Corcinogen
OSHA (Occupational Safety and Health Administration of the US Dept of Labor) Reproductive Toxicity No information available STOT - single exposure No information available NO Information available.

Classe damage to ognist through prolonged or repeated exposure. Based on classification criteria from the 2012

DSMA Mazard Communication Sannard (DP CFR 1310.1200), this product has been determined to cause systemic

target organ tonoly from chuncin or regeated exposure, (STOT RE).

No brown effect based on information supplied, Contains a known or suspected carcinggen, Contains a known or

suspected resolution to usin. The little distorator(c) has been sulcons to be carcingging, and unity to reproduction

long-term studies only when consumed orally. This is not a relevant route of exposure for this product. STOT - repeated exposure Chronic Toxicity Eyes, Blood, Control Nervous System (CNS), Eiver, Reproductive System, Respiratory System, Skin, Heart, Kic Target Organ Effects Aspiration Hazard No information available Numerical measures of toxicity Product Information The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral) 1,450.00 mg/kg ATEmix (Inhalation-dust/mist) 808.70 mg/l 12. ECOLOGICAL INFORMATION Ecotoxicity The environmental impact of this product has not been fully investigated Toxicity to Algae Chemical Name Toxicity to Fish Toxicity to Microorganisms Daphnia Magna (Water

Flea)

		95h LCSG: 41000 mg/1	ECSO > 10000 mg/i, 16 h		48h EC50: - 46300 mg/L
107-21-1	13000 mg/L	(Oncorhynchus mykiss)	ECSO: ≈ 620 mg/L 30 min	1 1	
	(Pseudosirchnerieile	95h LC50: 14-18 mL/L	EC50: # 610.0 mg/L 30 min	* #: L.	- 1
	aubcapitata)	(Oncorhynthus mykisi)		4 1 1	
	THE GOVERNMENT OF SERVICE	95h LCSO. 40761 mg/t	The second of th		
		(Cincorhynchus mykiss)	Mary 1997		
	. Her in the	96h ECSO: = 27540 mg/L		7.7	
		(Lepamis macrochinus)	4		
		96% (C50: = 16000 mg/L			
		(Poecilia reticulata) 96h	1.54		
	14 PT B	iC50 40000 - 60000 mg/L		P #	4
	1	(Pimephales prometas)	[.	- 1	
	14 24 15			- 1	. B
				1::	- 44 - 184
			A CONTRACTOR OF THE STATE OF TH	- 1 la	
		grander makes	and the second	111	
ropylene glycol monomethy		96h LC30: × 20.6 g/L			
ether		(Pimephales promelas)			48h ECSO: = 23300 mg/L
107-98-2	Ma . Tu	96h LC50; 4600 ·		F1_F1_F1	
		10000 mg/L (Leuciscus			. #4.
	All Land Control	isusi			r. dim.
Ethy: Alcohol		96h1C50: > 100 mg/L	EC50 > 34634 mg/L 30 min	4851	C50, 9768 - 14221 mg/L 48h
64-17-5		(Pimenhales promelas)	EC50: # 35470 mg/L 5 min		: = 2 mg/L 24h ECS0: = 10800
		96h LCS0: 13400 -	tado a sono agrecima.	1	
D4-11-3	11.				
94-11-3			\$17.9	1 1	ms/t
D4-11:3		15100 mg/L (P:mephales promatas) 56h			
54-113		15100 mg/L (P:mephales			
3-113		15100 mg/L (P:mephales prometas) 56h			
		15100 mg/L (Pimephales promelas) 56h LCSO: 12.0 - 16.0 mL/L			

13. DISPOSAL CONSIDERATIONS

Chemical Name

Propylene glycol monomethys ethe Ethyl Alcohol Other adverse effects No information available.

Waste treatment methods

Log Pow -1.93 -0.437 -0.32 Disposal methods

This material: as supplied, is not a hazardous waste according to federal regulations (40 CFA 261) This material could become a hazardous waste at its mixed with en otherwise cames in contact with a hazardous waste, all chemical additions are made to this miserials, or if the material is processed or otherwise aftered. Consult 40 CFR 261 to determine whether the aftered materials is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Dispose of contents/containers in accordance with local regulations.

This smodure contains one or more substances that are fisted with the State of California as a hazardous waste

	Che	mical Name	25.98	Lamoina netatuvu	s Waste	
Ethyl Alcohol			1 1 1 4 1	Toxic	Getting to the T	
	raman i j	tion for Augustian trans	1. 1.34	Ignituble		

the second of the second	to many the color of the color
DOT	Not Regulated
TDG	Not Regulated
MEX	Not Regulated
ICAO	Not Regulated
IATA	Not Regulated
IMDG/IMO	Not Regulated
RID	Not Regulated
ADR	Not Regulated
AND	Not Regulated

15. REGULATORY INFORMATION

International Inventories
TSCA Complies
DSL All compon

All components are listed either on the DSL or NDSL

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SAIA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name

CAS No

Chemical Name	1	CAS No	Weight - %	5ARA 313 - Threshold Values	

Ethylene glycol 107-21-1 15-40%

SARA 311/312 Hazard Categories
Acute Health Hazard
Chronic Health Hazard
Fire Hazard
Sudden release of pressure hazard
Reactive Hazard Yes Yes No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA
This numerial, as supplied [CERCLA] (ed CFR 303).

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQ	RQ
Ethylene glysol	\$000 to		RQ 5000 lb final RQ
107-21-1	18 1 Sept 4 1 Sept 4 14	BANGAN TOTAL AGAMMANDA	RQ 2270 kg final RQ

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Ethylene glycol 107-21-1	X	X	Х	X	X
Propylene giyoo monomethyl ether 107-98-2	x	X	X		
Ethyl Alcohol		x			

International Regulations

Mexico

National Occupational exposure limits Component Ethylene glycol 107-21-1 Ethyl Alcohol 64-17-5 Carcinogen Status Exposure Limits Mexico: Ceiling 100 mg/m3 Mexico: TWA 1000 ppm Mexico: TWA - 1900 mg/m3

Mexico - Occupational Exposure Limits - Corcinogens

Canada

WHMIS Hazard Class

Non-controlled

16. OTHER INFORMATION

NFPA Health Hazards

Flammability 0 Instability Physical and

HMIS

Health Hazards 1* Flammability 0

Physical Hazard

Personal Protection

Chronic Hazard Star Legend * = Chronic Health Hazard

Disclaimer

The information provided in this Safety Data Sives is currect to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for sight handlong, we, pressuring, storage, becausenables, diseased and elease and is not to be considered a warrancy or quality specification. The information relutes only to the specific material designated and may not be valid for such material and an antimation with any other materials or in any process, unless specified in the test.

End of Safety Data Sheet