



# Flytek<sup>TM</sup>

## FLY BAIT WITH MUSCAMONE® FLY ATTRACTANT

### ATTRACTS AND KILLS MORE FLIES

#### ACTIVE INGREDIENTS

Methomyl (S-Methyl N-[(methylcarbamoyl)oxy] thioacetimidate) 1.000%; (Z)-9-Tricosene 0.025%

INERT INGREDIENTS: 98.975%

### KEEP OUT OF REACH OF CHILDREN CAUTION

SEE BACK PANEL FOR ADDITIONAL CAUTIONS

**PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS—CAUTION:** Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing dust. Avoid contact with skin, eyes or clothing.

**Statement of Practical Treatment:** If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention. If on skin, remove contaminated clothing and wash affected areas with soap and water. If in eyes, flush eyes with plenty of water. Call a physician immediately.

**Note to Physician:** Methomyl is a cholinesterase inhibitor.

Do not contaminate feed and foodstuffs. Do not apply where poultry or animals, especially dogs and young calves, can pick it up or lick it. Do not use in homes or where milk is processed or stored. Do not feed treated garbage. Use only in areas inaccessible to food producing animals. Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

**Environmental Hazards:** Exposed surfaces treated with this bait are hazardous to birds and other wildlife. Use with care when applying in areas frequented by wildlife or adjacent to any body of water. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

**DIRECTIONS FOR USE—**It is a violation of Federal law to use this product in a manner inconsistent with its labeling:

FLYTEK Fly Bait is an improved fly bait formula containing MUSCAMONE Fly Attractant which encourages both male and female flies to remain in the treated area, thus feeding on the bait. Bait should be scattered over specified fly feeding surfaces daily or as needed to provide initial knockdown and reduction of fly popula-

tions. Distribute bait from container or other device to avoid handling bait.

Use FLYTEK Fly Bait only around the outside of feed lots, broiler houses, livestock barns, kennels, fast-food establishments, canneries, beverage plants, meat and poultry processing plants, conmissaries, bakeries, supermarkets, refuse dumpsters, food processing plants and restaurants. Bait may be used on walkways in caged layer houses. Scatter bait (do not put in piles) at the rate of approximately ¼ lb. per 500 sq. ft. of fly feeding area, keeping 1 to 2 inch intervals between particles. Do not allow food producing animals to have access to treated areas.

**Storage & Disposal:** Do not contaminate water, food or feed by storage or disposal.

**Pesticide Disposal—**Pesticide or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State, or local procedures. **Container Disposal—**Triple rinse. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

EPA Reg. No. 2724-274-50809  
EPA Est. 2724-TX-1  
U.S. Pat. 4,122,165

Made in USA  
© 1984 Zoecon, A Sandoz Co.  
professional pest management  
A Division of Zoecon Corporation  
12200 Denton Drive  
Dallas, Texas 75234  
(800) 827-0512

In Canada:  
Zoecon Canada Inc.  
12 Stanley Court, Unit 3  
Whitby, Ontario L1N8P9

FLYTEK and MUSCAMONE are trademarks of Sandoz Inc.

Printed in U.S.A.

89-14-3

**P.M.**  
professional pest management

I 127 F

# MATERIAL SAFETY DATA SHEET

Zocon Corp

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.  
Standard must be consulted for specific requirements.

### SECTION 1 - PRODUCT IDENTIFICATION

**PRODUCT NAME:** Flytek Fly Ball  
**EPA REG. NO.:** 2724-274-50609      **FDANO.:** N/A      **RFNO.:** 126  
**COMPANY NAME:** Zocon Corporation      **EMERGENCY PHONE NO.:** 214-243-2321  
**ADDRESS:** 18200 Denton Drive  
**CITY, STATE, AND ZIP:** Dallas, Texas 75234  
**Date Prepared/Last Change:** 4/89

**Oral LD50 (rat):** 3,000 mg/kg  
**Dermal LD50 (rabbit):** > 10,000 mg/kg  
**Skin Irritation (rabbit):** none  
**Eye Irritation (rabbit):** none  
**Acute Inhalation (rat):** > 200 mg/liter of air

#### CHRONIC:

None known for product.

#### Emergency and First Aid Procedures:

If swallowed, drink 1 or 2 glasses of water and induce vomiting. Do not give anything by mouth or induce vomiting in unconscious person. If on skin, wash with soap and water. If in eyes, immediately flush with plenty of water. Call physician immediately.

**NOTE:** Methomyl is a cholinesterase inhibitor. Atropine is antidotal. Where symptoms are visible, atropine I.V. to effect is suggested.

#### Primary Routes of Entry:

Primary route would be oral; also inhalation of finer particulates.

Chemical Listed as Carcinogen or Potential Carcinogen	Nat'l Program	Yes No	Yes X	I.A.R.C. Monographs	Yes No	OSHA	Yes No
---	------------------	-----------	----------	------------------------	-----------	------	-----------

### SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY

Hazardous Components (Chemical and Common Name)	OSHA PEL	ACGIH TLV	OTHER EXPOSURE LIMITS	CAS NO
Methomyl; (S-Methyl N-(methylcarbamoyloxy) thioacetimidate	2.5 mg/m <sup>3</sup>	2.5 mg/m <sup>3</sup>		18752-77-6
Sugar	15 mg/m <sup>3</sup> TWA for total particulate 5 mg/m <sup>3</sup> TWA for respirable fraction	10 mg/m <sup>3</sup>		57-50-1

### SECTION 3 - PHYSICAL AND CHEMICAL CHARACTERISTICS

**Boiling Point:** N/A      **Specific Gravity (H<sub>2</sub>O = 1):** > 1      **Vapor Pressure (mm Hg):** N/A  
**Vapor Density (Air = 1):** N/A  
**Solubility in Water:** Soluble      **Evaporation Rate:** N/A      **% Volatile (volume):** 0  
**Appearance and Odor:** Solid yellow granules with characteristic sulfurous odor.

### SECTION 4 - FIRE & EXPLOSION DATA

**Flash Point:** N/A      **Method Used:** N/A      **Flammable Limits in air - % by volume:**  
 LEL lower: N/A      UEL upper: N/A  
**Auto Ignition Temperature:** Unknown      **Extinguisher Media:** Agent suitable for surrounding fire, i.e. CO<sub>2</sub>, foam, or water spray (water may increase contamination hazard).

#### Special Fire Fighting Procedures:

Use self-contained breathing apparatus. Remove people upwind from fire/smoke.

#### Unusual Fire and Explosion Hazards:

Will ignite if exposed to intense heat or open flame. Burning produces toxic fumes and carbon monoxide from incomplete combustion. Fire or intense heat may rupture container.

### SECTION 5 - PHYSICAL HAZARDS (REACTIVITY DATA)

**Stability:** Unstable \_\_\_\_\_      **Conditions To Avoid:** \_\_\_\_\_  
 Stable X

#### Incompatibility (Materials to Avoid):

Oxidizers, reactive metals.

#### Hazardous Decomposition Products:

Oxides of nitrogen, CO, CO<sub>2</sub>.

**Hazardous Polymerization:** may occur \_\_\_\_\_      **Conditions to Avoid:** \_\_\_\_\_  
 will not occur X

### SECTION 6 - HEALTH HAZARDS

#### Signs and Symptoms of Exposure:

##### ACUTE:

4      Ingestant is a cholinesterase inhibitor: sweating, salivation, nausea, headaches, diarrhea,  
 3      dil pupils, ataxia, tightness in chest, vomiting, cyanosis, pulmonary edema. Atropine is  
 2      antidotal.

### SECTION 7 - GENERAL PRECAUTIONS FOR SAFE HANDLING AND USE

#### Work/Hygiene Practices:

Avoid breathing dust, avoid contact with skin, eyes or clothing.

#### Precautions to be Taken in Handling and Storage:

See specific instructions on label regarding use patterns. Do not store near feed or foodstuffs. Keep out of reach of children and animals.

#### Steps to be Taken in Case Material is Released/Spilled:

Small amounts may be swept up and spread in planned use areas as directed on label or placed in container for disposal.

#### Waste Disposal Method (Consult federal, state, & local regulations):

**Pesticide Disposal**—Pesticide that cannot be used according to label must be disposed of according to applicable Federal, State, and local procedures. The container may be triple rinsed then offered for recycling or reconditioning—or puncture and dispose of in a sanitary landfill or by other approved state and local procedures.

### SECTION 8 - GENERAL CONTROL MEASURES

**Ventilation:** Local Exhaust \_\_\_\_\_      Mechanical (General) X      Special \_\_\_\_\_      Other \_\_\_\_\_

#### Respiratory Protection:

None for ordinary handling/use. However, in excessive airborne exposures, use NIOSH approved respirator for pesticide (organic vapor cartridge plus dust prefilter) in compliance with CFR 29-1910.34.

#### Protective Gloves:

Impervious

#### Eye Protection:

None for ordinary use/handling. Safety glasses with side shields recommended during prolonged or repeated exposures.

#### Other Protective Clothing and Equipment:

N/A

### SECTION 9 - MATERIAL SHIPPING INFORMATION

**Article Name:** N/A      **Hazardous Class:** N/A

**Label Required:** No

**Packaging Required:** Not applicable under current regulations.

<b>Maximum Net Quantity Per Package Via Air</b>	<b>Passenger Only:</b> No limit	<b>Cargo Only:</b> No limit
---	---------------------------------	-----------------------------

#### Bill of Lading Description:

Insecticides, OTA, NOI, in boxes. NMFC 102130(2)

**Shipper Certification Required:** Yes \_\_\_\_\_      No X

The information herein is given in good faith, but no warranty, expressed or implied, is made.