General Offices/3M

3M Center St. Paul, Minnesota 55144-1000 (612) 733-1110 ONTARIO SUPPLY CORP.

100 NORTH MOHAWK ST.

2130. BOX 437
COHOES, NEW YORK 12049.

MATERIAL SAFETY DATA SHEET



DIVISION:

ELECTRICAL PRODUCTS DIVISION

TRADE NAME: SCOTCHFIL BRAND ELECTRICAL INSULATING PUTTY

3M I.D. NUMBER:

ISSUED: NOVEMBER 11, 1985 SUPERSEDES: MAY 1, 1982 DOCUMENT: 10-2654-1

1. INGREDIENTS C.A.S. NO. PERCENT EXPOSURE SYNTHETIC RUBBER NONE 40.0- 50.0 NONE HYDROCARBON RESIN NONE 3.0- 7.0 NONE 5 10.0- 20.0 NONE HYDROCARBON OIL NONE 5 INERT FILLER NONE 25.0- 35.0 NONE 5 CARBON BLACK 1333-86-4 1.0- 4.0 3.5mg/cu.m. 1

#### SOURCE OF EXPOSURE LIMIT DATA

- 1. ACGIH THRESHOLD LIMIT VALUES
- 2. FEDERAL OSHA PERMISSIBLE EXPOSURE LIMIT
- 3. 3M EXPOSURE GUIDELINES
- 4. CHEMICAL MANUFACTURER RECOMMENDED GUIDELINES
- 5. NONE ESTABLISHED

## **ABBREVIATIONS**

N/D - NOT DETERMINED

N/A - NOT APPLICABLE

# 2. PHYSICAL DATA

BOILING POINT: N/A SOLUBILITY IN MATER: Nil VAPOR PRESSURE: N/A SP. GRAVITY (MATER=1): 1.14 VAPOR DENSITY (AIR=1): N/A PERCENT VOLATILE: 0

EVAPORATION RATE

(=1): N/A VISCOSITY: N/A
APPEARANCE AND ODOR: Black putty in tape form with pH: N/A

release liner

## 3. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (N/A): N/A

FLAMMABLE LIMITS - LEL: N/D UEL: N/D

#### EXTINGUISHING MEDIA:

Carbon Dioxide, Foam or Dry Chemical

SPECIAL FIRE FIGHTING PROCEDURES:

Firefighters should be equipped with self-contained breathing apparatus.

3M Center St. Paul, Minnesota 55144-1000 (612) 733-1110

MATERIAL SAFETY DATA SHEET



MSDS: SCOTCHFIL BRAND ELECTRICAL INSULATING PUTTY Page 2 NOVEMBER 11, 1985 UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE 4. REACTIVITY DATA STABILITY: STABLE INCOMPATIBILITY - MATERIALS TO AVOID: NONE HAZARDOUS POLYMERIZATION: MAY NOT OCCUR **HAZARDOUS DECOMPOSITION PRODUCTS:** May include Carbon Monoxide and Carbon Dioxide. 5. ENVIRONMENTAL INFORMATION SPILL RESPONSE: Not Applicable RECOMMENDED DISPOSAL: Bury or incinerate in accordance with state and local regulations. ENVIRONMENTAL DATA: NONE 6. SUGGESTED FIRST AID EYE CONTACT: Not expected under normal conditions of use. SKIN CONTACT: Not expected under normal conditions of use. INHALATION: Not expected under normal conditions of use. IF SWALLONED: If ingested, consult a physician. 7. PRECAUTIONARY INFORMATION Wash with soap and water. Do not take internally. Keep out of reach of children.

,

General Offices/3M

3M Center St. Paul, Minnesota 55144-1000 (612) 733-1110

MATERIAL SAFETY
DATA SHEET



MSDS: SCOTCHFIL BRAND ELECTRICAL INSULATING PUTTY NOVEMBER 11, 1985

Page 3

## 8. HEALTH HAZARD DATA

EYE CONTACT: Not a likely route of exposure.

SKIN CONTACT: Irritation not expected in intended use.

INHALATION: Not a likely route of exposure. Carbon black has an OSHA permissible exposure limit of 3.5 milligrams per cubic meter TWA. The International Agency for Research on Cancer, IARC, states the available data on carbon blacks are inadequate to permit an evaluation of their carcinogenicity to experimental animals. There is sufficient evidence that benzene extracts of most of the carbon blacks tested are carcinogenic to experimental animals. The available epidemiological data provide inadequate evidence to evaluate the carcinogenicity to humans of carbon blacks. Exposure to carbon black is not expected in use and handling of this product.

INGESTION: Not a likely route of exposure; but, given a single incidence of ingestion, the product is not expected to be toxic.

The information on this Data Sheet represents our current data and best opinion as to the proper use in handling of this product under normal conditions. Any use of the product which is not in conformance with this Data Sheet or which involves using the product in combination with any other product or any other process is the responsibility of the user.