3M General Offices

JM Center St. Paul, MN 55144-1000 1-800-364-3577 or (612) 737-6501 (24 hours)

MATERIAL SAFETY DATA SHEET

则是这个人,但是不是

Copyright, 1998, Minnesota Mining and Manufacturing Company.
All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that 1) the information is copied in full with no changes unless prior agreement is obtained from 3M, and
2) neither the copy nor the original is resold or otherwise distributed with

DIVISION: COMMERCIAL CARE DIVISION TRADE NAME:

3M Brand BATHROOM CLEANER CONCENTRATE (Product No. 4, Twist 'n Fill (tm) System)

the intention of earning a profit thereon.

ID NUMBER/U.P.C.:

XN-1016-5549-3 - - 70-0705-2685-3 00-48011-19154-1 70-0705-2686-1 00-48011-19155-8 70-0705-4315-5 00-48011-19204-3 70-0705-4316-3 00-48011-19205-0 70-0705-4904-6 00-48011-19308-8 70-0705-8964-6 00-48011-19967-7 70-0707-1409-5 00-48011-20797-6

ISSUED: JANUARY 21, 1998 SUPERSEDES: DECEMBER 8, 1997 DOCUMENT: 06-1683-9

1. INGREDIENT	C.A.S. NO.		PERCENT	
1-OCTYL-Z-PYRROLIDINONE		10	-	30
HYDROXYACETIC ACID		10	-	30
WATERMALIC ACID	//32~18-5 4015-15-7	10	_	30
QUATERNARY AMMONIUM CHLORIDES	68424-95-3	ξ̈́	Ξ	30 10
FRAGRANCE	Unknown	ĩ	_	5
ETHYL ALCOHOL	64~17-5	1	_	5

NOTE: IN CASE OF EMERGENCY: THE NUMBERS AT THE TOP OF THIS PAGE PROVIDE 24 HOUR RESPONSE FROM ANY PHONE FOR ALL EMERGENCIES WITH THIS PRODUCT.

2. PHYSICAL DATA

BOILING POINT:.... VAPOR PRESSURE:.... VAPOR PRESSURE: N/D
VAPOR DENSITY: N/D
EVAPORATION RATE: N/D
SOLUBILITY IN WATER: complete SP. GRAVITY:..... ca. 1.12 Water = 1
PERCENT VOLATILE: 15-20 %

3. FIRE AND EXPLOSION HAZARD DATA

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

3M General Offices

3M Center St. Pard, MN 55144-1000 1-800-364-3577 or (612) 737-6501 (24 hours)

, garajahaja garaja na hali di Sasa

85

MATERIAL SAFETY DATA SHEET

MSDS: 3M Brand BATHROOM CLEANER CONCENTRATE (Product No. 4, Twist 'n Fill (tm) System) JANUARY 21, 1998 PAGE: 2 of 6 3. FIRE AND EXPLOSION HAZARD DATA (continued) AUTOIGNITION TEMPERATURE: ... N/D EXILIBRISHING MEDIA:
Water spray, Carbon dioxide, Dry chemical, Foam
SPECIAL FIRE FIGHTING PROCEDURES: Wear full protective clothing, including helmet, self-contained. positive pressure or pressure demand breathing apparetus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

UNUSUAL FIRE AND EXPLOSION HAZARDS: UNUSUAL FIRE AND EXPLUSION HAZARUS:

No unusual fire or explosion hazards are anticipated. See Hazardous
Decomposition section for products of combustion.

NFPA HAZARD CODES: HEALTH: 3 FIRE: 1 REACTIVITY: 0

UNUSUAL REACTION HAZARD: corrosive
OSHA FIRE HAZARD CLASS: Class IIIB Combustible Liquid 4. REACTIVITY DATA STABILITY: Stable INCOMPATIBILITY - MATERIALS TO AVOID: None known HAZARDOUS POLYMERIZATION: Will Not Occur HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Monoxide and Carbon Dioxide, Oxides of Nitrogen, Irritant

Vapors or Gases. 5. ENVIRONMENTAL INFORMATION

SPILL RESPONSE:

PILL RESPONSE:
Refor to other sections of this MSDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment. Ventilate area. Contain spill. Evacuate unprotected personnel from hazard area. Cover with soda ash (sodium carbonate) or sodium bicarbonate. Collect spilled material. Clean up residue with soda ash (sodium carbonate) solution. Place in a polyethylene-lined metal container. Do not seal for 48 hours.

RECOMMENDED DISPOSAL:

Incinerate in a permitted hazardous waste incinerator in the presence of a combustible material.

ENVIRONMENTAL DATA:

A Product Environmental Data Sheet (PED) is available,

The use of this product is expected to have no significant environmental impact. All components will eventually degrade in the environment.

REGULATORY INFORMATION: Volatile Organic Compounds: < 10 %. VOC Less H2O & Exempt Solvents: < 10 %.

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

3M General Offices

3M Center St. Paul, MN 55144-1000 1-800-364-3577 or (612) 737-6501 (24 hours)

86

MATERIAL SAFETY DATA SHEET

MSDS: 3M Brand BATHROOM CLEANER CONCENTRATE (Product No. 4, Twist 'n Fill (tm) System) JANUARY 21, 1998

PAGE: 3 of 6

that disconnection to the contract of the cont

5. ENVIRONMENTAL INFORMATION (continued)

> Since regulations vary, consult applicable regulations or authorities before disposal. In the event of an uncontrolled release of this material, the user should determine if the release qualifies as a reportable quantity. U.S. EPA Hazardous Waste Number = D002

TSCA: All components used in the manufacture of this material are in compliance with the US TSCA inventory.

EPCRA HAZARD CLASS:

FIRE HAZARD: No PRESSURE: No REACTIVITY: No ACUTE: Yes CHRONIC: Yes

6. SUGGESTED FIRST AID

EYE CONTACT:

Immediately flush eyes with large amounts of water for at least 15 minutes. Get immediate medical attention.

Immediately flush skin with large amounts of water for at least 15 minutes in a chemical safety shower while removing contaminated clothing and shoes. Get immediate medical attention. Wash contaminated clothing before rouse.

INHALATION:

If signs/symptoms occur, remove person to fresh air. If signs/symptoms continue, call a physician.

IF SWALLOWED:

If swallowed, do NOT induce vomiting. Give victim two glasses of water. Call a physician immediately. Never give anything by mouth to an unconscious person.

7. PRECAUTIONARY INFORMATION

EYE PROTECTION:

MOTE: When used as directed and diluted and dispensed with a TWIST'n FILL (tm) Chemical Dispenser, eye contact with the concentrate is not expected to occur. Avoid eye contact. The following should be worn alone or in combination, as appropriate, to prevent eye contact: Wear full-face shield.

SKIN PROTECTION:

NOTE: When used as directed and diluted and dispensed with a TWIST'n FILL (tm) Chemical Dispenser, skin contact with the concentrate is not expected to occur. Avoid skin contact. Wear appropriate gloves when handling this material. A pair of gloves made from the following material(s) are recommended: butyl rubber, nitrile rubber. Use one or more of the following personal protection items as

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

3M General Offices

3M Center \$1. Paul, MN 55144-1000

1-800-364-3577 or (612) 737-6501 (24 hours)

MATERIAL SAFETY DATA SHEET

MSDS: 3M Brand BATHROOM CLEANER CONCENTRATE ... (Product No. 4, Twist 'n Fill (tm) System)
JANUARY 21, 1998

PAGE: 4 of 6

87

7. PRECAUTIONARY INFORMATION (continued)

necessary to prevent skin contact: apron, coveralls.

VENTILATION PROTECTION:

NOTE: When used as directed and diluted and dispensed with a TWIST'n FILL (tm) Chemical Dispenser, special ventilation is not required. Use in a well-ventilated area. Use with adequate dilution ventilation. If exhaust ventilation is not adequate, use appropriate respiratory protection.

RESPIRATORY PROTECTION:

ESPIRATORY PROTECTION:

NOTE: When used as directed and diluted and dispensed with a TWIST'n NOTE: When used as directed and diluted and dispensed with a TWIST'n FILL (tm) Chemical Dispenser, respiratory protection is not required. Avoid breathing of airborne material. Select one of the following NIDSH approved respirators based on airborne concentration of conteminants and in accordance with OSHA regulations: half-mask organiments and in gas respirator, full-face organic vapor and acid gas respirator.

PREVENTION OF ACCIDENTAL INGESTION:

Wash hands after handling and before eating. Do not ingest.

Store in a cool place. Keep container closed when not in use. Keep out of the reach of children.

FIRE AND EXPLOSION AVOIDANCE: Keep container tightly closed.

OTHER PRECAUTIONARY INFORMATION:

Not intended for consumer sale or use. This product is not intended to be used without prior dilution as specified on the product label.

HMIS HAZARD RATINGS: HEALTH: 3 FLAMMABILITY: 1 REACTIVITY: 0 PERSONAL PROTECTION: X (See precautions, section 7.)

EXPOSURE LIMITS

	-			
INGREDIENTS 1-0CTYL-2-PYRROLIDINONE	VALUE	UNIT	TYPE AUTH	SKIN*
1-UCTYL-2-PYRROLIDINONE	NONE	NONE	NONE NONE	
HYDROXYACETIC ACID	1.6	mg/m3	TWA CMRG	
WATER	NONE	NONE	NONE NONE	
MALIC ACID	NONE	NONE	NONE NONE	
QUATERNARY AMMONIUM CHLORIDES	NONE	NONE	NONE NONE	
FRAGRANCE	NONE	NONE	NONE NONE	
ETHYL ALCOHOL	1000	ppm	TWA ACGIH	
ETHYL ALCOHOL	1000	ppm	TWA OSHA	

* SKIN NOTATION: Listed substances indicated with "Y" under SKIN refer to the potential contribution to the overall exposure by the cutameous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

3M General Offices

3M Center St. Paul, MN 55144-1000 1-800-364-3577 or (612) 737-6501 (24 hours)

88

MATERIAL SAFETY DATA SHEET

MSDS: 3M Brand BATHROOM CLEANER CONCENTRATE (Product No. 4, Twist 'n Fill (tm) System)

JANUARY 21, 1998

PAGE: 5 of 6

7. PRECAUTIONARY INFORMATION

(CONTINUED)

SOURCE OF EXPOSURE LIMIT DATA:

- ACGIN: American Conference of Governmental Industrial Hygienists
- AIHA: American Industrial Hygine Assoc. Workplace Environmental Exposure Level G
- GSHA: Occupational Safety and Health Administration

- CMRG: Chemical Manufacture Recommended Guidelines

- NONE: None Established

B. HEALTH HAZARD DATA

EYE CONTACT:

Chemical Related Eye Burns (chemical corrosivity): signs/symptoms can include cloudy appearance of the cornea, chemical burns, pain, tearing, ulcers, impaired vision or loss of vision.

Skin Burns (chemical corrosivity): signs/symptoms can include redness, swelling, itching, pain, blistering, ulceration, sloughing, and scar formation.

INHALATION:

Single overexposure, above recommended guidelines, may cause:

Irritation (upper respiratory): signs/symptoms can include soreness of the nose and throat, coughing and sneezing.

Prolonged or repeated exposure may cause:

Irritation (lower respiratory): signs/symptoms can include coughing, congestion, irritation of throat, wheezing and difficulty breathing.

IF SWALLOWED:

Ingestion is not a likely route of exposure to this product.

Irritation of Gastrointestinal Tissues: signs/symptoms can include pain, yomiting, abdominal tenderness, nausea, blood in vomitus, and blood in feces.

OTHER HEALTH HAZARD INFORMATION:
MEDICAL COMBITIONS AGGRAVATED BY EXPOSURE: medical conditions, if
any, known to be aggravated by exposure to this product are indicated
in the appropriate portions of the Health Hazard Data section of this data sheet.

CARCINOBENS: components of this product, if any, known to cause, or suspected of causing, cancer as determined by OHSA, IARC, OR NTP are described in the Health Hazard Data section of this data sheet in accord with the OHSA Hazard Communications Standard, 29 CFR 1910.1200

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

3M General Offices

3M Center St. Paul, MN 55144-1000 1-800-364-3577 or (612) 737-6501 (24 hours)

89

MATERIAL SAFETY DATA SHEET

MSDS: 3M Brand BATHROOM CLEANER CONCENTRATE (Product No. 4, Twist 'n Fill (tm) System) JANUARY 21, 1998

PAGE: 6 of 6

SECTION CHANGE DATES

INGREDIENTS

SECTION CHANGED SINGE DECEMBER 8, 1997 ISSUE

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, AMY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. FITNESS FOR A PARTICULAR PURPUSE OR COURSE OF PERFURMANCE DK USAGE OF IRADE. User is responsible for determining whather the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due on provides intermetation in electronic form as a service to the consumers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.