3M Center St. Paul, MN 55144-1000 1-800-364-3577 or (612) 737-6501 (24 hours)

1555

MATERIAL SAFETY DATA SHEET

Copyright, 1998, Minnesota Mining and Manufacturing Company.
All rights reserved. Copying and/or downloading of this information for
the purpose of properly utilizing 3M products is allowed provided that: 1) the information is copied in full with no changes unless prior agreement is obtained from 3M, and

2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

DIVISION: COMMERCIAL CARE DIVISION TRADE NAME:

ID NUMBER/U.P.C.:

70-0705-8962-0 00-88011-19965-3 70-0705-8963-8 00-48011-19207-4 70-0707-1406-1 00-48011-20794-5 70-0707-1406-1 00-48011-20794-5 70-0707-2960-6 00-48011-23218-3 70-0707-2961-4 00-48011-23219-0 70-0707-2962-2 00-48011-23220-6 70-0707-2963-0 00-48011-23221-3

ISSUED: JANUARY 21, 1998 SUPERSEDES: DECEMBER 8, 1997 DOCUMENT: 06-1685-4

1. INGREDIENT	C.A.S. NO.		PERCEN	Ī
WATER ALKYL (C-14 50%, C-12 40%, C-16 10%)	7732-18-5	60	-	70
DIMETHYL BENZYL AMMONIUM CHLORIDE DCTYLDECYLDIMETHYLAMMONIUM CHLORIDE NONYLPHENOXYPOLY(OXYETHYLENE)				8.7 6.5
ETHANOL ETHYL ALCOHOL DIDECYLDIMETHYLAMMONIUM CHLORIDE ETHYLENEDIAMTHETETRAACETIC ACID	64-17-5	5 1	=	10 5 3.9
TETRASODIUM SALT DIOCTYL DIMETHYL AMMONIUM CHLORIDE	5538-94-3	1	-	5 2.6
SODIUM METASILICATE FRAGRANCE DYE	Unknown	1 0.5	- <	5 1.5 .1

IN CASE OF EMERGENCY: THE NUMBERS AT THE TOP OF THIS PAGE PROVIDE 24 HOUR RESPONSE FROM ANY PHONE FOR ALL EMERGENCIES WITH THIS PRODUCT.

2. PHYSICAL DATA

BOILING POINT: ca. 212 F VAPOR PRESSURE: N/D
VAPOR DENSITY: N/D
EVAPORATION RATE: N/D
SOLUBILITY IN MATER: complete
 SP. GRAVITY:
 ca. 1.00 Water = 1

 PERCENT VOLATILE:
 65-70 %
 pH: ca. 12.6

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

3M General Offices

3M Center St. Paul, MN 55144-1000 1-800-364-3577 or (612) 737-6501 (24 hours)

1556

marin and returns beautiful the

MATERIAL SAFETY

PAGE: 2 of 7 2. PHYSICAL DATA (continued) < 100 CPS MELTING POINT..... N/A APPEARANCE AND ODOR: Liquid, clear, green color, pleasant odor. 3. FIRE AND EXPLOSION HAZARD DATA FLASH POINT:.. ______133 F T.C.C. PLANMABLE LIMITS - LEL: N/D FLAMMABLE LIMITS - UEL: N/D AUTOIGNITION TEMPERATURE: N/D EXTINGUISHING MEDIA: Water, Carbon dioxide, Dry chemical, Foam SPECIAL FIRE FIGHTING PROCEDURES: Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head. Use fresh air respirator UNUSUAL FIRE AND EXPLOSION HAZARDS: See Hazardous Decomposition section for products of combustion. Closed containers exposed to heat from fire may build pressure and NFPA HAZARD CODES: HEALTH: 3 FIRE: 2 REACTIVITY: 0 OSHA FIRE HAZARD CLASS: Class II Combustible Liquid 4. REACTIVITY DATA STABILITY: Stable INCOMPATIBILITY - MATERIALS TO AVOID: Highly alkaline material. Avoid mixing with strongly acidic materials. Rapid heating and spattering of mixture may result. HAZARDOUS POLYMERIZATION: Will Not Occur HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Monoxide and Carbon Dioxide, Oxides of Nitrogen, Hydrogen Chloride. 5. ENVIRONMENTAL INFORMATION SPILL RESPONSE: Refer to other sections of this MSDS for information regarding physical and health hazards, respiratory protection, ventilation, and physical and health hazards, respiratory protection, ventilation, and personal protective equipment. Ventilate area. Extinguish all ignition sources. Contain spill. Evacuate unprotected personnel from hazard area. Cover with inorganic absorbent material. Dilute in a large excess of water. Carefully, and with stirring, add appropriate dilute acid such as sulfamic acid or vinegar. Confirm neutrality. Collect using non-sparking tools. Clean up residue with water. Place in a polyathylepalized matel container. water. Place in a polyethylene-lined metal container. Do not seal

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

3M Center St. Paul, M/S 55344-1000 1-800-364-3577 or (612) 737-6501 (24 hpurs)

1557

MATERIAL SAFETY DATA SHEET

3M

JANUARY 21. 1998

PAGE: 3 of 7

5 ENVIRONMENTAL INFORMATION

(continued)

for 48 hours.

RECOMMENDED DISPOSAL:

Incinerate in a permitted hazardous waste incinerator. Combustion products will include HC1.

ENVIRONMENTAL DATA:

A Product Environmental Data Sheet (PED) is available.

This product is a disinfectant; it is toxic to microorganisms. Care must be taken to avoid improper disposal or release to the environment. When properly handled, use of this product is expected to have minimal environmental impact. Most components of this product will eventually degrade in the environment.

REGULATORY INFORMATION:

Volatile Organic Compounds: ca. 40 gms/liter South Coast Air Quality Mgmt Dist Method Rule 443.1, calculated. VDC Less H20 & Exempt Solvents: ca. 40 gms/liter South Coast Air Quality Mgmt Dist Method (Rule 443.1, calculated).

Since regulations vary, consult applicable regulations or authorities before disposal. In the event of an uncontrolled release of this material, the user should determine if the release qualifies as a reportable quantity. U.S. EPA Hazardous Waste Number = D001 (Ignitable) D002 (Corrosive)

TSCA: All components used in the manufacture of this material are in compliance with the US TSCA inventory.

EPCRA HAZARD CLASS:

FIRE HAZARD: Yes PRESSURE: No REACTIVITY: No ACUTE: Yes CHRONIC: Yes

6. SUGGESTED FIRST AID

EYE CONTACT:

Immediately flush eyes with large amounts of water for at least 15 minutes. Get immediate medical attention.

SKIN CONTACT:

Immediately flush skin with large amounts of water for at least 15 minutes in a chemical safety shower while removing contaminated clothing and shoes. Get immediate medical attention. Wash contaminated clothing before reuse.

INHALATION:

If signs/symptoms occur, remove person to fresh air. If signs/symptoms continue, call a physician.

IF SWALLOWED:

If swallowed, do NOT induce vomiting. Give victim two glasses of

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

3M General Offices

3M Center St. Paul, MN 55144-1000 1-800-364-3577 or (612) 737-6501 (24 hours)

155B

MATERIAL SAFETY DATA SHEET

3M

MSDS: 3M Brand QUAT DISINFECTANT CLEANER CONCENTRATE
(Product No. 5, Twist 'n Fill (tm) System)
JANUARY 21. 1998

PAGE-

PAGE: 4 of 7

__6. SUGGESTED FIRST AID

(continued)

water. Call a physician immediately. Never give anything by mouth to an unconscious person.

OTHER FIRST AID:

Measures against circulatory shock, respiratory depression, and convulsion may be needed.

7. PRECAUTIONARY INFORMATION

EYE PROTECTION:

NOTE: When used as directed and diluted and dispensed with a TWIST'n FILL (tm) Chemical Dispenser, eye contact with the concentrate is not expected to occur. Avoid eye contact. The following should be worn alone or in combination, as appropriate, to prevent eye contact: Wear vented goggles. Wear full-face shield.

SKIN PROTECTION:

NOTE: When used as directed and diluted and dispensed with a TWIST'n FILL (tm) Chemical Dispenser, skin contact with the concentrate is not expected to occur. Avoid skin contact. Wear appropriate gloves when handling this material. A pair of gloves made from the following material(s) are recommended: butyl rubber, neoprene, nitrile rubber. Use one or more of the following personal protection items as necessary to prevent skin contact: apron, coveralls.

VENTILATION PROTECTION:

MOTE: When used as directed and diluted and dispensed with a TWIST'n FILL (tm) Chemical Dispenser, special ventilation is not required. Use in a well-ventilated area. Provide sufficient ventilation to maintain emissions below recommended exposure limits. If exhaust ventilation is not adequate, use appropriate respiratory protection.

RESPIRATORY PROTECTION:

NOTE: When used as directed and diluted and dispensed with a TWIST'n FILL (tm) Chemical Dispenser, respiratory protection is not required. Avoid breathing of vapors, mists or spray. Avoid breathing of airborne material.

PREVENTION OF ACCIDENTAL INGESTION:

Do not eat, drink or smoke when using this product. Wash exposed areas thoroughly with soap and water.

Avoid contamination of food,

RECOMMENDED STORAGE:

Store away from areas where product may come into contact with food or pharmaceuticals. Do not store containers on their sides. Keep container closed when not in use. Keep out of the reach of children.

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

3M Center St. Paul, MN 55144-1000 1-800-364-3577 or (612) 737-6501 (24 hours)

1559

MATERIAL SAFETY DATA SHEET

MSDS: 3M Brand QUAT DISINFECTANT CLEANER CONCENTRATE (Product No. 5, Twist 'n Fill (tm) System) JANUARY 21, 1998

PAGE: 5 of 7

7. PRECAUTIONARY INFORMATION

(continued)

FIRE AND EXPLOSION AVOIDANCE:

Re and Extension transfer of the Research of t

OTHER PRECAUTIONARY INFORMATION:

Not intended for consumer sale or use. This product is not intended to be used without prior dilution as specified on the product label.

Avoid creasing or impacting container side walls.

HMIS HAZARD RATINGS: HEALTH: 3 FLAMMABILITY: 2 REACTIVITY: 0 PERSONAL PROTECTION: X (See precautions, section 7.)

EXPOSURE LIMITS

INGREDIENTS	VALUE	UNIT	TYPE AUT	H SKIN*
ALKYL (C-14 50%, C-12 40%, C-16 10%)	NONE	NONE	NONE NON	
DIMETHYL BENZYL AMMONIÚM CHLORIDE .	NONE	NONE NONE	NONE NON	
NONYLPHENOXYPOLY(OXYETHYLENE) ETHANOL ETHYL ALCOHOL	NONE	NONE	NONE NON	
ETHYL ALCOHOL DIDECYLDIMETHYLAMMONIUM CHLORIDE	1000 1000 None	mad Mad SNGN	TWA ACG	Ā
ETHYLENEDIAMINETETRAACETIC ACID TETRASODIUM SALT	NONE	NONE	NONE NON	
SODIUM METASILICATE	NONE NONE	NONE NONE	NONE NONI	
FRAGRANCE DYE	NONE NONE	NONE NONE	NONE NON	

* SKIN NOTATION: Listed substances indicated with "Y" under SKIN refer to the potential contribution to the overall exposure by the cutaneous route the potential contribution to the correll exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

SOURCE OF EXPOSURE LIMIT DATA:

- ACGIH: American Conference of Governmental Industrial Hygienists

- AIHA: American Industrial Hygine Assoc. Workplace Environmental Exposure Level G

- OSHA: Occupational Safety and Health Administration - NONE: None Established

8. HEALTH HAZARD DATA

EYE CONTACT:

Chemical Related Eye Burns (chemical corrosivity): signs/symptoms can

Abbreviations: M/D - Not Determined N/A - Not Applicable CA - Approximately

3M General Offices

3M Center St. Paul, AIN 55144-1000 I-800-364-3577 or (612) 737-6501 (24 hours)

1560

MATERIAL SAFETY DATA SHEET

MSDS: 3M Brand QUAT DISINFECTANT CLEANER CONCENTRATE (Product No. 5, Twist 'n Fill (tm) System)
JANUARY 21, 1998

8. HEALTH HAZARD DATA

(continued)

include cloudy appearance of the cornea, chemical burns, pain, tearing, ulcers, impaired vision or loss of vision.

Skin Burns (chemical corrosivity): signs/symptoms can include redness, swelling, itching, pain, blistering, ulceration, sloughing, and scar formation.

May be absorbed through the skin and produce effects similiar to those caused by inhalation and/or ingestion.

INHALATION:

Single overexposure, above recommended guidelines, may cause:

Central Nervous System Depression: signs/symptoms can include headache, dizziness, drowsiness, incoordination, slowed reaction time, slurred speech, giddiness and unconsciousness.

Irritation (upper respiratory): signs/symptoms can include soreness of the nose and throat, coughing and sneezing.

Prolonged or repeated exposure may cause:

Nervous System Effects: signs/symptoms can include emotional changes, lack of coordination, tremors and sensory loss.

Lung Damage: signs/symptoms can include coughing, difficulty breathing, wheezing, tightness in chest, congestion, and coughing up of blood.

IF SWALLOWED:

Harmful or fatal if swallowed.

Damage to Gastrointestinal Tissues: signs/symptoms can include pain, vomiting, nausea, abdominal tenderness, burns of mouth, difficulty swallowing, blood in vomitus, blood in feces, and ulceration.

OTHER HEALTH HAZARD INFORMATION:

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: medical conditions, if any, known to be aggravated by exposure to this product are indicated in the appropriate portions of the Health Hazard Data section of this

CARCINDGENS: components of this product, if any, known to cause, or suspected of causing, cancer as determined by OHSA, IARC, OR NTP are described in the Health Hazard Data section of this data sheet in accord with the OHSA Hazard Communications Standard, 29 CFR 1910.1200

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

3M Center St. Pant, MN 55144-1000 1-800-364-3577 or (612) 737-6501 (24 hours)

1561

MATERIAL SAFETY DATA SHEET

3M

PAGE: 7 of 7

SECTION CHANGE DATES

INGREDIENTS

JANUARY 21, 1998

SECTION CHANGED SINCE DECEMBER 8, 1997 ISSUE

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

The information in this Material Safety Data Sheet (MSDS) is balleved to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF FERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.