

(A) 46-653, 46-654, 46-658 K 7933

MATERIAL SAFETY DATA SHEET

***** Section I - Identification *****

Manufacturer AGS Company
2651 Hoyt St. Phone: 800-253-0403
Muskegon Hts., MI 49444 616-733-2101
FAX: 616-733-1784
Transportation Emergency - CHEM-TEL: 800-255-3924

Trade Name RUGLYDE Cat. No. RG-18
Common Name RUGLYDE Container/Size One gallon

NFPA - Health 1 Flammability 0 Reactivity 0 Specific Hazard _____
HMIS - Health 1 Flammability 0 Reactivity 0 Protective Equipment A

***** Section II - Hazardous Ingredients *****


| <u>Hazardous Ingredient</u> | <u>CAS No.</u> | <u>Wgt. %</u> | <u>TLV</u> |
|-------------------------------|---------------------|---------------|----------------------------|
| 1. <u>Potassium Vegetable</u> | | | |
| 2. <u>Oil Soap</u> | <u>N/Applicable</u> | <u>5-15</u> | <u>Not known</u> |
| 3. <u>Ethylene Glycol*</u> | <u>107-21-1</u> | <u>1.3</u> | <u>10 cu. m. or 50 ppm</u> |
| 4. _____ | _____ | _____ | _____ |
| 5. _____ | _____ | _____ | _____ |
| 6. _____ | _____ | _____ | _____ |
| 7. _____ | _____ | _____ | _____ |
| 8. _____ | _____ | _____ | _____ |
| 9. _____ | _____ | _____ | _____ |
| 10. _____ | _____ | _____ | _____ |

NOTE: The following chemical is listed in Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

***** Section III - Physical Data *****

pH - Supplied 9.6 Boiling Point 200°F.
pH - Diluted Not Applicable % Volatiles 90% (by weight)
Water Solubility Complete Vapor Pressure Not Determined
Specific Gravity (Water=1) 1.01 @ Vapor Density (Air=1) >1
15.5/15.5°C.
Melting Point Not Applicable Evaporation Rate Not Determined
Appearance Amber liquid with characteristic odor.

Original Issue Date 11/08/85
Revision No.4 Date 03/13/96



(A)

***** Section IV - Fire & Explosion Data *****

Flash Pt. Not Applicable Method _____ Auto Ignition Temp. Not ApplicableFlammable Limits In Air - LEL Not Applicable UEL Not ApplicableExtinguishing Media Not applicableSpecial Procedures NoneUnusual Hazards None

***** Section V - Reactivity Data *****

Unstable and/or Auto Reactive StableIncompatible Materials OxidizersHazardous Decomposition Products Oxides of carbon.

***** Section VI - Emergency First Aid *****


Eyes Flush with water for at least 15 minutes. Get medical attention.Skin Wash effected area. Remove contaminated clothing. If adverse effects occur, consult a physician.Ingestion Seek medical attention. Note to Physician: Contains 6 percent by weight of Ethylene Glycol.Inhalation Remove to fresh air. Give oxygen or artificial respiration as required, consult a physician.

***** Section VII - Health Effects *****

Eyes May cause irritation, discomfort and pain.Skin May cause irritation or dermatitis.Ingestion May cause nausea and/or diarrhea. Ingestion may also cause depression followed by respiratory and cardiac failure.Inhalation May cause irritation.Other Effects Vaporizing solution may inhalation effects such as CNS depression and hematopoietic dysfunction.

Original Issue Date 11/08/85

Revision No.4 Date 03/13/96



(A)

46-653, 46-654, 46-658

Product - RG-18

Printed 06/19/96

Printed For: MYERS INDUSTRIES

***** Section VIII - Ventilation and Protective Measures *****

Ventilation Requirement General room ventilation is sufficient.

Eyes Yes Gloves Yes Clothing No Respiratory No

Other Eye wash in area.

***** Section IX - Storage and Handling Procedures *****

Conditions to Avoid None known.

***** Section X - Spill Procedures and Waste Disposal *****

Spill Procedure Absorb on inert material. Flush residue with water.

Disposal Method Removal by an approved, licensed waste hauler.

EPA Waste I.D. NO. Not. Reg.



000466530008

Approved By Tommy Jones,
Manager - Technical Resources

Original Issue Date 11/08/85

Revision No.4 Date 03/13/96

The Information Herein Is Given In Good Faith,
No Warranty, Expressed Or Implied, Is Made.