MATERIAL SAFETY DATA SHEET

PRODUCT NAME: UG CRAYONS 209 MED. BLUE

PRODUCT CODE: UG 209 MBL

MANUFACTURER'S NAME: AMERICAN ART & CLAY CO., INC.

ADDRESS: 4717 WEST SIXTEENTH STREET, INDIANAPOLIS, INDIANA 46222

EMERGENCY PHONE: (317)244-6871

INFORMATION PHONE: (317)244-6871

DATE REVISED : 06-05-95

NAME OF PREPARER : L. Jenkins

******* SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION *********

HAZARDOUS COMPONENTS	CAS NUMBER	OCCUPAT: OSHA PEL	IONAL EXPOSU ACGIH TLV	RE LIMITS OTHER	VAPOR PRESSURE am Hg @ TEMP
HYDROUS ALUMINUM SILICATE SODIUM POTASSIUM ALUMINUM SILICATE SILCOM DIOXIDE	1332-58-7 58476-25-5 14808-60-7	10mg/m3	.img/m3 0.img/m3 10mg/m3	eRESP DUST @ Silicate as Quartz	N/A N/A N/A
LEADLESS FRIT Hydrated aluminum silicate	65997-18-4 1332-58-7	2.5mg/MG3	2.5mg/HG3 10MG/H3	e F e Silicate	N/A N/A

*** No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present. ***
Carries the HL Seal. Labeling conforms to ASTM D4236. Contains cobalt and crystalline silica. See Section VI. Producers
are responsible in complying with FDA guidelines for lead release from tableware.

========= SECTION 111 - PHYSICAL/CHEMICAL CHARACTERISTICS ==========

BOILING POINT: N/A

SPECIFIC GRAVITY (H2G=1): LESS THAN 2

VAPOR DENSITY: HEAVIER THAN AIR

EVAPORATION RATE: SLOWER THAN ETHER

COATING V.O.C. : N/A SOLUBILITY IN WATER:

APPEARANCE AND ODOR: Solid sticks.

FLASH POINT: N/A

METHOD USED:

FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: N/A UPPER: N/A

EXTINGUISHING MEDIA: NOME KNOWN

SPECIAL FIREFIGHTING PROCEDURES

No fire bazard.

UNUSUAL FIRE AND EXPLOSION HAZARDS None.

UG 209 NBL

MATERIAL SAFETY DATA SHEET

PAGE 2 OF 3

------ SECTION V - REACTIVITY DATA ------

STABILITY: STABLE CONDITIONS TO AVOID

N/A

INCOMPATIBILITY (MATERIALS TO AVOID)

HAZARDOUS DECOMPOSITION OR BYPRODUCTS None.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

May cause damage to the heart and lungs by inhalation of dust. Probable cancer agent by inhalation of dust based on laboratory tests. In solid form non hazardous.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE Rinse eyes thoroughly with water for 15 minutes. Contact physician.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE None,

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Carries the HL Seal. If swallowed may cause damage to the heart and lungs. Labeling conforms to ASTM D4236. TLV has not been established for the whole product.

HEALTH HAZARDS (ACUTE AND CHRONIC)

May cause damage to the heart and lungs by ingestion or inhalation of dust. Probable cancer agent by inhalation of dust based on laboratory tests.

CARCINOGENICITY: NTP? NO IARC MONOGRAPHS? YES OSHA REGULATED? NO Probable cancer agent by inhalation of dust based on laboratory tests.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE Unknown.

EMERGENCY AND FIRST AID PROCEDURES

For further information contact your local poison control center.

UG 209 HBL

HATERIAL SAFETY DATA SHEET

PAGE 3 OF 3

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE ========

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED Does not spill.

WASTE DISPOSAL METHOD Dispose of in trash.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING None.

OTHER PRECAUTIONS

When using do not eat, drink or smoke. Wash hands immediately after use. KEEP OUT OF REACH OF CHILDREN. NOT FOR USE IN HEALCARE FACILITIES. KEEP IN ORIGINAL CONTAINER.

RESPIRATORY PROTECTION

Use NIOSH certified mask when dust is present.

VENTILATION

N/A

PROTECTIVE GLOVES

Not needed.

EYE PROTECTION

Not needed.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

Not needed.

WORK/HYGIENIC PRACTICES

Refer to AMACO Safety Manual for further information. Manual available upon request.

DISCLAIMER

Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Since conditions of use are beyond our control we make no warranties, expressed or implied, except those that be contained in our written acknowledgement.

Continuation for Section VI subsection Carcinogenicity.

The International Agency for Research on Cancer in its publication "IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans - Silica and some Silicates" - Volume 42, 1987, has concluded that there is sufficient evidence for the carcinogenicity of Crystalline Silica in experimental animals, and limited evidence for the carcinogenicity of crystalline silica in humans, and has, therefore, classified crystalline silica in Group 2A of probable carcinogens.

DEFINITIONS

Silicate Glass Frit: Frits are produced from the chemical reactions which occur during the high temperature smelting of various raw materials to form a molten glass. This glass is rapidly cooled to produce granules or flakes. These may subsequently be milled to produce a powdered frit. Frit (glass) is an essentially insoluble substance.

Pigment: A pigment is formed by high temperature calcination. Therefore, it does not necessarily have any of its component oxides or metals.

American Art Clay Co., Inc./Reward® Ceramic Color Mfrs., Co., is a member of the Art and Craft Material Institute, 100 Boylston St., Suite 1050, Boston MA 02116. Our art and craft items are certified by the Institute to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D-4236 (American Society for Testing and Materials). This product is appropriately labeled with the following seal:



Products bearing the HL Certified Label Conformance Statement of the Art and Craft Materials Institute, Inc., are certified to be properly labeled in a program of toxicological evaluation by a medical expert, subject to review by the Institute's Toxicological Advisory Board.